

1. Maldonado A, Trueheart PA, Renold AE. Effects of Streptozotocin added in-vitro on insulin biosynthesis and release in isolated rat islets: preliminary report. *Hormone Metab Res; Suppl.Ser.6*: 71-73, 1976.
2. Maldonado A, Trueheart PA, Renold AE, Sharp GWG. Effects of Streptozotocin in-vitro on proinsulin biosynthesis, insulin release and ATP content in isolated rat islets of Langerhans. *Diabetologia* 12: 471-481, 1976.
3. Trueheart PA, Maldonado A, Kaelin D, Renold AE, GWG. Sharp. Proinsulin synthesis in islets of Langerhans from Spiny mice (*Acomys cahirinus*). Comparison with rats and mice. *Diabetologia* 12: 463-470, 1976.
4. Maldonado A, Renold AE, Sharp GWG, E.Cerasi. Glucose-induced proinsulin biosynthesis: role of islet cyclic-AMP. *Diabetes*; 26: 538-545, 1977.
5. Toffolo G., Bergman R.N., Bowden C.R., Cobelli C.: Quantitative estimation of Beta-cell sensitivity to glucose in the intact organism. *Diabetes* 29: 979-990, 1980.
6. Bergman R.N., Phillips L.S., Cobelli C.: Physiologic evaluation of factors controlling glucose tolerance in man. Measurement of insulin sensitivity and B-cell glucose sensitivity from the response to intravenous glucose. *J. Clin. Invest.* 68, 1456-1467, 1981.
7. Nosadini R., Del Prato S., Tiengo A., Duner E., Toffolo G., Cobelli C., Faronato P., Moghetti P., Muggeo M.: Insulin sensitivity, binding and kinetics in pancreatogenic and type I diabetes. *Diabetes* 31: 346-355, 1982.
8. Cobelli C., Nosadini R., Toffolo G., McCulloch A., Avogaro A., Tiengo A., Alberti K.G.M.M.: Model of the kinetics of ketone bodies in humans. *Am. J. Physiol.* 243: R7-R17, 1982.
9. Bonora E., Capretti L., Coscelli C., Butturini U. Evidence that basal beta-cell activity may play a role in determining insulin sensitivity in healthy man. *Ann. Nutr. Metab.* 27: 501-504, 1983.
10. Cignarelli M, Cospite MR, Stefanelli G, Guastamacchia E, Nardelli GM, Giorgino R. Duration of residual β cell function in maturity-onset diabetes. *Acta Diab. Lat.*; 21: 161-166, 1984.
11. Bonora E., Zavaroni I., Bruschi F., Alpi O., Pezzarossa A., Dall'Aglio E., Coscelli C., Butturini U. Evidence for unimpaired pancreatic secretion and hepatic removal of insulin in the healthy offspring of type 2 (non-insulin-dependent) diabetic couples. *Horm. Res.* 20: 138-142, 1984.

12. Bonora E., Zavaroni I., Bruschi F., Alpi O., Pezzarossa A., Dall'Aglia E., Coscelli C., Butturini U. Secretion and hepatic removal of insulin in the healthy offspring of type 2 (non-insulin-dependent) diabetic subjects. *Diabete Metab.* 8: 250-254, 1984.
13. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Guerra L., Dall'Aglia E., Bruschi F., Coscelli C., Butturini U. C-peptide to insulin molar ratios at fasting and after oral glucose in 247 healthy subjects. *Horm. Metab. Res.* 17: 689-690, 1985.
14. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Bruschi F., Guerra L., Dall'Aglia E., Coscelli C., Butturini U. Insulin and C-peptide responses to 75 g oral glucose load in the healthy man. *Diabete Metab.* 12: 143-148, 1986.
15. Bonora E., Coscelli C., Butturini U. Insulin metabolism is a major factor responsible for high or low peripheral insulin levels in response to oral glucose loading in the healthy man. *Ann. Nutr. Metab.* 30: 219-226, 1986.
16. Pacini G., Valerio A., Beccaro F., Nosadini R., Cobelli C., Crepaldi G.: Insulin sensitivity and Beta-cell responsivity are not decreased in elderly subjects with normal OGTT. *J. Am. Geriatr. Soc.* 36: 317-323, 1988.
17. Bonora E., Rizzi C., Lesi C., Berra P., Coscelli C., Butturini U. Insulin and C-peptide plasma levels in patients with severe chronic pancreatitis and fasting normoglycemia. *Dig. Dis. Sci.* 33: 732-736, 1988.
18. Bonora E., Moghetti P., Zancanaro C., Cigolini M., Querena M., Cacciatori V., Zenere M., Corgnati A., Muggeo M. Normal inhibition by somatostatin of glucose-stimulated beta-cell secretion in obese subjects. *Horm. Metab. Res.* 22: 584-588, 1990.
19. Cucinotta D, Conti Nibali S, Arrigo T, Di Benedetto A, Magazzù G, Di Cesare E, Costantino A, Pezzino V, De Luca F. Beta cell function, peripheral sensitivity to insulin and islet cell autoimmunity in cystic fibrosis patients with normal glucose tolerance. *Horm Res*; 34:33-38, 1990.
20. Davalli AM, Ricordi C, Socci C, Braghi S, Bertuzzi F, Fattor B, Di Carlo V, Pontiroli AE, Pozza G. Abnormal sensitivity to glucose of human islets cultured in a high glucose medium: partial reversibility after an additional culture in a normal glucose medium. *J Clin Endocrinol Metab* 72:202-208, 1991.
21. Davalli AM, Pontiroli AE, Socci C, Bertuzzi F, Fattor B, Braghi S, Di Carlo V, Pozza G. Human islets chronically exposed in-vitro to different stimuli become unresponsive to the same stimuli given acutely: evidence supporting specific desensitization rather than b-cell exhaustion. *J Clin Endocrinol Metab* 74:790-794, 1992.

22. Dobbins R.L., Davis S.N., Neal D.W., Cobelli C., Cherrington A.D.: Pulsatility does not alter the response to a physiological increment in glucagon in the conscious dog. *Am. J. Physiol.* 266: E467-478, 1994.
23. Davalli AM, Socci C, Pontiroli AE, Bertuzzi F, Freschi M, Di Carlo V, Pozza G. In-vitro function of human islets isolated from the pancreas of a cadaveric donor with diabetes mellitus secondary to chronic pancreatitis. *Pancreas* 9:134-138, 1994.
24. Borboni P, Porzio O, Fusco A, Sesti G, Lauro R, Marlier LN. Molecular and cellular characterization of the GABA_A receptor in the rat pancreas. *Mol Cell Endocrinol* 103:157-163, 1994.
25. Giordano, C., Stassi, G., Todaro, M., Richiusa, P., Giordano, M., Mattina, A., De Maria, R., Lo Monte A, Buscemi G, Galluzzo, A Autofluorescence-activated sorting of human single β cells and endocrine non- β cells after enzymatic islet dissociation. *Transplantation Proceedings* 26 (2):651-652, 1994.
26. Stassi, G., Todaro, M., Richiusa, P., Giordano, M., Mattina, A., Sbriglia, M.S., Lo Monte, A., Buscemi G, Galluzzo, A, Giordano, C. Expression of apoptosis inducing CD95 (Fas/Apo-1) on human β -cells sorted by flow-cytometry and cultured in vitro. *Transplantation Proceedings* 27 (6) : 3271-3, 1995.
27. Dobbins R.L., Davis S.N., Neal D.W., Cobelli C., Jaspan J., Cherrington A.D.: Compartmental modeling of glucagon kinetics in the conscious dog. *Metabolism* 44: 452-459, 1995.
28. Toffolo G., De Grandi F., Cobelli C.: Estimation of beta cell sensitivity from intravenous glucose tolerance test C-peptide data. *Diabetes* 44: 845-854, 1995.
29. Borboni P, Magnaterra R, Porzio O, Fusco A, Sesti G, Bertoli A, Lauro R, Marlier L. DBI mRNA is expressed in endocrine pancreas and its post-translational product DBI 33-50 inhibits insulin release. *Endocrine* 3: 267-271, 1995.
30. Borboni P, Porzio O, Magnaterra R, Fusco A, Sesti G, Lauro R, Marlier L. Quantitative analysis of pancreatic glucokinase gene expression in cultured β -cells by competitive polymerase chain reaction. *Mol Cell Endocrinol* 117:175-181, 1996.
31. Borboni P, Magnaterra R, Rabini RA, Staffolani R, Porzio O, Sesti G, Fusco A, Mazzanti L, Lauro R, Marlier L. Effect of biotin on glucokinase activity, mRNA expression and insulin release in cultured beta-cells. *Acta Diabetologica* 33: 154-158, 1996.
32. Sparacino G., Cobelli C. A stochastic deconvolution method to reconstruct insulin secretion rate after a glucose stimulus. *IEEE Trans. Biom. Eng.* 42:512-529, 1996.

33. Sparacino G., Cobelli C. Reconstruction of insulin secretion by deconvolution: Domain of validity of a monoexponential impulse response model. *Technology and Health Care* 4:87-95, 1996.
34. Giordano, C., Galluzzo, A Fas-mediated apoptosis in human Type I diabetes: Its possible role in the destruction of pancreatic β -cells.. *Diabetes, Nutrition and Metabolism - Clinical and Experimental* 10 (5) :233-2412, 1997.
35. Magnaterra R, Porzio O, Piemonte F, Bertoli A, Sesti G, Lauro D, Marlier LNJL, Federici G, Borboni P. The effects of pregnancy steroids on adaptation of beta cells to pregnancy involve the pancreatic glucose sensor glucokinase. *J Endocrinol* 155, 247-253, 1997.
36. Rabuazzo AM, Patanè G, Anello M, Piro S, Vigneri R, Purrello F. Hexokinase shift to mitochondria is associated with an increased sensitivity to glucose in rat pancreatic islets. *Diabetes* 46: 1148-1152, 1997.
37. Bertuzzi F, Berra C., Socci C., Davalli AM., Pozza G., Pontiroli AE.. Insulin and glucagon release of human islets in vitro: effects of chronic exposure to glucagon. *J Endocr* 152:239-243, 1997.
38. Bertuzzi F, Saccomanno K, Socci C, Davalli AM, Taglietti MV, Dalcin E, Monti L, Pozza G and Pontiroli AE. Long-term in vitro exposure to high glucose increases proinsulin-like molecules (PLM) release by isolated human islets. *J Endocr* 158:205-211, 1998.
39. Dobbins R.L., Davis S.N., Neal D., Caumo A., Cobelli C., Cherrington A.D.: Rates of glucagon activation and deactivation of hepatic glucose production in conscious dogs. *Metabolism* 47: 135-142, 1998.
40. Marshak S, Leibowitz G, Bertuzzi F, Socci C, Kaiser N, Gross DJ, Cerasi E, Mellou D. Impaired b-cell functions induced by chronic exposure of cultured human pancreatic islets to high glucose. *Diabetes* 48:1230-1236, 1999.
41. Bertuzzi F, Davalli AM, Nano R, Socci C, Codazzi F, Fesce R, Di Carlo V, Pozza G, Grohovaz F. Mechanisms of coordination of Ca^{2+} signals in pancreatic islet cells. *Diabetes* 48:1971-1978, 1999.
42. Toffolo G., Cefalu W., Cobelli C.: Beta cell function during insulin modified IVGTT successfully assessed by the C-peptide minimal model. *Metabolism* 48: 1162-1166, 1999.
43. Porzio O, Marlier LNJL, Federici M, Hribal ML, Magnaterra R, Lauro D, Fusco A, Sesti G, Borboni P. GLUT2 and glucokinase expression is coordinately regulated by sulfonylurea. *Mol Cell Endocrinol* 153: 155-161, 1999
44. Borboni P, Porzio O, Pierucci D, Cicconi S, Magnaterra R, Federici M, Sesti G, Lauro D, D'Agata V, Cavallaro S, Marlier LNJL. Molecular and functional characterization of

PACAP/VIP receptors in pancreatic β -cells and effects of PACAP-38 on components of the insulin secretory system. *Endocrinology* 144: 5530-5537, 1999.

45. Patanè G, Piro S, Anello M, Rabuazzo AM, Vigneri R, Purrello F. Exposure to glibenclamide increases rat beta cells sensitivity to glucose. *Br J Pharmacol* 129: 887-892, 2000.
46. Magni P., Bellazzi R., Sparacino G., Cobelli C.: Bayesian identification of a population compartmental model of C-peptide kinetics. *Ann. Biomed. Eng.* 28: 812-823, 2000.
47. Patanè G, Piro S, Rabuazzo AM, Anello M, Vigneri R, Purrello F. Metformin restores insulin secretion altered by chronic exposure to free fatty acids or high glucose: a direct metformin effect on pancreatic beta-cells. *Diabetes* 49: 735-740, 2000.
48. Sinagra D, Greco D, Amato MC, D'Acquisto G, Galluzzo A A 12-h intravenous insulin infusion restores the beta-cell response torpidity to sulfonylureas in patients affected by type 2 diabetes.. *Diabetes Care.* 23(12):1857-8, 2000.
49. Piro S, Lupi R, Dotta F, Patanè G, Rabuazzo MA, Marselli L, Santangelo C, Realacci M, Del Guerra S, Purrello F, Marchetti P. Bovine islets are less susceptible than human islets to damage by human cytokines. *Transplantation* 71: 21-26, 2001.
50. Breda E., Cavaghan M.K., Toffolo G., Polonsky K.S., Cobelli C.: Oral Glucose tolerance test minimal model indexes of Beta-cell function and insulin sensitivity in a single individual. *Diabetes* 50: 150-158, 2001.
51. Breda E., Cobelli C.: Insulin secretion rate during glucose stimuli: alternative analyses of C-peptide data. *Ann. Biomed. Eng.* 29: 692-700, 2001.
52. Pilonetto G., Sparacino G., Cobelli C.: Reconstructing insulin secretion rate after a glucose stimulus by an improved stochastic deconvolution method. *IEEE Trans. Biomed. Eng.* 48: 1352-1354, 2001.
53. Toffolo G., Breda E., Cavaghan M.K., Ehrmann D.A., Polonsky K.S., Cobelli C.: Quantitative indexes of Beta-cell function during graded Up&Down glucose infusion from C-peptide minimal models. *Am. J. Physiol.* 280: E2-10, 2001.
54. Marselli L, Dotta F, Piro S, Santangelo C, Masini M, Lupi R, Realacci M, Del Guerra S, Mosca F, Boggi U, Purrello F, Navalesi R, Marchetti P. Th2 cytokines have a partial, direct protective effect on the function and survival of isolated human islets exposed to combined proinflammatory and Th1 cytokines. *J Clin Endocrinol Metab* 86: 4974-4978, 2001.
55. Anello M, Ucciardello V, Piro S, Patané G, Frittitta L, Calabrese V, Giuffrida Stella AM, Vigneri R, Purrello F, Rabuazzo AM. Chronic exposure to high leucine impairs glucose-

induced insulin release by lowering the ATP-to-ADP ratio. *Am J Physiol Endocrinol Metab* 281: E1082-1087, 2001.

56. Tura A, Ludvik B, Nolan JJ, Pacini G, Thomaseth K. Insulin and C-peptide secretion and kinetics in humans: direct and model-based measurements during OGTT. *Am J Physiol Endocrinol Metab*. Nov;281(5):E966-74, 2001.
57. Cretti A, Lehtovirta M., Bonora E., Brunato B., Zenti M.G., Tosi F., Caputo M., Caruso B., Groop L.C., Muggeo M., Bonadonna R.C. Assessment of β -cell function during the oral glucose tolerance test by a minimal model of insulin secretion. *Europ. J. Clin. Invest.* 31: 405-416, 2001.
58. Marshak S, Benshushan E, Shoshkes M, Leibowitz G, Kaiser N, Gross DJ, Bertuzzi F, Cerasi E, Melloul D. b-cell-specific expression of insulin and PDX-1 genes. *Diabetes* 50:S131-S132, 2001.
59. Federici M., Hribal ML, Perego L., Ranalli M., Caradonna Z., Perego C., Usellini L., Nano R., Bovini P., Bertuzzi F., Marlier L.N.J.L., Davalli A.M., Carandente O., Pontiroli A.E., Melino G., Marchetti P., Lauro R., Sesti G., Folli F. High Glucose Causes Apoptosis in Cultured Human Pancreatic Islets of Langerhans a Potential Role for Regulation of Specific Bcl Family Genes Toward an Apoptotic Cell Death Program. *Diabetes* 50:1290–1301, 2001.
60. Sesti G. Apoptosis in the beta cells: cause or consequence of insulin secretion defect in diabetes? *Ann Med.* 34:444-450, 2002.
61. Breda E., Toffolo G., Polonsky K.S, Cobelli C.: Insulin release in impaired glucose tolerance. Oral minimal model predicts normal sensitivity to glucose but defective response times. *Diabetes* 51: S227-233, 2002.
62. Ehrmann D.A., Breda E., Cavaghan M.K., Bajramovic S., Imperial J., Toffolo G., Cobelli C., Polonsky K.S.: Insulin secretory responses to rising and falling glucose concentrations are delayed in subjects with impaired glucose tolerance. *Diabetologia* 45: 509-517, 2002.
63. Lupi R, Del Guerra S, Fierabracci V, Marselli L, Novelli M, Patané G, Boggi U, Mosca F, Piro S, Del Prato S, Marchetti P. Lipotoxicity in human pancreatic islets and the protective effect of metformin. *Diabetes*; 51 Suppl 1: S134-137, 2002.
64. Marchetti P, Lupi R, Federici M, Marselli L, Masini M, Boggi U, Del Guerra S, Patané G, Piro S, Anello M, Bergamini E, Purrello F, Lauro R, Mosca F, Sesti G, Del Prato S. Insulin secretory function is impaired in isolated human islets carrying the Gly(972)-->Arg IRS-1 polymorphism. *Diabetes* 51: 1419-1424, 2002.

65. Kido Y, Nakae J, Hribal ML, Xuan S, Efstratiadis A, Accili D. Effects of mutations in the insulin-like growth factor signaling system on embryonic pancreas development and beta-cell compensation to insulin resistance. *J Biol Chem.* 277:36740-7, 2002.
66. Lupi R, Dotta F, Marselli L, Del Guerra S, Masini M, Santangelo C, Patané G, Boggi U, Piro S, Anello M, Bergamini E, Mosca F, Di Mario U, Del Prato S, Marchetti P. Prolonged exposure to free fatty acids has cytostatic and pro-apoptotic effects on human pancreatic islets: evidence that beta-cell death is caspase mediated, partially dependent on ceramide pathway, and Bcl-2 regulated. *Diabetes* 51: 1437-1442, 2002.
67. Patané G, Anello M, Piro S, Vigneri R, Purrello F, Rabuazzo AM. Role of ATP production and uncoupling protein-2 in the insulin secretory defect induced by chronic exposure to high glucose or free fatty acids and effects of peroxisome proliferator-activated receptor-gamma inhibition. *Diabetes*; 51: 2749-2756, 2002.
68. Piro S, Anello M, Di Pietro C, Lizzio MN, Patané G, Rabuazzo AM, Vigneri R, Purrello M, Purrello F. Chronic exposure to free fatty acids or high glucose induces apoptosis in rat pancreatic islets: possible role of oxidative stress. *Metabolism* 51: 1340-1347, 2002.
69. Mari A, Tura A, Gastaldelli A, Ferrannini E. Assessing insulin secretion by modeling in multiple-meal tests: role of potentiation. *Diabetes.* Feb;51Suppl 1:S221-6, 2002.
70. Hribal ML, Perego L, Lovari S, Andreozzi F, Menghini R, Perego C, Finzi G, Usellini L, Placidi C, Capella C, Guzzi V, Lauro D, Bertuzzi F, Davalli A, Pozza G, Pontiroli A, Federici M, Lauro R, Brunetti A, Folli F, Sesti G. Chronic hyperglycemia impairs insulin secretion by affecting insulin receptor expression, splicing and signaling in RIN β -cell line and human islets. *FASEB J* 17: 1340-1342, 2003.
71. Callegari T., Caumo A., Cobelli C. Bayesian two-compartment and classic single-compartment minimal models: comparison on insulin modified IVGTT and effect of experiment reduction. *IEEE Trans Biomed Eng.* 50(12):1301-9, 2003.
72. Tura A, Pacini G, Kautzky-Willer A, Ludvik B, Prager R, Thomaseth K. Basal and dynamic proinsulin-insulin relationship to assess beta-cell function during OGTT in metabolic disorders. *Am J Physiol Endocrinol Metab.* 285(1):E155-62, 2003.
73. D'Alessandris C, Andreozzi F, Federici M, Cardellini M, Brunetti A, Ranalli M, Del Guerra S, Lauro D, Del Prato S, Marchetti P, Lauro R, Sesti G. Increased O-glycosylation of insulin signaling proteins results in their impaired activation and enhanced susceptibility to apoptosis in pancreatic β -cells. *FASEB J* 18: 959-961, 2004.

74. Magni P., Sparacino G., Bellazzi R., Toffolo G., Cobelli C.: Insulin minimal model indexes and secretion: proper handling of uncertainty by a Bayesian approach. *Ann. Biomed. Eng.* 32:1027-1037, 2004.
75. Andreozzi F, D'Alessandris C, Federici M, Laratta E, Del Guerra S, Del Prato S, Marchetti P, Lauro R, Perticone F, Sesti G. Activation of the hexosamine pathway leads to phosphorylation of IRS-1 on Ser³⁰⁷ and Ser⁶¹² and impairs the phosphatidylinositol 3-kinase/Akt/mTOR insulin biosynthetic pathway in RIN pancreatic β -cells. *Endocrinology* 145: 2845–2857, 2004.
76. Anello M, Spampinato D, Piro S, Purrello F, Rabuazzo AM. Glucosamine-induced alterations of mitochondrial function in pancreatic beta-cells: possible role of protein glycosylation. *Am J Physiol Endocrinol Metab*; 287: E602-608, 2004.
77. Rask E, Olsson T, Söderberg S, Holst Jj Jj, Tura A, Pacini G, Ahren B. Insulin secretion and incretin hormones after oral glucose in non-obese subjects with impaired glucose tolerance. *Metabolism*. 53(5):624-31, 2004.
78. Dalla Man C., Campioni M., Polonsky K.S., Basu R., Rizza R.A., Toffolo G., Cobelli C.: Two-hour seven-sample oral glucose tolerance test and meal protocol: minimal model assessment of beta-cell responsivity and insulin sensitivity in nondiabetic individuals. *Diabetes* 54:3265-3273, 2005.
79. Anello M, Lupi R, Spampinato D, Piro S, Masini M, Boggi U, Del Prato S, Rabuazzo AM, Purrello F, Marchetti P. Functional and morphological alterations of mitochondria in pancreatic beta cells from type 2 diabetic patients. *Diabetologia*; 48: 282-289, 2005.
80. Morbiducci U, Tura A, Grigioni M. Genetic algorithms for parameter estimation in mathematical modeling of glucose metabolism. *Comput Biol Med.* 35(10):862-74, 2005.
81. Lehtovirta M, Kaprio J, Groop L, Trombetta M, Bonadonna RC. Heritability of model-derived parameters of beta cell secretion during intravenous and oral glucose tolerance tests: a study of twins. *Diabetologia*. 48(8):1604-13, 2005.
82. Rocic B, Vucic-Lovrencic M, Poje N, Poje M, Bertuzzi F. Uric acid may inhibit glucose-induced insulin secretion via binding to an essential arginine residue in rat pancreatic beta-cells. *Bioorg Med Chem Lett* 15:1181-1184, 2005.
83. Tura A, Kautzky-Willer A, Pacini G. Insulinogenic indices from insulin and C-peptide: comparison of beta-cell function from OGTT and IVGTT. *Diabetes Res Clin Pract.* 72(3):298-301, 2006.

84. Okamoto H, Hribal ML, Lin HV, Bennett WR, Ward A, Accili D. Role of the forkhead protein FoxO1 in beta cell compensation to insulin resistance. *J Clin Invest.* 116(3):775-82, 2006.
85. Granata R, Settanni F, Biancone L, Trovato L, Nano R, Bertuzzi F, Destefanis S, Annunziata M, Martinetti M, Catapano F, Ghe C, Isgaard J, Papotti M, Ghigo E, Muccioli G. Acylated and unacylated Ghrelin promote proliferation and inhibit apoptosis of pancreatic beta cells and human islets. Involvement of cAMP/PKA, ERK1/2 AND PI3K/AKT signaling. *Endocrinology* 148:512-529, 2007.
86. Campioni M., Toffolo G., Shuster L.T., Service F.J., Rizza R.A., Cobelli C.: Incretin effect potentiates Beta-cell responsivity to glucose as well as to its rate of change: OGTT and matched intravenous study. *Am. J. Physiol. Endocrinol. Metab.* 292:E54-60, 2007.
87. Cobelli C., Toffolo G.M., Dalla Man C., Campioni M., Denti P., Caumo A., Butler P., Rizza R.A.: Assessment of Beta-cell function in humans, simultaneously with insulin sensitivity and hepatic extraction, from intravenous and oral glucose tests. *Am. J. Physiol. Endocrinol. Metab.* 293:E1 -15, 2007.
88. Porzio O, Massa O, Cunsolo V, Colombo C, Malaponti M, Bertuzzi F, Hansen T, Johansen A, Pedersen O, Meschi F, Terrinoni A, Melino G, Federici M, Decarlo N, Menicagli M, Campani D, Marchetti P, Ferdaoussi M, Froguel P, Federici G, Vaxillaire M, Barbetti F. Missense mutations in the TGM2 gene encoding transglutaminase 2 are found in patients with early-onset type 2 diabetes. *Mutation in brief no. 982. Online. Hum Mutat* 28:1150, 2007.
89. Mari A, Tura A, Pacini G, Kautzky-Willer A, Ferrannini E. Relationships between insulin secretion after intravenous and oral glucose administration in subjects with glucose tolerance ranging from normal to overt diabetes. *Diabet Med.* 25(6):671-7, 2008.
90. Marchetti P, Dotta F, Lauro D, Purrello F. An overview of pancreatic beta-cell defects in human type 2 diabetes: implications for treatment. *Regul Pept.* 146(1-3):4-11, 2008.
91. Bonora E. Protection of pancreatic beta-cells: is it feasible? *Nutr. Metab. Cardiovasc. Dis.* 18: 74-83, 2008.
92. Puddu A, Salani B, Cordera R, Viviani GL, Maggi D. Caveolin-1 is essential for glimepiride-induced insulin secretion in the pancreatic betaTC-6 cell line. *Biochem Biophys Res Commun.* 17;375(2):235-7, 2008.
93. Bonora E. El papel fundamental de la disfuncion de las células beta en el patogenicia de la diabetes tipo 2. *Biodrugs* 23 (suppl 1): 5-12, 2009.

94. Saisho Y., Manesso E., Gurlo T., Huang C.J., Toffolo G., Cobelli C., Butler P.C.: Development of factors to convert frequency to rate for beta-cell replication and apoptosis quantified by time-lapse video microscopy and immunohistochemistry. *Am. J. Physiol. Endocrinol. Metabol.* 296:E89-96, 2009.
95. Sunehag A.L, Dalla Man C., Toffolo G., Haymond M.W., Bier D.M., Cobelli C.: Beta-cell function and insulin sensitivity in adolescents from an OGTT. *Obesity* 17:233-239, 2009.
96. Kirkpatrick CL, Marchetti P, Purrello F, Piro S, Bugliani M, Bosco D, de Koning EJ, Engelse MA, Kerr-Conte J, Pattou F, Wollheim CB. Type 2 diabetes susceptibility gene expression in normal or diabetic sorted human alpha and beta cells: correlations with age or BMI of islet donors. *PLoS One*; 5: e11053, 2010.
97. Piro S, Maniscalchi ET, Monello A, Pandini G, Mascali LG, Rabuazzo AM, Purrello F. Palmitate affects insulin receptor phosphorylation and intracellular insulin signal in a pancreatic alpha-cell line. *Endocrinology*; 151: 4197-4206, 2010.
98. Denti P., Bertoldo A., Vicini P., Cobelli C.: IVGTT glucose minimal model covariate selection by nonlinear mixed-effects approach. *Am. J. Physiol. Endocrinol. Metab.* 298:E950-E960, 2010.
99. Verga Falzacappa C, Mangialardo C, Raffa S, Mancuso A, Piergrossi P, Moriggi G, Piro S, Stigliano A, Torrisi MR, Brunetti E, Toscano V, Misiti S. The thyroid hormone T3 improves function and survival of rat pancreatic islets during in vitro culture. *Islets* 2: 96-103, 2010.
100. Natalicchio A, De Stefano F, Orlando MR, Melchiorre M, Leonardini A, Cignarelli A, Labarbuta R, Marchetti P, Perrini S, Laviola L, Giorgino F. Exendin-4 prevents c-Jun N-terminal protein kinase activation by tumor necrosis factor-alpha (TNFalpha) and inhibits TNFalpha-induced apoptosis in insulin-secreting cells. *Endocrinology* 151:2019-2029, 2010.
101. Spadaro L, Alagona C, Palermo F, Piro S, Calanna S, Parrinello G, Purrello F, Rabuazzo AM. Early phase insulin secretion is increased in subjects with normal fasting glucose and metabolic syndrome: a premature feature of beta-cell dysfunction. *Nutr Metab Cardiovasc Dis* 21: 206-212, 2011.
102. Manesso E., Toffolo G., Butler A:E., Butler P.C., Cobelli C. :Shortened beta-cell lifespan leads to beta.cell deficit in a rodent model of type 2 diabetes. *Am. J. Physiol. Endocrinol. Metab.* 300:E933-E938, 2011.
103. Lombardo MF, De Angelis F, Bova L, Bartolini B, Bertuzzi F, Nano R, Capuani B, Lauro R, Federici M, Lauro D, Donadel G. Human placental lactogen (hPL-A) activates

- signaling pathways linked to cell survival and improves insulin secretion in human pancreatic islets. *Islets*. 3(5):250-8, 2011.
104. Di Cairano ES, Davalli AM, Perego L, Sala S, Sacchi VF, La Rosa S, Finzi G, Placidi C, Capella C, Conti P, Centonze VE, Casiraghi F, Bertuzzi F, Folli F, Perego C. The glial glutamate transporter 1 (GLT1) is expressed by pancreatic β -cells and prevents glutamate-induced β -cell death. *J Biol Chem*. 286 (16): 14007-18, 2011.
 105. Saisho Y., Manesso E., Butler AE., Galasso R., Kavanagh K., Flynn M., Zhang L., Clark P., Gurlo T., Toffolo GM., Cobelli C., Wagner JD., Butler PC.: Ongoing β -cell turnover in adult nonhuman primates is not adaptively increased in streptozotocin-induced diabetes. *Diabetes*, 60:848-56, 2011.
 106. Lombardo MF, De Angelis F, Bova L, Bartolini B, Bertuzzi F, Nano R, Capuani B, Lauro R, Federici M, Lauro D, Donadel G. Human placental lactogen (hPL-A) activates signaling pathways linked to cell survival and improves insulin secretion in human pancreatic islets. *Islets*, 3:250-8, 2011.
 107. Di Paola R, Caporarello N, Marucci A, Dimatteo C, Iadicicco C, Del Guerra S, Prudente S, Sudano D, Miele C, Parrino C, Piro S, Beguinot F, Marchetti P, Trischitta V, Frittitta L. ENPP1 affects insulin action and secretion: evidences from in vitro studies. *PLoS One* 6: e19462, 2011.
 108. Folli F, Okada T, Perego C, Gunton J, Liew CW Akiyama M, D'Amico A, La Rosa S, Placidi C, Lupi R, Marchetti P, Sesti G, Hellerstein M, Perego L, Kulkarni RN Altered Insulin receptor signalling and β -cell cycle dynamics in type 2 diabetes mellitus. *PLoS ONE* 6(11): e28050, 2011.
 109. Simonis-Bik AM, Boomsma DI, Dekker JM, Diamant M, de Geus EJ, 't Hart LM, Heine RJ, Kramer MH, Maassen JA, Mari A, Tura A, Willemsen G, Eekhoff EM. The heritability of beta cell function parameters in a mixed meal test design. *Diabetologia* 54(5):1043-51, 2011
 110. Tura A, Morbiducci U, Sbrignadello S, Winhofer Y, Pacini G, Kautzky-Willer A. Shape of glucose, insulin, C-peptide curves during a 3-h oral glucose tolerance test: any relationship with the degree of glucose tolerance? *Am J Physiol Regul Integr Comp Physiol*. 300(4):R941-8, 2011.
 111. Tura A, Pacini G, Kautzky-Willer A, Gastaldelli A, DeFronzo RA, Ferrannini E, Mari A. Estimation of prehepatic insulin secretion: comparison between standardized C-peptide and insulin kinetic models. *Metabolism* 61(3):434-43, 2012.

112. Basu A., Pedersen M.G., Cobelli C.: Prediabetes: evaluation of β -cell function. *Diabetes* 61:270-1, 2012.
113. Piro S, Rabuazzo AM, Renis M, Purrello F. Effects of metformin on oxidative stress, adenine nucleotides balance, and glucose-induced insulin release impaired by chronic free fatty acids exposure in rat pancreatic islets. *J Endocrinol Invest* 35: 504-510, 2012.
114. Calanna S, Urbano F, Piro S, Zagami RM, Di Pino A, Spadaro L, Purrello F, Rabuazzo AM. Elevated plasma glucose-dependent insulintropic polypeptide associates with hyperinsulinemia in metabolic syndrome. *Eur J Endocrinol* 166: 917-922, 2012.
115. Marchetti P, Lupi R, Bugliani M, Kirkpatrick CL, Sebastiani G, Grieco FA, Del Guerra S, D'Aleo V, Piro S, Marselli L, Boggi U, Filipponi F, Tinti L, Salvini L, Wollheim CB, Purrello F, Dotta F. A local glucagon-like peptide 1 (GLP-1) system in human pancreatic islets. *Diabetologia* 55: 3262-3272, 2012.
116. Denti P., Toffolo G.M., Cobelli C.: The Disposition Index: from Individual to population approach. *Am. J. Physiol. Endocrinol. Metab.* 303:E576-586, 2012.
117. Coppola, A., Tomasello, L., Pizzolanti, G., Pucci-Minafra, I., Albanese, N., Di Cara, G., Cancemi, P., Pitrone M, Bommarito A, Carissimi E, Zito G, Criscimanna A, Galluzzo A, Giordano, C. In vitro phenotypic, genomic and proteomic characterization of a cytokine-resistant murine β -TC3 cell line. *PLoS ONE* 7 (2) , e32109, 2012.
118. Barbagallo D, Piro S, Condorelli AG, Mascali LG, Urbano F, Parrinello N, Monello A, Statello L, Ragusa M, Rabuazzo AM, Di Pietro C, Purrello F, Purrello M. miR-296-3p, miR-298-5p and their downstream networks are causally involved in the higher resistance of mammalian pancreatic α cells to cytokine-induced apoptosis as compared to β cells. *BMC Genomics* 14: 62, 2013.
119. Calanna S, Piro S, Di Pino A, Zagami RM, Urbano F, Purrello F, Rabuazzo A M. Beta and alpha cell function in metabolically healthy but obese subjects: relationship with entero-insular axis. *Obesity (Silver Spring)* 21: 320-325, 2013.
120. Natalicchio A, Labarbuta R, Tortosa F, Biondi G, Marrano N, Pescechiera A, Carchia E, Orlando MR, Leonardini A, Cignarelli A, Marchetti P, Perrini S, Laviola L, Giorgino F. Exendin-4 protects pancreatic beta cells from palmitate-induced apoptosis by interfering with GPR40 and the MKK4/7 stress kinase signalling pathway. *Diabetologia* 56:2456-2466, 2013.
121. Russo L, Marsella C, Nardo G, Massignan T, Alessio M, Piermarini E, La Rosa S, Finzi G, Bonetto V, Bertuzzi F, Maechler P, Massa O. Transglutaminase 2 transamidation

- activity during first-phase insulin secretion: natural substrates in INS-1E. *Acta Diabet*; 50:61-72, 2013.
122. - Sileno S, D'Oria V, Stucchi R, Alessio M, Petrini S, Bonetto V, Maechler P, Bertuzzi F, Grasso V, Paolella K, Barbetti F, Massa O. A possible role of transglutaminase 2 in the nucleus of INS-1E and of cells of human pancreatic islets. *J Proteomics*. 16;96:314-27. 2014.
 123. Calanna S, Scicali R, Di Pino A, Knop FK, Piro S, Rabuazzo AM, Purrello F. Alpha- and beta-cell abnormalities in haemoglobin A1c-defined prediabetes and type 2 diabetes. *Acta Diabetol* 51: 567-575, 2014.
 124. Piro S, Mascali LG, Urbano F, Filippello A, Malaguarnera R, Calanna S, Rabuazzo AM, Purrello F. Chronic exposure to GLP-1 increases GLP-1 synthesis and release in a pancreatic alpha cell line (α -TC1): evidence of a direct effect of GLP-1 on pancreatic alpha cells. *PLoS One* 9: e90093, 2014.
 125. Barbagallo D, Condorelli AG, Piro S, Parrinello N, Fløyel T, Ragusa M, Rabuazzo AM, Størting J, Purrello F, Di Pietro C, Purrello M. CEBPA exerts a specific and biologically important proapoptotic role in pancreatic β cells through its downstream network targets. *Mol Biol Cell*; 25: 2333-2341, 2014.
 126. Mezza T, Muscogiuri G, Sorice GP, Clemente G, Hu J, Pontecorvi A, Holst JJ, Giaccari A, Kulkarni RN. Insulin resistance alters islet morphology in nondiabetic humans. *Diabetes*. 63(3):994-1007, 2014.
 127. Figliolini F, Cantaluppi V, De Lena M, Beltramo S, Romagnoli R, Salizzoni M, Melzi R, Nano R, Piemonti L, Tetta C, Biancone L, Camussi G. Isolation, characterization and potential role in Beta cell-endothelium cross-talk of extracellular vesicles released from human pancreatic islets. *PLoS One* 16;9(7):e102521, 2014.
 128. Arcidiacono B, Iiritano S, Chiefari E, Brunetti FS, Gu G, Foti DP, Brunetti A. Cooperation between HMGA1, PDX-1, and MafA is essential for glucose-induced insulin transcription in pancreatic beta cells. *Front Endocrinol*; 5:237, 2015.
 129. Rizzetto R, Rocchetti M, Sala L, Ronchi C, Villa A, Ferrandi M, Molinari I, Bertuzzi F, Zaza A. Late sodium current (INaL) in pancreatic β -cells. *Pflugers Arch*. 467:1757-68, 2015.
 130. Marquard J, Otter S, Welters A, Stirban A, Fischer A, Eglinger J, Herebian D, Kletke O, Klemen MS, Stožer A, Wnendt S, Piemonti L, Köhler M, Ferrer J, Thorens B, Schliess F, Rupnik MS, Heise T, Berggren PO, Klöcker N, Meissner T, Mayatepek E, Eberhard D,

- Kragl M, Lammert E. Characterization of pancreatic NMDA receptors as possible drug targets for diabetes treatment. *Nat Med.* 21(4):363-72, 2015.
131. Stasiuk GJ, Minuzzi F, Sae-Heng M, Rivas C, Juretschke HP, Piemonti L, Allegrini PR, Laurent D, Duckworth AR, Beeby A, Rutter GA, Long NJ. Dual-modal magnetic resonance/fluorescent zinc probes for pancreatic β -cell mass imaging. *Chemistry.* 21(13):5023-33, 2015.
 132. Grancini V, Trombetta M, Lunati ME, Zimbalatti D, Boselli ML, Gatti S, Donato MF, Resi V, D'Ambrosio R, Aghemo A, Pugliese G, Bonadonna RC, Orsi E. Contribution of β -cell dysfunction and insulin resistance to cirrhosis-associated diabetes: Role of severity of liver disease. *J Hepatol.* 63(6):1484-90, 2015.
 133. Johnston NR, Mitchell RK, Haythorne E, Pessoa MP, Semplici F, Ferrer J, Piemonti L, Marchetti P, Bugliani M, Bosco D, Berishvili E, Duncanson P, Watkinson M, Broichhagen J, Trauner D, Rutter GA, Hodson DJ. Beta Cell Hubs Dictate Pancreatic Islet Responses to Glucose. *Cell Metab.* 24(3):389-401, 2016.
 134. Marmugi A, Parnis J, Chen X, Carmichael L, Hardy J, Mannan N, Marchetti P, Piemonti L, Bosco D, Johnson P, Shapiro JA, Cruciani-Guglielmacci C, Magnan C, Ibberson M, Thorens B, Valdivia HH, Rutter GA, Leclerc I. Sorcin Links Pancreatic β -Cell Lipotoxicity to ER Ca^{2+} Stores. *Diabetes.* 65(4):1009-21, 2016.
 135. Nano R, Melzi R, Mercalli A, Balzano G, Scavini M, Bonadonna R, Piemonti L. Islet Volume and Indexes of β -Cell Function in Humans. *Cell Transplant.* 25(3):491-501, 2016.
 136. Shankar SS, Vella A, Raymond RH, Staten MA, Calle RA, Bergman RN, Cao C, Chen D, Cobelli C, Dalla Man C, Deeg M, Dong JQ, Lee DS, Polidori D, Robertson RP, Ruetten H, Stefanovski D, Vassileva MT, Weir GC, Fryburg DA; Foundation for the National Institutes of Health β -Cell Project Team. Standardized Mixed-Meal Tolerance and Arginine Stimulation Tests Provide Reproducible and Complementary Measures of β -Cell Function: Results From the Foundation for the National Institutes of Health Biomarkers Consortium Investigative Series. *Diabetes Care.* 39(9):1602-13, 2016.
 137. Akerman I, Tu Z, Beucher A, Rolando DMY, Sauty-Colace C, Benazra M, Nakic N, Yang J, Wang H, Pasquali L, Moran I, Garcia-Hurtado J, Castro N, Gonzalez-Franco R, Stewart AF, Bonner C, Piemonti L, Berney T, Groop L, Kerr-Conte J, Pattou F, Argmann C, Schadt E, Ravassard P, Ferrer J. Human Pancreatic β Cell lncRNAs Control Cell-Specific Regulatory Networks. *Cell Metab.* 25(2):400-411, 2017.

138. Natalicchio A, Marrano N, Biondi G, Spagnuolo R, Labarbuta R, Porreca I, Cignarelli A, Bugliani M, Marchetti P, Perrini S, Laviola L, Giorgino F. The Myokine Irisin Is Released in Response to Saturated Fatty Acids and Promotes Pancreatic β -Cell Survival and Insulin Secretion. *Diabetes*. 66(11):2849-2856, 2017.
139. Phelps EA, Cianciaruso C, Santo-Domingo J, Pasquier M, Galliverti G, Piemonti L, Berishvili E, Burri O, Wiederkehr A, Hubbell JA, Baekkeskov S. Advances in pancreatic islet monolayer culture on glass surfaces enable super-resolution microscopy and insights into beta cell ciliogenesis and proliferation. *Sci Rep*. 7:45961, 2017. *Erratum in: Sci Rep*. 2017 May 09;7:46801.
140. Urbano F, Bugliani M, Filippello A, Scamporrino A, Di Mauro S, Di Pino A, Scicali R, Noto D, Rabuazzo AM, Averna M, Marchetti P, Purrello F, Piro S. Atorvastatin but Not Pravastatin Impairs Mitochondrial Function in Human Pancreatic Islets and Rat β -Cells. Direct Effect of Oxidative Stress. *Sci Rep*. 7(1):11863, 2017.
141. Sancho V, Daniele G, Lucchesi D, Lupi R, Ciccarone A, Penno G, Bianchi C, Dardano A, Miccoli R, Del Prato S. Metabolic regulation of GLP-1 and PC1/3 in pancreatic α -cell line. *PLoS One*. 12(11):e0187836, 2017.
142. Marzinotto I, Pellegrini S, Brigatti C, Nano R, Melzi R, Mercalli A, Liberati D, Sordi V, Ferrari M, Falconi M, Doglioni C, Ravassard P, Piemonti L, Lampasona V. miR-204 is associated with an endocrine phenotype in human pancreatic islets but does not regulate the insulin mRNA through MAFA. *Sci Rep*. 7(1):14051, 2017.
143. Guglielmi C, Del Toro R, Lauria A, Maurizi AR, Fallucca S, Cappelli A, Angeletti S, Lachin JM, Pozzilli P. Effect of GLP-1 and GIP on C-peptide secretion after glucagon or mixed meal tests: Significance in assessing B-cell function in diabetes. *Diabetes Metab Res Rev*. 33(6), 2017.
144. Donadel G, Pastore D, Della-Morte D, Capuani B, Lombardo MF, Pacifici F, Bugliani M, Grieco FA, Marchetti P, Lauro D. FGF-2b and h-PL Transform Duct and Non-Endocrine Human Pancreatic Cells into Endocrine Insulin Secreting Cells by Modulating Differentiating Genes. *Int J Mol Sci*. 18(11), 2017.
145. Mezza T, Ferraro PM, Sun VA, Moffa S, Cefalo CMA, Quero G, Cinti F, Sorice GP, Pontecorvi A, Folli F, Mari A, Alfieri S, Giaccari A. Increased β -Cell Workload Modulates Proinsulin-to-Insulin Ratio in Humans. *Diabetes*. 67(11):2389-2396, 2018.
146. Ruetten H, Gebauer M, Raymond RH, Calle RA, Cobelli C, Ghosh A, Robertson RP, Shankar SS, Staten MA, Stefanovski D, Vella A, Wright K, Fryburg DA; Foundation for the NIH Biomarkers Consortium Beta Cell Project Team. Mixed Meal and Intravenous

- L-Arginine Tests Both Stimulate Incretin Release Across Glucose Tolerance in Man: Lack of Correlation with β Cell Function. *Metab Syndr Relat Disord*. 16(8):406-415, 2018.
147. Izzi-Engbeaya C, Comninou AN, Clarke SA, Jomard A, Yang L, Jones S, Abbara A, Narayanaswamy S, Eng PC, Papadopoulou D, Prague JK, Bech P, Godsland IF, Bassett P, Sands C, Camuzeaux S, Gomez-Romero M, Pearce JTM, Lewis MR, Holmes E, Nicholson JK, Tan T, Ratnasabapathy R, Hu M, Carrat G, Piemonti L, Bugliani M, Marchetti P, Johnson PR, Hughes SJ, James Shapiro AM, Rutter GA, Dhillon WS. The effects of kisspeptin on β -cell function, serum metabolites and appetite in humans. *Diabetes Obes Metab*. 20(12):2800-2810, 2018.
 148. Martinez-Sanchez A, Nguyen-Tu MS, Cebola I, Yavari A, Marchetti P, Piemonti L, de Koning E, Shapiro AMJ, Johnson P, Sakamoto K, Smith DM, Leclerc I, Ashrafian H, Ferrer J, Rutter GA. MiR-184 expression is regulated by AMPK in pancreatic islets. *FASEB J*. 32(5):2587-2600, 2018.
 149. Shankar SS, Lee DS, Raymond RH, Calle RA, Cobelli C, Ghosh A, Robertson RP, Ruetten H, Staten MA, Stefanovski D, Vella A, Whitaker S, Fryburg DA; Foundation for the NIH Biomarkers Consortium Beta Cell Project Team. Outpatient versus inpatient mixed meal tolerance and arginine stimulation testing yields comparable measures of variability for assessment of beta cell function. *Contemp Clin Trials Commun*. 10:94-99, 2018.
 150. Varghese RT, Dalla Man C, Laurenti MC, Piccinini F, Sharma A, Shah M, Bailey KR, Rizza RA, Cobelli C, Vella A. Performance of individually measured vs population-based C-peptide kinetics to assess β -cell function in the presence and absence of acute insulin resistance. *Diabetes Obes Metab*. 20(3):549-555, 2018.
 151. Fiorentino TV, Casiraghi F, Davalli AM, Finzi G, La Rosa S, Higgins PB, Abrahamian GA, Marando A, Sessa F, Perego C, Guardado-Mendoza R, Kamath S, Ricotti A, Fiorina P, Daniele G, Paez AM, Andreozzi F, Bastarrachea RA, Comuzzie AG, Gastaldelli A, Chavez AO, Di Cairano ES, Frost P, Luzi L, Dick EJ, Halff GA, DeFronzo RA, Folli F. Exenatide regulates pancreatic islet integrity and insulin sensitivity in the nonhuman primate baboon *Papio hamadryas*. *JCI Insight*, 4:pii:93091, 2019.
 152. Corica D, Zusi C, Olivieri F, Marigliano M, Piona C, Fornari E, Morandi A, Corradi M, Miraglia Del Giudice E, Gatti D, Rossini M, Bonadonna RC, Maffei C. Vitamin D affects insulin sensitivity and β -cell function in obese non-diabetic youths. *Eur J Endocrinol*, 181(4):439-450, 2019.
 153. Hakim O, Bonadonna RC, Mohandas C, Billoo Z, Sunderland A, Boselli L, Alberti KGMM, Peacock JL, Umpleby AM, Charles-Edwards G, Amiel SA, Goff LM. Associations

Between Pancreatic Lipids and β -Cell Function in Black African and White European Men With Type 2 Diabetes. *J Clin Endocrinol Metab*, 104(4):1201-1210, 2019.

154. Shah M, Laurenti MC, Dalla Man C, Ma J, Cobelli C, Rizza RA, Vella A. Contribution of endogenous glucagon-like peptide-1 to changes in glucose metabolism and islet function in people with type 2 diabetes four weeks after Roux-en-Y gastric bypass (RYGB). *Metabolism*, 93:10-17, 2019.
155. Malvandi AM, Loretelli C, Ben Nasr M, Zuccotti GV, Fiorina P. Sitagliptin favorably modulates immune-relevant pathways in human beta cells. *Pharmacol Res*, 148:104405, 2019.
156. Mezza T, Cinti F, Cefalo CMA, Pontecorvi A, Kulkarni RN, Giaccari A. β -Cell Fate in Human Insulin Resistance and Type 2 Diabetes: A Perspective on Islet Plasticity. *Diabetes*, 68(6):1121-1129, 2019.
157. Marrano N, Biondi G, Cignarelli A, Perrini S, Laviola L, Giorgino F, Natalicchio A. Functional loss of pancreatic islets in type 2 diabetes: How can we halt it? *Metabolism*. 110:154304, 2020.
158. Egan AM, Laurenti MC, Hurtado Andrade MD, Dalla Man C, Cobelli C, Bailey KR, Vella A. Limitations of the fasting proinsulin to insulin ratio as a measure of β -cell health in people with and without impaired glucose tolerance. *Eur J Clin Invest*. e13469, 2020.
159. Adams JD, Dalla Man C, Laurenti MC, Andrade MDH, Cobelli C, Rizza RA, Bailey KR, Vella A. Fasting glucagon concentrations are associated with longitudinal decline of β -cell function in non-diabetic humans. *Metabolism*. 105:154175, 2020.
160. Visentin R, Schiavon M, Göbel B, Riz M, Cobelli C, Klabunde T, Dalla Man C. Dual glucagon-like peptide-1 receptor/glucagon receptor agonist SAR425899 improves beta-cell function in type 2 diabetes. *Diabetes Obes Metab*. 22(4):640-647, 2020.
161. Carnovale C, Dassano A, Mosini G, Mazhar F, D'Addio F, Pozzi M, Radice S, Fiorina P, Clementi E. The β -cell effect of verapamil-based treatment in patients with type 2 diabetes: a systematic review. *Acta Diabetol*. 57(2):117-131, 2020.
162. Chae H, Augustin R, Gatineau E, Mayoux E, Bensellam M, Antoine N, Khattab F, Lai BK, Brusa D, Stierstorfer B, Klein H, Singh B, Ruiz L, Pieper M, Mark M, Herrera PL, Gribble FM, Reimann F, Wojtusciszyn A, Broca C, Rita N, Piemonti L, Gilon P. SGLT2 is not expressed in pancreatic α - and β -cells, and its inhibition does not directly affect glucagon and insulin secretion in rodents and humans. *Mol Metab*. 42:101071, 2020.

- 163.** Filippello A, Scamporrino A, Di Mauro S, Malaguarnera R, Di Pino A, Scicali R, Purrello F, Piro S. Direct Effects of D-Chiro-Inositol on Insulin Signaling and Glucagon Secretion of Pancreatic Alpha Cells. *Biomolecules*. 10(10):1404, 2020.
- 164.** Mancuso E, Mannino GC, Fuoco A, Leo A, Citraro R, Averta C, Spiga R, Russo E, De Sarro G, Andreozzi F, Sesti G. HDL (High-Density Lipoprotein) and ApoA-1 (Apolipoprotein A-1) Potentially Modulate Pancreatic α -Cell Glucagon Secretion. *Arterioscler Thromb Vasc Biol*. 40(12):2941-2952, 2020.
- 165.** Fiorentino TV, Succurro E, Marini MA, Pedace E, Andreozzi F, Perticone M, Sciacqua A, Perticone F, Sesti G. HDL cholesterol is an independent predictor of β -cell function decline and incident type 2 diabetes: A longitudinal study. *Diabetes Metab Res Rev*. 36(4):e3289, 2020.