

1. Belfiore F, Lo Vecchio L, Napoli E, Borzì V, Rabuazzo AM. Increased uropepsinogen excretion in diabetes mellitus *Clinical Chemistry* 20: 610-612, 1974.
2. Belfiore F, Lo Vecchio L, Napoli E, Borzì V. Increased beta-N-Acetyl-Glucosaminidase activity in diabete mellitus. *Clinical Chemistry*, 20:1229-1230, 1974.
3. Belfiore F, Borzì V, Lo Vecchio L, Napoli E, Rabuazzo AM. Enzyme activities of NADPH-forming metabolic pathways in normal and Leukemic leukocytes. *Clinical Chemistry*, 21: 880-883, 1975.
4. Tiengo A, Valerio A, Molinari M, Meneghel A, Lapolla A. Effect of ethanol, acetaldeyde and acetate on insulin and glucagon secretion in the perfused rat pancreas. *Diabetes* 30 (9), 705-709, 1981.
5. Cobelli C., Federspil G., Pacini G., Salvan A., Scandellari C. An integrated mathematical model of the dynamics of blood glucose and its hormonal control. *Math. Biosci.* 58: 27-60, 1982.
6. Cobelli C., Mari A.: Validation of mathematical models of complex endocrine-metabolic systems. A case study on a model of glucose regulation. *Med. Biol. Eng. Comput.* 21: 390-399, 1983.
7. Fedele D, Lapolla A, Cardone C, Baldo G, Crepaldi G. Glycosylated haemoglobin in endogenous hypertriglyceridemia. *Acta Diabetol. Lat.* 20, 303-309, 1983.
8. Cobelli C., Toffolo G., Ferrannini E. A model of glucose kinetics and their control by insulin. Compartmental and noncompartmental approaches. *Math. Biosci.* 72: 291-315, 1984.
9. Cobelli C., Pacini G. Physiological modelling for better interpreting dynamic test data: estimation of insulin sensitivity. *Scand. J. Clin. Lab. Invest.* 44, Suppl. 171: 193-210, 1984.
10. Cobelli C., Mari A., Duner E., Mollo F., Nosadini R. On the estimation of absorption of subcutaneous injected insulin from plasma concentrations using mathematical models. *Diabetologia* 26: 314-316, 1984.
11. Cobelli C., Thomaseth K. Optimal input design for identification of compartmental models. Theory and application to a model of glucose kinetics. *Math. Biosci.* 77: 267-286, 1985.
12. Poli T, Lapolla A, Valerio A, Fedele D. Plasma and red cell sorbitol assay in diabetic subjects. *Acta Diabetol. Lat.* 22, 7-23, 1985.
13. Nosadini R., Avogaro A., Sacca' L., Vigorito C., de Kreutzenberg S., Cobelli C., Toffolo G., Trevisan R., Tessari P., Tiengo A., Crepaldi G. Ketone body metabolism in normal and diabetic human skeletal muscle. *Am. J. Physiol.* 249: E131 -136, 1985.

14. Lapolla A, Poli T, Valerio A, Fedele D. Glycosylated serum proteins in diabetic patients and their relation to metabolic parameters. *Diabete e Metab.* 11, 238-242, 1985.
15. . Lapolla A, Poli T,. Valerio A, Fedele D. Is red cell sorbitol content a good marker of glycemic control in diabetic patients? *Diabetes Research* 2, 283-286,1985.
16. Cobelli C., Mari A., Ferrannini E.: On linearity of insulin kinetics. *Am. J. Physiol.* 251: E247 -248, 1986.
17. Consoli A , Kennedy F., Miles J, Gerich J. Determination of Krebs Cycle metabolic exchange in vivo and its use to estimate the individual contribution of gluconeogenesis and glycogenolysis to overall glucose output in man. *J. Clin. Invest.* 80:1303-1310, 1987.
18. Gerich JE, Campbell PJ, Nurjhan N, Consoli A. Hepatic and peripheral resistance to the action of insulin in non-insulin-dependent diabetes. *Journ Annu Diabetol Hotel Dieu* 267-279, 1987.
19. Ferrannini E., Cobelli C. The kinetics of insulin in man. I General aspects. II Role of the liver. *Diab. Metab. Rev.* 3: 335-363 and 365-397, 1987.
20. Giampietro O, Miccoli R, Ferdeghini M, Penno G, Masoni A, Navalesi R. Inappropriate growth hormone response to luteinizing hormone-releasing hormone in diabetes mellitus. *Metabolism.*; 36: 1149-53, 1987.
21. Poli T, Lapolla A, Plebani M, Franchin A, Fedele D. Glycated serum proteins determination: comparison between thiobarbituric acid and fructosamine assays. *Acta Diabetol. Lat.* 24, 241-247,1987.
22. Lapolla A, Poli T, Barison A, Fedele. D. Fructosamine assay: an index of medium-term metabolic control parameters in diabetic disease. *Diabetes Res. Clin. Pract.* 4, 231-235,1988.
23. Cobelli C., Pacini G. Insulin secretion and hepatic extraction in humans by minimal modeling of C-peptide and insulin kinetics. *Diabetes* 37: 223-231, 1988.
24. Pelli B, Sturaro A, Traldi P, Lapolla A, Poli T, Fedele D, Crepaldi G. Collisional spectroscopy as a screening procedure for the determination of 2(2furoyl)-4(5)-(2-furanyl)-1H-imidazole from acid hydrolysis of B-poly-(L-lysine) and B-albumin. *Biomed. Environ. Mass Spectrom.* 15, 7-11,1988.
25. . Lapolla A,. Tessari P,. Poli T,. Valerio A,. Duner E, Iori E.,. Fedele D,. Crepaldi G Reduced in vivo biological activity of in vitro glycosylated insulin. *Diabetes* 37, 787-791,1988.
26. . Lapolla A,. Poli T,. Meneghini F,. Zucchetto M,. Franchin A,. Fedele D. Glycated serum proteins and glucose tolerance. *Acta Diabetol. Lat.* 25, 325-332, 1988.
27. Nurjhan N, Consoli A, Kelley D, Mitrakou A, Campbell P, Mandarino L, Gerich J.;

- Importance of hepatic insulin resistance in non-insulin dependent diabetes mellitus. *Diab Nutr Metab* 1:339-344, 1988.
28. Nurjhan N., Kennedy F., Consoli A, Martin C., Miles J., and Gerich J.: Quantification of the glycolytic origin of plasma glycerol: implications for the use of the rate of appearance of plasma glycerol as an index of lipolysis in vivo. *Metabolism* 37:386-389, 1988.
 29. Lapolla A., Poli T., Gerhardinger C., Fedele D., Crepaldi G., Chiarello D., Ghezzi E., Traldi P. Parent ion spectroscopy in the identification of advanced glycation products. *Biom. Envir. Mass Spectrom.* 18, 713-718, 1989.
 30. Nosadini R., DeKreutzenberg S., Duner E., Iori E., Avogaro A., Trevisan R., Fioretto P., Doria A., Merkel C., Cobelli C., Mari A., Jensen I., Heding L., Crepaldi G.: Porcine and human insulin absorption from subcutaneous tissues in normal and insulin-dependent diabetic subjects: a deconvolution-based approach. *J. Clin. Endocrinol. Metab.* 67: 551-559, 1988.
 31. Avogaro A, Bristow J.D, Bier DM, Cobelli C, Toffolo G. Stable-label intravenous glucose tolerance test minimal model. *Diabetes* 38:1048-1055, 1989.
 32. Cobelli C., Ruggeri A. Optimal design of sampling schedules for studying glucose kinetics with tracers. *Am. J. Physiol.* 257: E444 -450, 1989.
 33. Cobelli C., Saccomani M.P., Ferrannini E., DeFronzo R.A., Gelfand R., Bonadonna R. A compartmental model to quantitate in vivo glucose transport in the human forearm. *Am. J. Physiol.* 257: E943-958, 1989.
 34. Lapolla A., Tessari P., Franchin A, Gerhardinger C., Valerio A., Proto N., Fedele. D. Red cell sorbitol concentration in relation to short and medium term variation of plasma glucose. *Acta Diabetol. Lat.* 26, 211-216, 1989.
 35. Gambardella S, Tamburrano G, Giaccari A, Frontoni S, Lala A, Spallone V, Barini A, Felici MG, Menzinger G. Intravenous dexamethasone and subsequent ACTH test in comparison with dexamethasone oral test in the diagnosis of Cushing's syndrome: a report of 20 cases. *J Endocrinol Invest.* 12:163-70, 1989.
 36. Tamburrano G, Leonetti F, Sbraccia P, Giaccari A, Locuratolo N, Lala A. Increased insulin sensitivity in patients with idiopathic reactive hypoglycemia. *J Clin Endocrinol Metab.* 69(4):885-90, 1989.
 37. Nurjhan N., Consoli A, and Gerich J. Isotopic estimation of plasma glucose conversion to plasma lactate using [6-3H]glucose and [6-¹⁴C]glucose. *Proc. Soc. Exptl. Biol. Med.* 192:43-45, 1989.
 38. Nurjhan N., Consoli A., Kelley D., Mitakou A., Campbell A., Mandarino L., and Gerich J.:

- Importance of hepatic insulin resistance in noninsulin-dependent diabetes mellitus. *Diab. Nutr. Metab.* 1:273-276, 1989.
39. Consoli A and Nurjhan N. Contribution of gluconeogenesis to overall glucose output in diabetic and nondiabetic man. *Annals of Medicine* 33:191-195, 1989.
 40. Consoli A., Nurjhan N., Capani F., and Gerich J. Predominant role of gluconeogenesis in the increased hepatic glucose production in NIDDM. *Diabetes* 38:550-561, 1989.
 41. Consoli A , Nurjhan N., and Gerich J. Rates of appearance and disappearance of plasma lactate after oral glucose: implications for indirect-pathway hepatic glycogen repletion in man. *Clin. Physiol. Biochem.* 7:70-78,1989.
 42. Yki-Jarvinen H., Consoli A, Nurjhan N., Young A.A., Gerich J.A. Mechanism for underestimation of isotopically determined glucose disposal. *Diabetes* 38:744-751, 1989.
 43. Giampietro O, Ferdeghini M, Miccoli R, Gregori G, Penno G, Bertoli S, Navalesi R. Inappropriate growth-hormone (GH) response to thyrotropin-releasing hormone (TRH) occurs infrequently in well-regulated diabetes mellitus. *Acta Diabetol Lat.* 27: 119-27, 1990.
 44. Pacini G., Cobelli C. Estimation of B-cell secretion and insulin hepatic extraction by the minimal modelling technique. *Comp. Methods Programs Biom.* 32: 241-248, 1990.
 45. Avogaro A, Nosadini R, Doria A, Fioretto P, Velussi M, Vigorito C, Sacca' L. Toffolo G., Cobelli C, Trevisan R, Duner E, Razzolini R., Rengo F., Crepaldi G.: Myocardial metabolism in insulin-deficient diabetic humans without coronary artery disease. *Am. J. Physiol.* 258: E606-618, 1990.
 46. Lapolla A, Gerhardinger C., Pelli B., Sturaro A., Del Favero E., Traldi P., Crepaldi G., Fedele D. Absence of brown product FFI in nondiabetic and diabetic rat collagen. *Diabetes* 39 (2), 57-61,1990.
 47. . Lapolla A, Gerhardinger C., Ghezzi E., Seraglia R., Sturaro A., Crepaldi G., Fedele D., Traldi P. Identification of furoyl-containing advanced glycation products in collagen samples from diabetic and healthy rats..*Biochem. Biophys. Acta* 1033,13-18, 1990.
 48. . Gerhardinger C., Lapolla A., Crepaldi G., Fedele D., Ghezzi E., Seraglia R., Traldi P Evidence of acid hydrolysis as responsible for 2-(2-furoyl)-4(5)-(2-furanyl)-1H imidazole production. *Clin. Chim. Acta* 189, 335-340,1990.
 49. Gerich J., Mitrakou A., Kelley D., Mandarino L., Nurjhan N., Reilly J., Veneman T., and Consoli A: Contribution of impaired muscle glucose clearance to reduced systemic glucose clearance and fasting hyperglycemia in noninsulin-dependent diabetes mellitus. *Diabetes* 39:211-216, 1990.
 50. Consoli A, Nurjhan N., Reilly J., Bier D., and Gerich J.: Contribution of liver and skeletal

- muscle to alanine and lactate metabolism in man. *Am. J. Physiol.* 259:E677E685, 1990.
51. Consoli A, Nurjhan N., Reilly J., Bier D., and Gerich J.: Mechanism of increased gluconeogenesis in noninsulin-dependent diabetes: role of alterations in systemic, hepatic, and muscle lactate and alanine metabolism. *J. Clin. Invest.* 86:2038-2045, 1990.
 52. Mandarino L., Consoli A, Kelley D., Reilly J., and Nurjhan N.: Fasting hyperglycemia normalizes oxidative and nonoxidative pathways of insulin-stimulated glucose metabolism in NIDDM. *J. Clin. Endocrinol. Metab.* 71:1544-1551, 1990.
 53. Jenssen T., Nurjhan N., Consoli A and Gerich J.: Failure of substrate-induced gluconeogenesis to increase glucose appearance in man: demonstration of hepatic autoregulation without a change in plasma glucose concentration. *J. Clin. Invest.* 86:169-175, 1990.
 54. Lapolla A., Gerhardinger C., Crepaldi G., Fedele D, Palumbo M., Dal Zoppo D, J. Porter C., Ghezzi E., Seraglia R., Traldi P. Mass spectrometric approaches in the structural identification of reaction products arising from the interaction between glucose and lysine. *Talanta* 38(4): 405-12, 1991.
 55. Trischitta V., Italia S., Mazzarino S., Frittitta L., Favetta A., Vigneri R. Non-insulin dependent diabetic patients have a progressively reduced insulin secretion in relation to the increased disease duration. *Diab Nutr Metab* 4: 107-111, 1991.
 56. Lapolla A., Gerhardinger C., Calabrò A., Dal Frà M.G., Franchin A., Fedele D., Crepaldi G. Glycated erythrocyte membrane proteins and haemorheological parameters in insulin-dependent diabetic subjects. *Clin. Haemorheol* 11 (5): 405-15, 1991.
 57. Lapolla A., Gerhardinger C., Fedele D., Crepaldi G., Porter C. J., Seraglia R., Favretto D., Traldi P Investigation on products arising from enzymatic digestion of advanced glycated albumin by High-performance Liquid Chromatography/Mass Spectrometry. *Rapid Commun. Mass Spectrom.* 5: 624-628, 1991.
 58. Lapolla A., Fedele D, Seraglia R., Traldi P. Mass spectrometry in the study of advanced glycation processes, responsible for long-term diabetes complications. *Rapid Commun. Mass Spectrom.* 5: 527-533, 1991.
 59. Sell D.R., Nagaraj R.H., Grandhee S.K., Odetti P., Lapolla A., Fogarty J. and Monnier V.R. Pentosidine: a molecular marker for the cumulative damage to proteins in diabetes, aging, and uremia *Diabetes Metab. Rev.*, 7 (4): 239-51, 1991.
 60. Lapolla A, Gerhardinger C., Baldo L., Fedele D, Favretto D., Seraglia R., Traldi P Pyrolysis GC/MS in the analysis of glycated poly-L-lysine. *Org. Mass Spectrom.* 27: 183-7, 1992.

61. Sell D., Lapolla A., Odetti P, Fogarty J., Monnier V.M Pentosidine formation in skin correlates with severity of complications in individuals with long-standing insulin dependent diabetes mellitus. *Diabetes* 41, 1286-1292, 1992.
62. Lapolla A., Gerhardinger C., Baldo L., Crepaldi G., Fedele D., Favretto D., Seraglia R., Curcuruto O., Traldi P Pyrolysis-gas- chromatography/mas spectrometry in the characterization of glycated albumin. *Anal. Appl. Pyr.* 24, 87-103, 1992.
63. Consoli, A.: Role of Liver in Pathophysiology of NIDDM., *Diabetes Care*, 15: 430-441, 1992.
64. Consoli, A., Nurjahan, N., Gerich, J.E., Mandarino, L.J.: Skeletal Muscle Is a Major Site of Lactate Uptake and Release During Hyperinsulinemia. *Metabolism*, 41:176-179, 1992.
65. Nurjhan, N., Consoli, A., Gerich, J.: Increased Lipolysis and Its Consequences on Gluconeogenesis in Non-insulin-dependent Diabetes Mellitus. *J. Clin. Invest.* .89:169-175, 1992.
66. Lapolla A., Gerhardinger C, Baldo L., Fedele D., Keane A., Seraglia R, Catinella S., Traldi P A study on in vitro glycation processes by matrix assisted laser desorption mass spectrometry. *Biochem Biophys Acta* 1225: 33-38, 1993.
67. Baura G., Foster D., Porte D.Jr., Kahn S., Bergman R., Cobelli C., Schwartz M.: Saturable trasport of insulin from plasma into the central nervous system of dogs in vivo. *J. Clin. Invest.* 92: 1824-1830, 1993.
68. Caumo A., Cobelli C.: Hepatic glucose production during the labeled IVGTT: estimation by deconvolution with a new minimal model. *Am. J. Physiol.* 264: E829-841, 1993.
69. Bonadonna R., Saccomani M.P., Cobelli C.: Effect of insulin on system A amino acid trasport in human skeletal muscle. *J. Clin. Invest.* 91: 514-521, 1993.
70. Bonadonna R., Saccomani M.P., Seely L., Zych K., Ferrannini E., Cobelli C., DeFronzo R.: Glucose transport in human skeletal muscle: the in vivo response to insulin. *Diabetes* 42:191- 198, 1993.
71. Bonadonna R., Saccomani M.P., Cobelli C. In vivo glucose transport in human skeletal muscle: tools, problems and perspectives. *Bailliere's Clinical End. and Metab.* 7: 929-960, 1993.
72. Zavaroni I., Mazza S., Fantuzzi M., Dall'Aglio E., Bonora E., Del Signore R., Passeri M., Reaven G.M. Changes in insulin and lipid metabolism in males with asymptomatic hyperuricaemia. *J. Intern. Med.* 234: 25-30, 1993.
73. Lapolla A., Gerhardinger C, Baldo L., Fedele D., Bertani R., Facchin G., Rizzi E., Catinella S., Seraglia R., Traldi P. The lysine glycation. 1. A structural investigation on the

- products arising from the reaction of protected lysine and D-glucose. *Amino Acids* 5: 389-401, 1993.
74. Consoli A., Nurjhan N., Capani F., Pangburn T., La Penna D., Gerich J.: Limitations in the use of 2-14C acetate for measuring gluconeogenesis in vivo. *Diabetes*, 42:732-737, 1993.
 75. Jenssen T, Nurkhan N, Consoli A, Gerich J.: Dose-response effects of lactate infusions on gluconeogenesis from lactate in normal man. *Eur J Clin Invest* 23:448-454, 1993.
 76. Consoli A, Gerich JE, Bier DM.: Ketone and lactate metabolism: an exchange of conclusions. *Metabolism* 42:732-737, 1993.
 77. Mandarino L.J., Consoli A., Jain A., Kelley D.E.: Differential regulation of intracellular glucose metabolism by glucose and insulin in human muscle. *Am J Physiol* 265:E898-E905, 1993.
 78. Lapolla A., Fedele D., Traldi P. Studies on advanced glycation end products by recent mass spectrometric techniques. *Amino Acids* 6: 65-96, 1994.
 79. Lapolla A., Baldo L., Aronica R., Gerhardinger C., Fedele D., Elli G., Seraglia R, Catinella S., Traldi. P. Matrix Assisted Laser Desorption/Ionization Mass Spectrometry studies on protein glycation 2. The reaction of RNase with hexose. *Biol Mass Spectrom* 23: 241-248, 1994.
 80. Lapolla A., Fedele D., Seraglia R., Catinella S, Traldi P. Matrix Assisted Laser Desorption/Ionization capabilities in the study of non enzymatic protein glycation. *Rapid Commun Mass Spectrom* 8: 645-652, 1994.
 81. Lala A, Scoppola A, Ricci A, Frontoni S, Gambardella S, Menzinger G. The effects of insulin on plasma mevalonate concentrations in man. *Ann Nutr Metab.*,38:257-62, 1994.
 82. Cigolini M., Targher G. Seidell, J.C, Schiavon R., Manara F., Zenti M.G., Mattioli C., De Sandre G. Relationships of plasminogen activator inhibitor-1 to anthropometry, serum insulin, triglycerides and adipose tissue fatty acids in healthy men. *Atherosclerosis* 106: 139-147, 1994.
 83. Moghetti P., Castello R., Tosi F., Zenti M.G., Magnani C., Bolner A., Perobelli L., Muggeo M. Glucose counterregulatory response to acute hypoglycemia in hyperthyroid human subjects. *J Clin Endocrinol Metab* 78:169-173, 1994.
 84. Cominacini L., Fratta Pasini A., Garbin U., Davoli A., De Santis A., Campagnola M., Rigoni A., Zenti M.G., Moghetti P., Lo Cascio V.. Elevated levels of soluble E-selectin in patients with IDDM and NIDDM: relation to metabolic control. *Diabetologia* 38:1122-1124, 1995.

85. Lapolla A., Fedele D., Seraglia R., Catinella S., Baldo L., Aronica R., Traldi P A new effective method for the evaluation of glycated intact plasma proteins in diabetic subjects. *Diabetologia* 38: 1076-1081, 1995.
86. Caumo A., Homan M., Katz H.K., Cobelli C., Rizza R.: Glucose turnover in presence of changing glucose concentrations: error analysis for glucose disappearance. *Am. J. Physiol.* 269: E557-567, 1995.
87. Giaccari A, Morviducci L, Zorretta D, Sbraccia P, Leonetti F, Caiola S, Buongiorno A, Bonadonna RC, Tamburrano G. In vivo effects of glucosamine on insulin secretion and insulin sensitivity in the rat: possible relevance to the maladaptive responses to chronic hyperglycaemia. *Diabetologia.* 38(5):518-24, 1995.
88. . Lapolla A., Fedele D., Aronica R., Curcuruto O., Hamdam M., Catinella S., Seraglia R., Traldi. P. Investigation of the reaction between N-a-acetyl-L-lysineamide and glucose by electrospray mass spectrometry. *J. Mass Spectrom.* S: 69-76, 1995.
89. Scoppola A, Testa G, Frontoni S, Maddaloni E, Gambardella S, Menzinger G, Lala A. Effects of insulin on cholesterol synthesis in type II diabetes patients. *Diabetes Care.*,18:1362-9, 1995.
90. . Lapolla A., Fedele D., Baldo L., Aronica R, Raverdino V., Catinella S., Seraglia R, Traldi P. An electrospray investigation on in vitro glycation of ribonuclease. *Rapid Commun Mass Spectrom* 10: 178-182, 1996.
91. . Lapolla A., Fedele D., Aronica R., Garbeglio M., D'Alpaos M., Seraglia R., Traldi P The in vivo glyco-oxidation of alfa and beta-globins investigated by matrix-assisted laser desorption/ionization mass spectrometry. *Rapid Commun Mass Spectrom* 10: 1133-5, 1996.
92. . Traldi P., Lapolla A., Seraglia R., Catinella S., D'Alpaos M., Aronica R, Fedele. D. Investigation on protein nonenzymatic glycation by a new and effective mass spectrometric method. *Microchemic. J.* 54: 218-35, 1996.
93. . Lapolla A., Fedele D., Aronica R., Baldo L, D'Alpaos M., Seraglia R., Traldi P. The in vitro glycation of lysozyme and the influence of buffer concentration investigated by mass spectrometry. *Rapid Commun Mass Spectrom* 10: 1512-8, 1996.
94. Traldi P., Favretto D., Seraglia R, Lapolla A. Mass Spectrometry in the study of non-enzymatic glyco-oxidation of proteins. *Rapid Commun. Mass Spectrom.*,11, 673-678, 1997.
95. Cominacini L., Fratta Pasini A, Garbin U, Campagnola M, Davoli A, Rigoni A, Zenti M G, Pastorino A M, Lo Cascio V. E-Selectin plasma concentration is influenced by glycaemic control in NIDDM patients: possible role of oxidative stress. *Diabetologia* 40: 584-589, 1997.

96. Vicini P., Bonadonna R.C., Utriainen T., Nuutila P., Raitakari M., Yki-Jarvinen H., Cobelli C.: Estimation of blood flow heterogeneity distribution in human skeletal muscle from positron emission tomography. *Ann. Biomed. Eng.* 25: 906-910, 1997.
97. Lapolla A., Fedele D., Aronica R., Garboglio M., D'Alpaos M., Plebani M., Seraglia R., Traldi P. A highly specific method for the characterization of glycation and glyco-oxidation products of globins. *Rapid Commun. Mass Spectrom.*, 11, 613-617, 1997.
98. Lapolla A., Fedele D., Aronica R., Garboglio M., D'Alpaos M., Seraglia R., Traldi P. Evaluation of IgG glycation levels by matrix assisted laser desorption ionization mass spectrometry. *Rapid Commun. Mass Spectrom.* 11, 1342-46, 1997.
99. Resemann A., Mayer-Posner F.J., Lapolla A., Fedele D., D'Alpaos M., Traldi P. Further considerations on the use of matrix-assisted laser desorption/ionization mass spectrometry in the analysis of glycated globins. *Rapid Commun. Mass Spectrom.* 12, 805-807, 1998.
100. Giaccari A., Morviducci L., Pastore L., Zorretta D., Sbraccia P., Maroccia E., Buongiorno A., Tamburrano G. Relative contribution of glycogenolysis and gluconeogenesis to hepatic glucose production in control and diabetic rats. A re-examination in the presence of euglycaemia. *Diabetologia.* 41(3):307-14, 1998.
101. Bonadonna R.C., Saccomani M.P., Del Prato S., Bonora E., DeFronzo R.A., Cobelli C.: Role of tissue-specific blood flow and tissue recruitment in insulin-mediated glucose uptake of human skeletal muscle. *Circulation* 98: 234-41, 1998.
102. Caumo A., Cobelli C.: Minimal model estimate of glucose effectiveness: role of the minimal model volume and of the second hidden compartment. *Am. J. Physiol.* 274: E573-576, 1998.
103. Lapolla A., Fedele D., Plebani M., Garboglio M., Seraglia R., D'Alpaos M., Aricò, C.N., Traldi P. Direct evaluation of glycated and glyco-oxidized globins by matrix-assisted laser desorption/ionization mass spectrometry. *Rapid Commun. Mass Spectrom.* 13, 8-14, 1999.
104. Lapolla A., Fedele D., Plebani M., Aronica R., Garboglio M., Seraglia R., D'Alpaos M., Traldi P. Evaluation of glycated globins by matrix-assisted laser desorption/ionization mass spectrometry. *Clin. Chem.* 45 (n. 2): 288-300, 1999.
105. Lapolla A., Fedele D., Mauri P., Aricò C.N., Seraglia R., Traldi P. Study of the reaction of glucose with free bases, nucleosides and nucleotides by different analytical approaches. *Rapid Commun. Mass Spectrom.* 13, 2063-67, 1999.
106. Lapolla A., Fedele D., Garboglio M., Martano L., Tonani R., Seraglia R., Favretto D., Fedrigo M.A., Traldi P. Matrix-Assisted Laser Desorption/Ionization Mass

- Spectrometry, enzymatic digestion, and molecular modeling in the study of nonenzymatic glycation of IgG. *J Am Soc Mass Spectrom* 11: 153-59, 2000.
107. . Arsie M.P., Marchioro L., Lapolla A., Giachetto G.F., Bordin M.R., Rizzotti P., Fedele D Evaluation of diagnostic reliability of DCA 2000 for rapid and simple monitoring of HbA1c. *Acta Diabetol* 37:1-7, 2000.
 108. .Lapolla A, Fedele D., Traldi P. The role of mass spectrometry in the study of non-enzymatic protein glycation in diabetes. *Mass Spectrometry Review* ,19: 279-304, 2000.
 109. .Lapolla A., Fedele D, Traldi. P. Diabetes and mass spectrometry. *Diab Metab Res Rev* , 17: 99-112, 2001.
 110. Broglio F, Arvat E, Benso A, Gottero C, Muccioli G, Papotti M, van der Lely AJ, Deghenghi R, Ghigo E. Ghrelin, a natural GH secretagogue produced by the stomach, induces hyperglycemia and reduces insulin secretion in humans. *J Clin Endocrinol Metab.* 86(10):5083-6, 2001.
 111. Tessitore N, Lapolla A, Aricó CN, Gambaro L, Bernich P, Fedele D. Hemodialysis techniques and advanced glycation end products. *Contrib Nephrol.*;(131):33-9, 2001.
 112. .Lapolla A., Fedele D, Martano L., Aricò C.N, Garboglio M., Traldi P., Seraglia R., Favretto D. Advanced glycation end products: a highly complex set of biologically relevant compounds detected by mass spectrometry. *J Mass Spectrom.*, 36:370-378, 2001.
 113. .Lapolla A.,Tonani R.,Fedele D.,Garboglio M.,Senesi A.,Seraglia R.,Favretto D.,Traldi P Non-enzymatic Glycation of IgG: an in vivo study. *Horm Metab Res*, 34: 260-264, 2002.
 114. Sunehag A.L., Toffolo G., Treuth M.S., Butte N.F., Cobelli C., Bier D.M., Haymond M.W.: Effects of dietary macronutrient content on glucose metabolism in children. *J. Clin. End. Metab.* 87:5168-5178, 2002.
 115. Singhal P., Caumo A., Carey P.E., Cobelli C., Taylor R.: Regulation of endogenous glucose production after a mixed meal in type 2 diabetes. *Am. J. Physiol.* 83: E275-283, 2002.
 116. Matsuda M., De Fronzo RA. Glass L, Consoli A, Bressler P, Del Prato S: Glucagon dose-response curve for hepatic glucose production and glucose disposal in type 2 diabetic patients and normal individuals. *Metabolism*, 51:1111-1119, 2002.
 117. Avogaro A., Toffolo G., Kiwanuka E., DeKreutzenberg S., Tessari P., Cobelli C.: L-arginine-nitric oxide kinetics in normal and type 2 diabetic subjects: a stable-labelled ¹⁵n arginine approach. *Diabetes* 52:795-802, 2003.

118. Basu R., Breda E., Oberg A.L., Powell C.C., Dalla Man C., Basu A., Vittone J.L., Klee G.G., Arora P., Jensen M.D., Toffolo G., Cobelli C., Rizza R.A.: Mechanisms of the age-associated deterioration in glucose tolerance: contribution of alterations in insulin secretion, action, and clearance. *Diabetes* 52:1738-1748, 2003.
119. Lapolla A., Flamini R., Tonus T., Fedele D., Senesi A., Reitano R., Marotta E., Pace G, Seraglia R, Traldi P. An effective derivatization method for quantitative determination of glyoxal and methylglyoxal in plasma samples by gas chromatography/mass spectrometry.. *Rapid Commun Mass Spectrom*, vol 17: 876-878, 2003.
120. .Marotta E., Lapolla A., Fedele D., Senesi A., Reitano R., Witt M., Seraglia R., Traldi P Accurate mass measurements by Fourier transform mass spectrometry in the study of advanced glycation end products/peptides.. *J. Mass Spectrom*, vol 38: 196-205, 2003.
121. .Lapolla A., Flamini R., Dalla Vedova A., Senesi A, Reitano R., Fedele D., Basso E., Seraglia R., Traldi P. Glyoxal and metylglyoxal levels in diabetic patients: quantitative determination by a new GC/MS method. i. *Clin Chem Lab Med*; 41(9): 1166-1173, 2003.
122. . Lapolla A., Fedele D., Reitano R., Aricò CN., Seraglia R., Traldi P., Marotta E., Tonani. R Enzymatic digestion and mass spectrometry in the study of advanced glycation end products/peptides. *J Am Soc Mass Spectrom*, 15, 496-509, 2004.
123. Krssak M., Brehm A., Bernroider E., Anderwald C., Nowotny P., Dalla Man C., Cobelli C., Cline G.W., Shulman G.I., Waldhäusl W., Roden M.: Alteration in postprandial hepatic glycogen metabolism in type 2 diabetes. *Diabetes* 53:3048-56, 2004.
124. Tessitore N, Lapolla A, Aricò CN, Poli A, Gambaro L, Bassi A, Bedogna V, Corgnati A, Fedele D, Lupo A. Effect of protein leaking BK-F PMMA-based hemodialysis on plasma pentosidine levels. *J Nephrol*, 17, 1-8, 2004.
125. Lapolla A, Tubaro M, Reitano R, Aricò CN, Ragazzi E, Seraglia R, Vogliardi S, Traldi P, Fedele D. The complexity of non-enzymatic glycation product sets of human globins. *Diabetologia*; 47: 1712-1715, 2004.
126. Perrini S, Natalicchio A, Laviola L, Belsanti G, Montrone C, Cignarelli A, Minielli V, Grano M, De Pergola G, Giorgino R, Giorgino F. Dehydroepiandrosterone stimulates glucose uptake in human and murine adipocytes by inducing GLUT1 and GLUT4 translocation to the plasma membrane. *Diabetes*; 53:41-52, 2004.
127. Lapolla A, Tubaro M, Fedele D, Reitano R, Aricò N C, Ragazzi E, Seraglia R, Vegliardi S, Traldi P A matrix assisted laser desorption/ionization mass spectrometry study of the non-enzimatic glycation products of human globins in diabetes. *Rapid Commun. Mass Spectrom.*; 19: 162-168., 2005.

128. Carey P.E., Gerrard J., Cline G.W., Dalla Man C.: English PT, Firbank MJ, Cobelli C, Taylor R. Acute inhibition of lipolysis does not affect postprandial suppression of endogenous glucose production. *Am. J. Physiol. Endocrinol. Metab.* 289:E941-947, 2005.
129. Lapolla A, Traldi P, Fedele D. Importance of measuring products of non-enzymatic glycation of proteins *Clinical Biochemistry* 38: 103-115, 2005.
130. Lapolla A., Flamini R., Lupo A., Arico' N. C., Rugiu C., Reitano R., Tubaro M., Ragazzi E., Seraglia R., Traldi P. Evaluation of Glyoxal and Methylglyoxal Levels in Uremic Patients under Peritoneal Dialysis. *Ann. N. Y. Acad. Sci.*,1043: 217-224, 2005.
131. . Lapolla A., Fedele D., Reitano R., Bonfante L., Pastori G., Seraglia R., Tubaro, M., Traldi. P. Advanced Glycation End Products/Peptides: An in Vivo Investigation. *Ann. N. Y. Acad. Sci.* ,1043: 267-275, 2005.
132. Lapolla A, Fedele D, Reitano R, Bonfante L, Guizzo M, Seraglia R, Tubaro M, Traldi P. Mass Spectrometric study of in vivo advanced glycation end-products/peptides. *J Mass Spectrometry*, 40:969-972, 2005.
133. . Lapolla A, Reitano R., Baccarin L., Sartore G, Plebani M., Fedele D. Pentosidine plasma levels and relation with metabolic control in diabetic patients. *Hormone and Metabolic Research*37: 252-256, 2005.
134. . Lapolla A., Fedele D, Traldi. P. Glyco-oxidation in diabetes and related diseases. *Clinica Chimica Acta*,357: 236-250, 2005.
135. . Lapolla A., Reitano R, Seraglia R., Sartore G., Ragazzi E., Traldi P. Evaluation of Advanced Glycation End Products and Carbonyl Compounds in Patients with Different Conditions of Oxidative Stress. *Molecular Nutrition and Food Research*, 49: 685-690, 2005.
136. Lapolla A, Basso E, Traldi P Mass spectrometry of advanced glycation end products. *Adv Clin Chem* 40:165-217, 2005.
137. Trombetta M, Spiazzi G, Zoppini G, Muggeo M. Review article: type 2 diabetes and chronic liver disease in the Verona diabetes study. *Aliment Pharmacol Ther.* 22 Suppl 2:24-7, 2005.
138. Esposito K, Ciotola M, Marfella R, Di Tommaso D, Cobellis L, Giugliano D. The metabolic syndrome: a cause of sexual dysfunction in women. *Int J Impot Res.* 17(3):224-6, 2005.
139. Laviola L, Perrini S, Belsanti G, Natalicchio A, Montrone C, Leonardini A, Vimercati A, Scioscia M, Selvaggi L, Giorgino R, Greco P, Giorgino F. Intrauterine growth restriction in humans is associated with abnormalities in placental insulin-like growth factor signaling. *Endocrinology*; 146:1498-1505, 2005.

140. Esposito K, Giugliano F, Martedì E, Feola G, Marfella R, D'Armiento M, Giugliano D. High proportions of erectile dysfunction in men with the metabolic syndrome. *Diabetes Care*. 28(5):1201-3, 2005.
141. Perrini S, Laviola L, Natalicchio A, Giorgino F. Associated hormonal declines in aging: DHEAS. *Journal of Endocrinological Investigation*;28:85-93, 2005.
142. Basu R., Dalla Man C., Campioni M., Basu A., Klee G., Jenkins G., Toffolo G., Cobelli C., Rizza R.A.: Effect of age and sex on postprandial glucose metabolism: difference in glucose turnover, insulin secretion, insulin action, and hepatic insulin extraction. *Diabetes* 55: 2001-14, 2006.
143. Bock G., Dalla Man C., Campioni M., Chittilapilly E., Basu R., Toffolo G., Cobelli C., Rizza R.A.: Pathogenesis of prediabetes: mechanisms of fasting and postprandial hyperglycemia in people with impaired fasting glucose and/or impaired glucose tolerance. *Diabetes* 55:3536-49, 2006.
144. Dalla Man C., Camilleri M., Cobelli C.: A system model of oral glucose absorption: validation on gold standard data. *IEEE Trans. Biomed. Eng.* 53:2472-8, 2006.
145. Lapolla A., Flamini R., Aricò C. N., Rugiu C., Reitano R., Ragazzi E. Seraglia R, Dalla Vedova A, Lupo A., Fedele D., Traldi P. The fate of Glyoxal and methylglyoxal in peritoneal dialysis. *J Mass Spectrometry*, 41:405-408, 2006.
146. Mosca A, Paleari R, Dalfrà MG, DiCianni G, Cuccuru I, Pellegrini G, Malloggi L, Bonomo M, Granata S, ceriotti F, Castiglioni MT, Songini M, Tocco G, Masin M, Plebani M, Lapolla A. Reference intervals for haemoglobin A1c in pregnant women: data from an Italian Multicentric study. *Clin Chem*; 52: 1138-1143, 2006.
147. Lapolla A, Fedele D, Seraglia R, Traldi P. The role of mass spectrometry in the study of non-enzymatic protein glycation in diabetes. *Mass Spectrom Rev*; 25: 775-797, 2006.
148. Brancia FL, Bereszcza JZ, Lapolla A, Fedele D, Baccarin L, Seraglia R, Traldi P. Comprehensive analysis of glycated human serum albumin tryptic peptides by off-line liquid chromatography followed by MALDI analysis on a time-of-flight/curved field reflectron tandem mass spectrometer. *J Mass Spectrom* 41: 1179-1185, 2006.
149. Lapolla A, Brancia FL, Bereszcza J, Fedele D, Baccarin L, Seraglia R, Traldi P. Off-line liquid chromatography-MALDI by with various matrices and tandem mass spectrometry for analysis of glycated human serum albumin tryptic peptides. *Mol Nutr Food Res*, 51:456-461, 2007.

150. Bock G., Dalla Man C., Campioni M., Chittilapilly E., Basu R., Toffolo G., Cobelli C., Rizza R.A.: Effects of nonglucose nutrients on insulin secretion and action in people with pre-diabetes. *Diabetes* 56:1113-1119, 2007.
151. Tarantino G, Saldalamacchia G, Conca P, Arena A. Non-alcoholic fatty liver disease: further expression of the metabolic syndrome. *J Gastroenterol Hepatol.* 22(3):293-303, 2007.
152. Paroni R, Ceriotti F, Galanello R, Leoni GB, Panico A, Scurati E, Paleari R, Chemello L, Quaino V, Scaldaferrì L, Lapolla A, Mosca A. Performance characteristics and clinical utility of an enzymatic method for the measurement of glycated albumin in plasma. *Clin Biochem* 40(18):1398-405, 2007.
153. Chiodini I, Adda G, Scillitani A, Coletti F, Morelli V, Di Lembo S, Epaminonda P, Masserini B, Beck-Peccoz P, Orsi E, Ambrosi B, Arosio M. Cortisol secretion in patients with type 2 diabetes mellitus: relationship with chronic complications. *Diabetes Care.* 30:83-88, 2007.
154. Piro S, Spadaro L, Russello M, Spampinato D, Oliveri CE, Vasquez E, Benigno R, Brancato F, Purrello F, Rabuazzo AM. Molecular determinants of insulin resistance, cell apoptosis and lipid accumulation in non-alcoholic steatohepatitis. *Nutr Metab Cardiovasc Dis*; 18: 545-552, 2008.
155. Piro S, Spampinato D, Spadaro L, Oliveri CE, Purrello F, Rabuazzo AM. Direct apoptotic effects of free fatty acids on human endothelial cells. *Nutr Metab Cardiovasc Dis* 18: 96-104, 2008.
156. Papa G, Fedele V, Chiavetta A, Lorenti I, Leotta C, Luca S, Rabuazzo AM, Piro S, Alagona C, Spadaro L, Purrello F, Pezzino V. Therapeutic options for elderly diabetic subjects: open label, randomized clinical trial of insulin glargine added to oral antidiabetic drugs versus increased dosage of oral antidiabetic drugs. *Acta Diabetol* 45: 53-59, 2008.
157. Spadaro L, Magliocco O, Spampinato D, Piro S, Oliveri C, Alagona C, Papa G, Rabuazzo AM, Purrello F. Effects of n-3 polyunsaturated fatty acids in subjects with nonalcoholic fatty liver disease. *Dig Liver Dis*; 40: 194-199, 2008.
158. Perrini S, Natalicchio A, Laviola L, Cignarelli A, Melchiorre M, De Stefano F, Caccioppoli C, Leonardini A, Martemucci S, Belsanti G, Miccoli S, Ciampolillo A, Corrado A, Cantatore FP, Giorgino R, Giorgino F. Abnormalities of insulin-like growth factor-I signaling and impaired cell proliferation in osteoblasts from subjects with osteoporosis. *Endocrinology* 149:1302-1313, 2008.

159. Laviola L, Natalicchio A, Perrini S, Giorgino F. Abnormalities of IGF-I signaling in the pathogenesis of diseases of the bone, brain, and fetoplacental unit in humans. *Am J Physiol Endocrinol Metab.*; 295:E991-999, 2008.
160. Perrini S, Carreira MC, Conserva A, Laviola L, Giorgino F. Metabolic implications of growth hormone therapy. *J Endocrinol Invest.*; 31:79-84, 2008.
161. Trento M, Broglio F, Riganti F, Basile M, Borgo E, Kucich C, Passera P, Tibaldi P, Tomelini M, Cavallo F, Ghigo E, Porta M. Sleep abnormalities in type 2 diabetes may be associated with glycemic control. *Acta Diabetol.* 45(4):225-9,2008.
162. Broglio F, Prodam F, Riganti F, Gottero C, Destefanis S, Granata R, Muccioli G, Abribat T, van der Lely AJ, Ghigo E. The continuous infusion of acylated ghrelin enhances growth hormone secretion and worsens glucose metabolism in humans. *J Endocrinol Invest.* 31(9):788-94, 2008.
163. Perreault L., Bergman B.C., Playdon M.C., Dalla Man C., Cobelli C., Eckel R.H.: Impaired fasting glucose with or without impaired glucose tolerance: progressive or parallel states of prediabetes? *Am. J. Physiol. Endocrinol. Metab.* 295:E428-35, 2008.
164. Cobelli C., Dalla Man C., Sparacino G., Magni L., De Nicolao G., Kovatchev B.P.: Diabetes: models, signals, and control. *IEEE Rev. Biomed. Eng.* 2:54-96, 2009.
165. Mancini M, Prinster A, Annuzzi G, Liuzzi R, Giacco R, Medagli C, Cremone M, Clemente G, Maurea S, Riccardi G, Rivellese AA, Salvatore M. Sonographic hepatic-renal ratio as indicator of hepatic steatosis: comparison with (1)H magnetic resonance spectroscopy. *Metabolism.* 58(12):1724-30, 2009.
166. Campioni M., Toffolo G.M., Basu R., Rizza R.A., Cobelli C.: Minimal model assessment of hepatic insulin extraction during an oral test from standard insulin kinetic parameters. *Am. J. Physiol. Endocrinol. Metab.* 298: E941-8, 2009.
167. Denti P., Bertoldo A., Vicini P., Cobelli, C.: Nonlinear mixed effects to improve glucose minimal model parameter estimation: a simulation study in intensive and sparse sampling. *IEEE Trans. Biomed. Eng. BME* 56:2156-66, 2009.
168. Piarulli F, Sartore G, Ceriello A, Ragazzi E, Reitano R, Nollino L, Cosma C, Fedele D, Lapolla A Relationship between glyco-oxidation, antioxidant status and microalbuminuria in type 2 diabetic patients. *A. Diabetologia.* 52(7):1419-25. 2009.
169. Giaccari A, Sorice G, Muscogiuri G. Glucose toxicity: the leading actor in the pathogenesis and clinical history of type 2 diabetes - mechanisms and potentials for treatment. *Nutr Metab Cardiovasc Dis.* 19(5):365-77, 2009.

170. Andralojc KM, Mercalli A, Nowak KW, Albarello L, Calcagno R, Luzi L, Bonifacio E, Doglioni C, Piemonti L. Ghrelin-producing epsilon cells in the developing and adult human pancreas. *Diabetologia*. 52(3):486-93, 2009.
171. Lapolla A, Molin L, Sechi A, Cosma C, Ragazzi E, Seraglia R, Traldi P. A further investigation on a MALDI-based method for evaluation of markers of renal damage. *J Mass Spectrom*. 44(12):1754-60, 2009.
172. Murphy R, Tura A, Clark PM, Holst JJ, Mari A, Hattersley AT. Glucokinase, the pancreatic glucose sensor, is not the gut glucose sensor. *Diabetologia* 52(1):154-9, 2009.
173. Perrini S, Laviola L, Carreira MC, Cignarelli A, Natalicchio A, Giorgino F. The GH/IGF1 axis and signaling pathways in the muscle and bone: mechanisms underlying age-related skeletal muscle wasting and osteoporosis. *J Endocrinol* 205:201-210, 2010.
174. Chandler-Laney P.C., Phadke R.P., Granger W.M., Fernández J.R., Muñoz J.A., Man C.D., Cobelli C., Ovalle F., Gower B.A.: Age-related changes in insulin sensitivity and β -cell function among european-american and african-american women. *Obesity* 19:528-35, 2010.
175. Mosca A, Branca MT, Carta M, Genna ML, Giorda CB, Ghidelli R, Ghislandi G, Iafusco D, Lapolla A, Lombardi VB, Lovagnini Scher CA, Marra M, Medea G, Meschi F, Pizzini A, Rossi F, Scalpone R, Tofini G, Trovati M, Zaninotto M. Recommendations for the implementation of international standardization of glycated hemoglobin in Italy. *Clin Chem Lab Med*. 2010.
176. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, Nerup J, Borch-Johnsen K, Witte DR; ADAG Study Group. Associations between features of glucose exposure and A1C: the A1C-Derived Average Glucose (ADAG) study. *Diabetes*. 59(7):1585-90, 2010.
177. Roman M, Lapolla A, Jitaru P, Sechi A, Cosma C, Cozzi G, Cescon P, Barbante C. . Plasma selenoproteins concentrations in type 2 diabetes mellitus--a pilot study. *Transl Res*. 156(4):242-50, 2010.
178. Dalla Man C., Micheletto F., Sathananthan A., Rizza R.A., Vella A., Cobelli C. A model of GLP-1 action on insulin secretion in nondiabetic subjects. *Am. J. of Physiol. Endocrinol. Metab*. 298:E1115-E1121, 2010.
179. Perreault L., Man C.D., Hunerdosse D.M., Cobelli C., Bergman B.C.: Incretin action maintains insulin secretion, but not hepatic insulin action, in people with impaired fasting glucose. *Diabetes Research and Clinical Practice* 90:87-94, 2010.

180. Rizzo MR, Marfella R, Barbieri M, Boccardi V, Vestini F, Lettieri B, Canonico S, Paolisso G. Relationships between daily acute glucose fluctuations and cognitive performance among aged type 2 diabetic patients. *Diabetes Care*. 33(10):2169-74, 2010.
181. Pedersen M.G., Toffolo G., Cobelli C.: Cellular modeling: insight into oral minimal models of insulin secretion. *Am. J. of Physiol. Endocrinol. Metab.* 298:E597-E601, 2010.
182. Merlotti D, Gennari L, Dotta F, Lauro D, Nuti R. Mechanisms of impaired bone strength in type 1 and 2 diabetes. *Nutr Metab Cardiovasc Dis.* 20(9):683-90, 2010.
183. Lapolla A, Porcu S, Traldi P. Some views on proteomics in diabetes. *Clin Chem Lab Med.* 49(6):943-57, 2011.
184. Sivananthan S., Naumova V., Dalla Man C., Facchinetti A., Renard E., Cobelli C., Pereverzyev S.V.: Assessment of blood glucose predictors: the prediction-error grid analysis. *Diabetes Technology and Therapeutics* 13:787-96, 2011.
185. Smushkin G., Sathananthan A., Dalla Man C., Zinsmeister A.R., Camilleri M., Cobelli C., Rizza R.A., Vella A.: Defects in GLP-1 response to an oral challenge do not play a significant role in the pathogenesis of prediabetes. *The Journal of Clinical Endocrinology and Metabolism* 97:589-598, 2011.
186. Lapolla A, Mosca A, Fedele D. The general use of glycated haemoglobin for the diagnosis of diabetes and other categories of glucose intolerance: Still a long way to go. *Nutr Metab Cardiovasc Dis.* 21(7):467-75, 2011.
187. Mosca A, Iafusco D, Meschi F, Branca MT, Carta M, Genna ML, Giorda CB, Ghidelli R, Ghislandi G, Lapolla A, Buondonno Lombardi V, Lovagnini CA, Marra M, Medea G, Pizzini A, Rossi F, Scalpone R, Tofini G, Trovati M, Zaninotto M. The implementation of International standardization of glycated hemoglobin. A "red-letter-day" for HbA1c in Italy: 1/1/11 Italian Recommendations of GLAD Working Group (A1c delegates WG). *J Endocrinol Invest.* 35 (4): 353-6, 2011.
188. Succurro E, Arturi F, Grembiale A, Iorio F, Fiorentino TV, Andreozzi F, Sciacqua A, Hribal ML, Perticone F, Sesti G. One-hour post-load plasma glucose levels are associated with elevated liver enzymes. *Nutr Metab Cardiovasc Dis* 21: 713-718, 2011.
189. Arturi F, Succurro E, Procopio C, Pedace E, Mannino GC, Lugarà M, Procopio T, Andreozzi F, Sciacqua A, Hribal ML, Perticone F, Sesti G. Nonalcoholic fatty liver disease is associated with low circulating levels of insulin-like growth factor-I. *J Clin Endocrinol Metab* 96: E1640–E1644, 2011.
190. Anderwald C, Gastaldelli A, Tura A, Krebs M, Promintzer-Schifferl M, Kautzky-Willer A, Stadler M, DeFronzo RA, Pacini G, Bischof MG. Mechanism and effects of glucose

- absorption during an oral glucose tolerance test among females and males. *J Clin Endocrinol Metab.* 96(2):515-24, 2011.
- 191.** Bozzetto L, Prinster A, Mancini M, Giacco R, De Natale C, Salvatore M, Riccardi G, Rivellese AA, Annuzzi G. Liver fat in obesity: role of type 2 diabetes mellitus and adipose tissue distribution. *Eur J Clin Invest.* 41(1):39-44, 2011.
 - 192.** Bozzetto L, Prinster A, Cocozza S, Rivellese AA, Annuzzi G. Role of type 2 diabetes mellitus in nonalcoholic fatty liver disease. *Eur J Clin Invest.* 41(1):39-44, 2011.
 - 193.** D'Archivio M, Annuzzi G, Vari R, Filesi C, Giacco R, Scazzocchio B, Santangelo C, Giovannini C, Rivellese AA, Masella R. Predominant role of obesity/insulin resistance in oxidative stress development. *Eur J Clin Invest.* 42(1):70-8, 2012.
 - 194.** Marini MA, Succurro E, Arturi F, Ruffo MF, Andreozzi F, Sciacqua A, Lauro R, Hribal ML, Perticone F, Sesti G. Comparison of A1C, fasting and 2-h post-load plasma glucose criteria to diagnose diabetes in Italian Caucasians. *Nutr Metab Cardiovasc Dis.* 22: 561-566, 2012.
 - 195.** Lombardo MF, Iacopino P, Cuzzola M, Spiniello E, Garreffa C, Ferrelli F, Coppola A, Saccardi R, Piaggese A, Piro R, Mannino D, Grossi G, Lauro D, Irrera G. Type 2 diabetes mellitus impairs the maturation of endothelial progenitor cells and increases the number of circulating endothelial cells in peripheral blood. *Cytometry A* 81(10):856-64, 2012.
 - 196.** Saad A., Dalla Man C., Nandy DK, Levine JA, Bharucha AE, Rizza RA, Basu R, Carter RE, Cobelli C, Kudva YC, Basu A: Diurnal pattern to insulin secretion and insulin action in healthy individuals. *Diabetes* 61:2691-2700, 2012.
 - 197.** Matveyenko A.V., Liuwantara D., Gurlo T., Kirakossian D., Dalla Man C., Cobelli C., White M.F., Copps K.D., Volpi E., Fujita S., Butler P.C.: Pulsatile portal vein insulin delivery enhances hepatic insulin action and signaling. *Diabetes.* 61:2269-2279, 2012.
 - 198.** Di Pino A, Alagona C, Piro S, Calanna S, Spadaro L, Palermo F, Urbano F, Purrello F, Rabuazzo AM. Separate impact of metabolic syndrome and altered glucose tolerance on early markers of vascular injuries. *Atherosclerosis*; 223: 458-462, 2012.
 - 199.** Granata R, Settanni F, Julien M, Nano R, Togliatto G, Trombetta A, Gallo D, Piemonti L, Brizzi MF, Abribat T, van Der Lely AJ, Ghigo E Des-Acyl Ghrelin Fragments and Analogues Promote Survival of Pancreatic β -Cells and Human Pancreatic Islets and Prevent Diabetes in Streptozotocin-Treated Rats. *J Med Chem.* 22;55(6):2585-96, 2012.
 - 200.** Picconi F, Di Flaviani A, Malandrucco I, Giordani I, Longo S, Frontoni S. The need for identifying standardized indices for measuring glucose variability. *J Diabetes Sci Technol.* 6:218-9, 2012.

- 201.** Cavallo MG, Sentinelli F, Barchetta I, Costantino C, Incani M, Perra L, Capoccia D, Romeo S, Cossu E, Leonetti F, Agati L, Baroni MG. Altered glucose homeostasis is associated with increased serum apelin levels in type 2 diabetes mellitus. *PLoS One.*;7(12):e51236, 2012.
- 202.** Mezza T, Muscogiuri G, Sorice GP, Prioletta A, Salomone E, Pontecorvi A, Giaccari A. Vitamin D deficiency: a new risk factor for type 2 diabetes?. *Ann Nutr Metab.*;61(4):337-48, 2012.
- 203.** Muscogiuri G, Sorice GP, Ajjan R, Mezza T, Pilz S, Prioletta A, Scragg R, Volpe SL, Witham MD, Giaccari A. Can vitamin D deficiency cause diabetes and cardiovascular diseases? Present evidence and future perspectives. *Nutr Metab Cardiovasc Dis.* 22(2):81-7, 2012.
- 204.** Lapolla A, Molin L, Traldi P. Protein glycation in diabetes as determined by mass spectrometry. *Int J Endocrinol*, 412103, 2013.
- 205.** Smushkin G., Sathananthan M., Piccinini F., Dalla Man C., Law J.H., Cobelli C., Zinsmeister A.R., Rizza R.A., Vella A.: The effect of a bile acid sequestrant on glucose metabolism in subjects with type 2 diabetes. *Diabetes* 62:1094-1101, 2013.
- 206.** Basu A., Dube S., Slama M., Errazuriz I., Amezcua J.C., Kudva Y.C., Peyser T., Carter R.E., Cobelli C., Basu R.: Time lag of glucose from intravascular to interstitial compartment in humans. *Diabetes* 62: 4083- 4087, 2013.
- 207.** Dube S., Errazuriz I., Cobelli C., Basu R., Basu A.: Assessment of insulin action on carbohydrate metabolism: physiological and non-physiological methods. *Diabetic Medicine* 30:664-70, 2013.
- 208.** Dalla Man C., Piccinini F., Basu R., Basu A., Rizza R.A., Cobelli C.: Modeling hepatic insulin sensitivity during a meal: validation against the euglycemic-hyperinsulinemic clamp. *Am. J. Physiol. Endocrinol. Metabol.* 304:E819- E825, 2013.
- 209.** Chilelli NC, Burlina S, Lapolla A. AGEs, rather than hyperglycemia, are responsible for microvascular complications in diabetes: A "glycoxidation-centric" point of view. *Nutr Metab Cardiovasc Dis.* 23(10):913-9, 2013.
- 210.** Muscogiuri G, Mezza T, Prioletta A, Sorice GP, Clemente G, Sarno G, Nuzzo G, Pontecorvi A, Holst JJ, Giaccari A. Removal of duodenum elicits GLP-1 secretion. *Diabetes Care.* 36(6):1641-6. 2013.
- 211.** Boccardi V, Esposito A, Rizzo MR, Marfella R, Barbieri M, Paolisso G. Mediterranean diet, telomere maintenance and health status among elderly. *PLoS One.* 30;8(4):e62781, 2013.

- 212.** Marfella R, Sasso FC, Siniscalchi M, Cirillo M, Paolisso P, Sardu C, Barbieri M, Rizzo MR, Mauro C, Paolisso G. Brief episodes of silent atrial fibrillation predict clinical vascular brain disease in type 2 diabetic patients. *J Am Coll Cardiol.* 62(6):525-30, 2013.
- 213.** Færch K, Pacini G, Nolan JJ, Hansen T, Tura A, Vistisen D. Impact of glucose tolerance status, sex, and body size on glucose absorption patterns during OGTTs. *Diabetes Care* 36(11):3691-7, 2013.
- 214.** Miceli S, Maio R, Perticone M, Tripepi G, Sciacqua A, Mazzaferro D, Sesti G, Perticone F. Creatinine and insulin predict cardiac mass in drug-naïve hypertensive patients. *Int J Cardiol* 167: 519-524, 2013.
- 215.** Perticone F, Maio R, Perticone M, Miceli S, Sciacqua A, Tassone EJ, Shehaj E, Tripepi G, Sesti G. Endothelial dysfunction predicts regression of hypertensive cardiac mass. *Int J Cardiol* 167:1188-92, 2013.
- 216.** Frontoni S, Di Bartolo P, Avogaro A, Bosi E, Paolisso G, Ceriello A. Glucose variability: An emerging target for the treatment of diabetes mellitus. *Diabetes Res Clin Pract* 102:86-95, 2013.
- 217.** Giordano C, Guarnotta V, Pivonello R, Amato MC, Simeoli C, Ciresi A, Cozzolino A, Colao A Is diabetes in Cushing's syndrome only a consequence of hypercortisolism?. *Eur J Endocrinol.* 170(2):311-9, 2013.
- 218.** Sesti G, Fiorentino TV, Arturi F, Perticone M, Sciacqua A, Perticone F. Association between noninvasive fibrosis markers and chronic kidney disease among adults with nonalcoholic fatty liver disease. *PLoS One* 9: e88569, 2014.
- 219.** Sathananthan M., Ikramuddin S., Swain J.M., Shah M., Piccinini F., Dalla Man C., Cobelli C., Rizza R.A., Camilleri M., Vella A.: The effect of vagal nerve blockade using electrical impulses on glucose metabolism in nondiabetic subjects. *Diabetes Metab Syndr Obes.* 7:305-12, 2014.
- 220.** Giordani I, Di Flaviani A, Picconi F, Malandrucco I, Ylli D, Palazzo P, Altavilla R, Vernieri F, Passarelli F, Donno S, Lauro D, Pasqualetti P, Frontoni S. Acute hyperglycemia reduces cerebrovascular reactivity: the role of glycemic variability. *J Clin Endocrinol Metab.* 99(8):2854-60, 2014.
- 221.** Gramaglia E, Ramella Gigliardi V, Olivetti I, Tomellini M, Belcastro S, Calvi E, Dotta A, Ghigo E, Benso A, Broglio F. Impact of short-term treatment with benzodiazepines and imidazopyridines on glucose metabolism in healthy subjects. *J Endocrinol Invest.* 37(2):203-6, 2014.

- 222.** Sciacqua A, Perticone M, Grillo N, Falbo T, Bencardino G, Angotti E, Arturi F, Parlato G, Sesti G, Perticone F. Vitamin D and 1-hour post-load plasma glucose in hypertensive patients. *Cardiovasc Diabetol* 13:48, 2014.
- 223.** Sciacqua A, Perticone M, Falbo T, Grillo N, Tassone E, Sinopoli F, Lo Russo C, Succurro E, Andreozzi F, Sesti G, Perticone F. Dietary patterns and 1-h post-load glucose in essential hypertension *Nutr Metab Cardiovasc Dis* 24: 547-553, 2014.
- 224.** Sesti G, Sciacqua A, Fiorentino TV, Perticone M, Succurro E, Perticone F. Association between noninvasive fibrosis markers and cardio-vascular organ damage among adults with hepatic steatosis. *PLoS One* 9: e104941, 2014.
- 225.** Sesti G, Hribal ML, Procopio T, Fiorentino TV, Sciacqua A, Andreozzi F, Marini MA, Perticone F. Low circulating insulin-like growth factor-1 levels are associated with high serum uric acid in nondiabetic adult subjects. *Nutr Metab Cardiovasc Dis* 24: 1365-1372, 2014.
- 226.** Sesti G, Hribal ML, Fiorentino TV, Sciacqua A, Perticone F. Elevated 1 h postload plasma glucose levels identify adults with normal glucose tolerance but increased risk of non-alcoholic fatty liver disease. *BMJ Open Diab Res Care*; 2:e000016, 2014.
- 227.** Irace C, Carallo C, Scavelli F, De Franceschi MS, Esposito T, Gnasso A. Blood viscosity in subjects with normoglycemia and prediabetes. *Diabetes Care* 37:488-492, 2014.
- 228.** Bossi AC. GLP-1 response to 2 energy-matched snacks. *Am J Clin Nutr* 100: 5 1398, 2014.
- 229.** Di Pino A, Scicali R, Calanna S, Urbano F, Mantegna C, Rabuazzo AM, Purrello F, Piro S. Cardiovascular risk profile in subjects with prediabetes and new-onset type 2 diabetes identified by HbA(1c) according to American Diabetes Association criteria. *Diabetes Care*; 37: 1447-1453, 2014.
- 230.** Calanna S, Scicali R, Di Pino A, Knop FK, Piro S, Rabuazzo AM, Purrello F. Lipid and liver abnormalities in haemoglobin A1c-defined prediabetes and type 2 diabetes. *Nutr Metab Cardiovasc Dis*; 24: 670-676, 2014.
- 231.** Machado-lima A; Ibora R T, Pinto RS; Castilho G, Sartori H, Oliveira ER; Nakandakare ER, Giannella-Neto D, Correa-Giannella ML, Traldi P, Porcu S, Roverso M, Lapolla A, Passarelli M. In type 2 diabetes mellitus glycated albumin alters macrophage gene expression impairing ABCA1-mediated cholesterol efflux. *J Cell Physiol* 230:1250-7, 2015.
- 232.** Spadaro L, Noto D, Privitera G, Tomaselli T, Fede G, Scicali R, Piro S, Fayer F, Altieri I, Averna M, Purrello F. Apolipoprotein AI and HDL are reduced in stable cirrhotic patients

- with adrenal insufficiency: a possible role in glucocorticoid deficiency. *Scand J Gastroenterol* 50:347-54, 2015.
233. Scavini M, Dugnani E, Pasquale V, Liberati D, Aleotti F, Di Terlizzi G, Petrella G, Balzano G, Piemonti L. Diabetes after pancreatic surgery: novel issues. *Curr Diab Rep*. 15(4):16, 2015.
 234. Greco C, Spallone V. Obstructive Sleep Apnoea Syndrome and Diabetes. Fortuitous Association or Interaction? *Curr Diabetes Rev*.12(2):129-55, 2015.
 235. Ameri P, Bruzzzone S, Mannino E, Sociali G, Andraghetti G, Salis A, Ponta ML, Briatore L, Adami GF, Ferraiolo A, Venturini PL, Maggi D, Cordera R, Murialdo G, Zocchi E. Impaired increase of plasma abscisic Acid in response to oral glucose load in type 2 diabetes and in gestational diabetes. *PLoS One*. 10(2):e0115992, 2015.
 236. Costabile G, Della Pepa G, Bozzetto L, Annuzzi G, Vetrani C, Giacco R, Della Corte G, Conte FS, Di Marino L, Rivellese AA. Urine 8-isoprostane in relation to adiposity and insulin resistance in individuals at high cardiometabolic risk. *Metab Syndr Relat Disord*. 13(4):187-91, 2015.
 237. Bozzetto L, Annuzzi G, Ragucci M, Di Donato O, Della Pepa G, Della Corte G, Griffo E, Anniballi G, Giacco A, Mancini M, Rivellese AA. Insulin resistance, postprandial GLP-1 and adaptive immunity are the main predictors of NAFLD in a homogeneous population at high cardiovascular risk. *Nutr Metab Cardiovasc Dis*. 26(7):623-9, 2016.
 238. Pechlaner R, Weiss G, Bansal S, Mayr M, Santer P, Pallhuber B, Notdurfter M, Bonora E, Willeit J, Kiechl S. Inadequate hepcidin serum concentrations predict incident type 2 diabetes mellitus. *Diabetes Metab Res Rev*. 32(2):187-92, 2016.
 239. Balzano G, Dugnani E, Gandolfi A, Scavini M, Pasquale V, Aleotti F, Liberati D, Di Terlizzi G, Petrella G, Reni M, Doglioni C, Bosi E, Falconi M, Piemonti L. Effect of Diabetes on Survival after Resection of Pancreatic Adenocarcinoma. A Prospective, Observational Study. *PLoS One*. 11(11):e0166008, 2016.
 240. Dugnani E, Gandolfi A, Balzano G, Scavini M, Pasquale V, Aleotti F, Liberati D, Di Terlizzi G, Petrella G, Reni M, Doglioni C, Bosi E, Falconi M, Piemonti L. Diabetes associated with pancreatic ductal adenocarcinoma is just diabetes: Results of a prospective observational study in surgical patients. *Pancreatology*. 16(5):844-52, 2016.
 241. Epstein S, Defeudis G, Manfrini S, Napoli N, Pozzilli P; Scientific Committee of the First International Symposium on Diabetes and Bone Diabetes and disordered bone metabolism (diabetic osteodystrophy): time for recognition. *Osteoporos Int*. 27(6):1931-51, 2016

- 242.** Konopka AR, Esponda RR, Robinson MM, Johnson ML, Carter RE, Schiavon M, Cobelli C, Wondisford FE, Lanza IR, Nair KS. Hyperglucagonemia Mitigates the Effect of Metformin on Glucose Production in Prediabetes. *Cell Rep.* 15(7):1394-400, 2016.
- 243.** Dalla Man C, Micheletto F, Sathananthan M, Vella A, Cobelli C. Model-Based Quantification of Glucagon-Like Peptide-1-Induced Potentiation of Insulin Secretion in Response to a Mixed Meal Challenge. *Diabetes Technol Ther.* 18(1):39-46, 2016.
- 244.** De A, Pasquantonio G, Cerroni L, Petrelli D, Lauro D, Longhi M, Vitali LA. Genotypic and phenotypic heterogeneity in *Streptococcus mutans* isolated from diabetic patients in Rome, Italy. *Springerplus.* 5(1):1794, 2016.
- 245.** Weiss M, Tura A, Kautzky-Willer A, Pacini G, D'Argenio DZ. Human insulin dynamics in women: a physiologically based model. *Am J Physiol Regul Integr Comp Physiol.* 310(3):R268-74, 2016.
- 246.** Alsalim W, Tura A, Pacini G, Omar B, Bizzotto R, Mari A, Åhrén B. Mixed meal ingestion diminishes glucose excursion in comparison with glucose ingestion via several adaptive mechanisms in people with and without type 2 diabetes. *Diabetes Obes Metab.* (1):24-33, 2016.
- 247.** Ursini F, Russo E, D'Angelo S, Arturi F, Hribal ML, D'Antona L, Bruno C, Tripepi G, Naty S, De Sarro G, Olivieri I, Grembiale RD. Prevalence of Undiagnosed Diabetes in Rheumatoid Arthritis: an OGTT Study. *Medicine (Baltimore).* 95(7):e2552, 2016.
- 248.** Fiorentino TV, Andreozzi F, Mannino GC, Pedace E, Perticone M, Sciacqua A, Perticone F, Sesti G. One-Hour Postload Hyperglycemia Confers Higher Risk of Hepatic Steatosis to HbA1c-Defined Prediabetic Subjects. *J Clin Endocrinol Metab.* 101(11):4030-4038, 2016.
- 249.** Varghese RT, Dalla Man C, Sharma A, Viegas I, Barosa C, Marques C, Shah M, Miles JM, Rizza RA, Jones JG, Cobelli C, Vella A. Mechanisms Underlying the Pathogenesis of Isolated Impaired Glucose Tolerance in Humans. *J Clin Endocrinol Metab.* 101(12):4816-4824. 2016.
- 250.** Muscogiuri G, Balercia G, Barrea L, Cignarelli A, Giorgino F, Holst JJ, Laudisio D, Orio F, Tirabassi G, Colao A. Gut: a key player in the pathogenesis of type 2 diabetes? *Crit Rev Food Sci Nutr.* 28:1-16, 2016.
- 251.** Strollo R, Soare A, Manon Khazrai Y, Di Mauro A, Palermo A, Del Toro R, Fallucca S, Belluomo GM, Dugo L, Pianesi M, Pozzilli P, Napoli N. Increased sclerostin and bone turnover after diet-induced weight loss in type 2 diabetes: a post hoc analysis of the MADIAB trial. *Endocrine.* 56:667-674, 2017.

252. Klement J, Ott V, Rapp K, Brede S, Piccinini F, Cobelli C, Lehnert H, Hallschmid M. Oxytocin Improves Beta-Cell Responsivity and Glucose Tolerance in Healthy Men. *Diabetes*. 66(2):264-271, 2017.
253. Bellini S, Barutta F, Mastrocola R, Imperatore L, Bruno G, Gruden G. Heat Shock Proteins in Vascular Diabetic Complications: Review and Future Perspective. *Int J Mol Sci*. 18(12), 2017.
254. Cazzola M, Rogliani P, Calzetta L, Lauro D, Page C, Matera MG. Targeting Mechanisms Linking COPD to Type 2 Diabetes Mellitus. *Trends Pharmacol Sci*. 38(10):940-951, 2017.
255. Fabrizio C, Procopio A, Scudeller L, Dell'Acqua R, Bruno G, Milano E, Milella M, Saracino A, Angarano G. HCV and diabetes: towards a 'sustained' glycaemic improvement after treatment with DAAs? *Clin Microbiol Infect*. 23(5):342-343, 2017.
256. De Santi F, Zoppini G, Locatelli F, Finocchio E, Cappa V, Dauriz M, Verlato G. Type 2 diabetes is associated with an increased prevalence of respiratory symptoms as compared to the general population. *BMC Pulm Med*. 17(1):101, 2017.
257. Codella R, Benedini S, Painsi S, Caumo A, Adamo M, Terruzzi I, Ferrulli A, Macrì C, Andreoni L, Sterlicchio M, Luzi L. Effect of Sugar versus Mixed Breakfast on Metabolic and Neurofunctional Responses in Healthy Individuals. *J Diabetes Res*. 2017:9634585, 2017.
258. Strollo R, Soare A, Manon Khazrai Y, Di Mauro A, Palermo A, Del Toro R, Fallucca S, Giovanna Belluomo M, Dugo L, Pianesi M, Pozzilli P, Napoli N. Increased sclerostin and bone turnover after diet-induced weight loss in type 2 diabetes: a post hoc analysis of the MADIAB trial. *Endocrine*. 56(3):667-674, 2017.
259. Marini MA, Fiorentino TV, Andreozzi F, Mannino GC, Perticone M, Sciacqua A, Perticone F, Sesti G. Elevated 1-h post-challenge plasma glucose levels in subjects with normal glucose tolerance or impaired glucose tolerance are associated with whole blood viscosity. *Acta Diabetol*. 54(8):775-784, 2017.
260. Marini MA, Fiorentino TV, Andreozzi F, Mannino GC, Succurro E, Sciacqua A, Perticone F, Sesti G. Hemorheological alterations in adults with prediabetes identified by hemoglobin A1c levels. *Nutr Metab Cardiovasc Dis*. 27(7):601-608, 2017.
261. Andreozzi F, Mannino GC, Mancuso E, Spiga R, Perticone F, Sesti G. Plasma kisspeptin levels are associated with insulin secretion in nondiabetic individuals. *PLoS One*. 21;12(6):e0179834, 2017.

- 262.** Chilelli NC, Cosma C, Burlina S, Plebani M, Lapolla A. Antioxidant capacity in patients with type 2 diabetes: a preliminary investigation on gender-specific differences in an Italian population. *Clin Chem Lab Med.* 56(4):101-104, 2018.
- 263.** Pascale A, Marchesi N, Marelli C, Coppola A, Luzi L, Govoni S, Giustina A, Gazzaruso C. Microbiota and metabolic diseases. *Endocrine.* 61(3):357-371, 2018.
- 264.** Ermetici F, Briganti S, Delnevo A, Cannaò P, Leo GD, Benedini S, Terruzzi I, Sardanelli F, Luzi L. Bone marrow fat contributes to insulin sensitivity and adiponectin secretion in premenopausal women. *Endocrine.* 59(2):410-418, 2018.
- 265.** Menini S, Iacobini C, de Latouliere L, Manni I, Ionta V, Blasetti Fantauzzi C, Pesce C, Cappello P, Novelli F, Piaggio G, Pugliese G. The advanced glycation end-product Nε-carboxymethyllysine promotes progression of pancreatic cancer: implications for diabetes-associated risk and its prevention. *J Pathol.* 245(2):197-208, 2018.
- 266.** Fiorentino TV, Succurro E, Arturi F, Giancotti A, Peronace C, Quirino A, Sesti F, Andreozzi F, Hribal ML, Perticone F, Focà A, Sesti G. Serum IgG2 levels are specifically associated with whole-body insulin-mediated glucose disposal in non-diabetic offspring of type 2 diabetic individuals: a cross-sectional study. *Sci Rep.* 8(1):13616, 2018.
- 267.** Fiorentino TV, Sesti F, Succurro E, Pedace E, Andreozzi F, Sciacqua A, Hribal ML, Perticone F, Sesti G. Higher serum levels of uric acid are associated with a reduced insulin clearance in non-diabetic individuals. *Acta Diabetol.* 55(8):835-842, 2018.
- 268.** Muscogiuri G, Balercia G, Barrea L, Cignarelli A, Giorgino F, Holst JJ, Laudisio D, Orio F, Tirabassi G, Colao A. Gut: A key player in the pathogenesis of type 2 diabetes? *Crit Rev Food Sci Nutr.* 58(8):1294-1309, 2018.
- 269.** Kärkkäinen O, Lankinen MA, Vitale M, Jokkala J, Leppänen J, Koistinen V, Lehtonen M, Giacco R, Rosa-Sibakov N, Micard V, Rivellese AAA, Schwab U, Mykkänen H, Uusitupa M, Kolehmainen M, Riccardi G, Poutanen K, Auriola S, Hanhineva K. Diets rich in whole grains increase betainized compounds associated with glucose metabolism. *Am J Clin Nutr.* 108(5):971-979, 2018.
- 270.** Costabile G, Griffo E, Cipriano P, Vetrani C, Vitale M, Mamone G, Rivellese AA, Riccardi G, Giacco R. Subjective satiety and plasma PYY concentration after wholemeal pasta. *Appetite.* 125:172-181, 2018.
- 271.** Adams JD, Treiber G, Hurtado MD, Laurenti MC, Dalla Man C, Cobelli C, Rizza RA, Vella A. Increased Rates of Meal Absorption Do Not Explain Elevated 1-Hour Glucose in Subjects With Normal Glucose Tolerance. *J Endocr Soc.* 3(1):135-145, 2018.

272. De Pergola G, Cortese F, Termine G, Meliota G, Carbonara R, Masiello M, Cortese AM, Silvestris F, Caccavo D, Ciccone MM Uric Acid, Metabolic Syndrome and Atherosclerosis: The Chicken or the Egg, Which Comes First? *Endocr Metab Immune Disord Drug Targets*.18(3):251-259, 2018.
273. Qian J, Dalla Man C, Morris CJ, Cobelli C, Scheer FAJL. Differential effects of the circadian system and circadian misalignment on insulin sensitivity and insulin secretion in humans. *Diabetes Obes Metab*. 20(10):2481-2485, 2018.
274. Konopka AR, Esponda RR, Robinson MM, Johnson ML, Carter RE, Schiavon M, Cobelli C, Wondisford FE, Lanza IR, Nair KS. Hyperglucagonemia Mitigates the Effect of Metformin on Glucose Production in Prediabetes. *Cell Rep*. 23(8):2532, 2018.
275. Sharma A, Varghese RT, Shah M, Man CD, Cobelli C, Rizza RA, Bailey KR, Vella A. Impaired Insulin Action Is Associated With Increased Glucagon Concentrations in Nondiabetic Humans. *J Clin Endocrinol Metab*. 103(1):314-319, 2018.
276. Mezza T, Moffa S, Ferraro PM, Quero G, Capece U, Carfi A, Cefalo CMA, Cinti F, Sorice GP, Impronta F, Mari A, Pontecorvi A, Alfieri S, Holst JJ, Giaccari A. Bile Modulates Secretion of Incretins and Insulin: A Study of Human Extrahepatic Cholestasis. *J Clin Endocrinol Metab*, 104(7):2685-2694, 2019
277. Winhofer Y , Lupo P , Fellingner P , Tura A , Hillebrand P , Staufer K , Trauner M , Jaksch P , Muraközy G , Kautzky-Willer A , Pacini G , Krebs M , Luger A , Kazemi-Shirazi L . Markedly delayed insulin secretion and high rate of undetected overt diabetes characterize glucose metabolism in adult patients with cystic fibrosis after lung transplantation. *Endocr Pract*, 25:254-262, 2019.
278. Fiore V, De Rosa A, Falasca P, Marci M, Guastamacchia E, Licchelli B, Giagulli VA, De Pergola G, Poggi A, Triggiani V. Focus on the Correlations between Alzheimer's Disease and Type 2 Diabetes. *Endocr Metab Immune Disord Drug Targets*, 19(5):571-579, 2019.
279. Boeri L, Capogrosso P, Ventimiglia E, Pederzoli F, Frego N, Cazzaniga W, Chierigo F, Alfano M, Piemonti L, Viganò P, Pontillo M, Montanari E, Montorsi F, Salonia A. Undiagnosed prediabetes is highly prevalent in primary infertile men - results from a cross-sectional study. *BJU Int*, 123:1070-1077, 2019.
280. Terruzzi I, Montesano A, Senesi P, Villa I, Ferraretto A, Bottani M, Vacante F, Spinello A, Bolamperti S, Luzi L, Rubinacci A. L-Carnitine Reduces Oxidative Stress and Promotes Cells Differentiation and Bone Matrix Proteins Expression in Human Osteoblast-Like Cells. *Biomed. Res. Int*, 2019:5678548, 2019

- 281.** Moffa S, Mezza T, Cefalo CMA, Cinti F, Impronta F, Sorice GP, Santoro A, Di Giuseppe G, Pontecorvi A, Giaccari A. The Interplay between Immune System and Microbiota in Diabetes. *Mediators Inflamm*, 2019:9367404, 2019.
- 282.** Federici M. Our second genome and the impact on metabolic disorders: why gut microbiome is an important player in diabetes and associated abnormalities. *Acta Diabetol*, 56(5):491-492, 2019.
- 283.** Fernández-Real JM, Federici M, Burcelin R. Consider the microbiome in the equation! They were here before us...and hosted us! *Rev Endocr Metab Disord*, 20(4):383-385, 2019.
- 284.** Tedesco S, Ciciliot S, Menegazzo L, D'Anna M, Scattolini V, Cappellari R, Cignarella A, Avogaro A, Albiero M, Fadini GP. Pharmacologic PPAR- γ Activation Reprograms Bone Marrow Macrophages and Partially Rescues HSPC Mobilization in Human and Murine Diabetes. *Diabetes*. 69(7):1562-1572, 2020.
- 285.** Cappellari R, D'Anna M, Menegazzo L, Bonora BM, Albiero M, Avogaro A, Fadini GP. Diabetes mellitus impairs circulating proangiogenic granulocytes. *Diabetologia*. 63(9):1872-1884, 2020.
- 286.** Avogaro A, Fadini GP, Del Prato S. Reinterpreting Cardiorenal Protection of Renal Sodium-Glucose Cotransporter 2 Inhibitors via Cellular Life History Programming. *Diabetes Care*. 43(3):501-507, 2020.
- 287.** Favari C, Righetti L, Tassotti M, Gethings LA, Martini D, Rosi A, Antonini M, Rubert J, Manach C, Dei Cas A, Bonadonna R, Brighenti F, Dall'Asta C, Mena P, Del Rio D. Metabolomic Changes after Coffee Consumption: New Paths on the Block. *Mol Nutr Food Res*. 9:e2000875, 2020..
- 288.** Barbanti FA, Trento M, Bruno G, Bonadonna R, Croci M, D'Eusebio C, Dei Cas A, Invitti C, Merlo F, Pontiroli AE, Veronelli A, Vigili de Kreutzenberg S, Marchesini G, Petroni ML. Prevalence of orthorexic traits in type 2 diabetes mellitus: at the crossroads between nutritional counseling and eating disorders. *Acta Diabetol*. 57(9):1117-1119, 2020.
- 289.** Feraco A, Marzolla V, Scuteri A, Armani A, Caprio M. Mineralocorticoid Receptors in Metabolic Syndrome: From Physiology to Disease. *Trends Endocrinol Metab*. 31(3):205-217, 2020.
- 290.** Kahleova H, Tintera J, Thieme L, Veleba J, Klementova M, Kudlackova M, Malinska H, Oliyarnyk O, Markova I, Haluzik M, Pavlovicova R, Hill M, Tura A, Pelikanova T. A plant-based meal affects thalamus perfusion differently than an energy- and macronutrient-matched conventional meal in men with type 2 diabetes, overweight/obese,

and healthy men: A three-group randomized crossover study. Clin Nutr. S0261-5614(20)30532-X, 2020.

- 291.** Visentin R, Cobelli C, Dalla Man C. The Padova Type 2 Diabetes Simulator from Triple-Tracer Single-Meal Studies: In Silico Trials Also Possible in Rare but Not-So-Rare Individuals. Diabetes Technol Ther. 22(12):892-903, 2020.
- 292.** Mezza T, Cefalo CMA, Cinti F, Quero G, Pontecorvi A, Alfieri S, Holst JJ, Giaccari A. Endocrine and Metabolic Insights from Pancreatic Surgery. Trends Endocrinol Metab. 31(10):760-772, 2020.
- 293.** Mancuso E, Spiga R, Rubino M, Averta C, Rotundo S, Segura-García C, Mannino GC, Sesti G, Andreozzi F. Effects of Alpha-2-HS-glycoprotein on cognitive and emotional assessment in prediabetic and diabetic subjects. J Affect Disord. 282:700-706, 2020.