

1. Maldonato A, Bloise D, Ceci M, Fraticelli E, Fallucca F. Diabetes mellitus: lessons from patient education. *Patient Educ Couns* 26: 57-66, 1995.
2. Veglio M, Sivieri R, Trento M, Porta M. Finger-priking Devices: Are They Less Painful Than Lancets? *Diabetic Medicine, Letter*, 598, 1996.
3. Trento M, Passera P, Tomalino M, Pagnozzi F, Pomero F, Vaccari P, Bajardi M, Molinatti GM, Porta M. Therapeutic group education in the follow-up of patient with non insulin treated, non insulin-dependent diabetes mellitus. *Diabetes, Nutrition & Metabolism, (Nutrition, metabolism cardiovascular disease)*11, 212-216, 1998.
4. Pecchio O, Maule S, Migliardi M, Trento M, Veglio M. Effects of Exposure at an altitude of 3.000m on performance of glucose meters. *Diabetes Care*, 23, 129-131, 2000.
5. Maldonato A, Segal P, Golay A. The Diabetes Education Study Group and its activities to improve the education of people with diabetes in Europe. *Patient Educ Couns*. 44: 87-94, 2001.
6. Trento M, Passera P, Tomalino M, Bajardi M, Pomero F, Allione A, Vaccari P, Molinatti GM, Porta M. Group visits improve metabolic control in type 2 diabetes. a two-year follow-up. *Diabetes Care*, 24, 995-1000, 2001.
7. Trento M, Passera P, Bajardi M, Tomalino M, Grassi G, Borgo E, Donnola C, Cavallo F, Bondonio PV, Porta M. Lifestyle intervention by group care prevents deterioration of type 2 diabetes: a 4-year randomized controlled clinical trial. *Diabetologia* 45, 1231-1239, 2002.
8. Trento M. Report on an EFSD/MSD Travel Fellowship for Young Scientists. *Diabetologia*,46, 2003.
9. Porta M, Trento M. Are doctors fit to manage type 2 diabetes? *Nutrition Metabolism Cardiovascular Disease*. 14, 328-331, 2004.
10. Porta M, Trento M. Romeo: rethink organization to improve education and outcomes. *Diabetic Medicine*, 21, 644-645, 2004.
11. Trento M, Passera P, Borgo E, Tomalino M, Bajardi M, Cavallo F, Porta M. A 5-year randomized controlled study of learning, problem solving ability and quality of life modifications in people with type 2 diabetes managed by group care. *Diabetes Care*, 27, 670-675, 2004.
12. Trento M, Passera P, Borgo E, Tomalino M, Bajardi M, Brescianini A, Tomelini M, Giuliano S, Cavallo F, Miselli V, Bondonio P, Porta M. A 3-year prospective randomized controlled clinical trial of group care in type 1 diabetes. *Nutrition Metabolism Cardiovascular Disease*. 15, 293-301, 2005.

13. Trento M, P Passera, V Miselli , M Bajardi , E Borgo, M Tomelini, M Tomalino, F Cavallo, M Porta, Evaluation of the Locus of Control in Patients with Type 2 Diabetes after Long-Term Management by Group Care. *Diabetes & Metabolism*, 32, 77-81, 2006.
14. Porta M , Trento M. Comment on: Nathan DM, Buse JB, Davidson MB et al. (2006) Management of hyperglycaemia in type 2 diabetes: a consensus algorithm for the initiation and adjustment of therapy. A consensus statement from the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetologia* 49, 1711-1721, 2007.
15. Porta M, Trento M. Comment: Management of hyperglycemia in type 2 diabetes: A consensus algorithm for the initiation and adjustment of therapy. A consensus statement from the American and the European Association for the study of diabetes. *Diabetes Care*, 30, 193, 2007.
16. Trento M, Basile M, Borgo E, Grassi G, Scuntero P, Trinetta A, Cavallo F and Porta M. A randomised controlled clinical trial of nurse-, dietitian- and pedagogist-led Group Care for the management of type 2 diabetes. *Journal of Endocrinological Investigation*. 31, 1038-1042, 2008.
17. Trento M, Tomelini M., Basile M, Borgo E, Passera P, Miselli V, Tomalino M, Cavallo F, Porta M. The locus of control in patients with type 1 and type 2 diabetes managed by individual and Group Care. *Diabetic Medicine*, 25, 86-90, 2008..
18. Trento M, Broglio F, Riganti F, Basile M, Borgo E, Cucich, Passera P, Tibaldi P, Tomelini M, Cavallo F, Ghigo E, Porta M. Sleep abnormalities in type 2 diabetes may be associated with glycaemic control. *Acta Diabetologica*, 45, 225-229, 2008.
19. Maldonato A, Piana N, Bloise D, Baldelli A. Research in therapeutic patient education: current challenges. *Educ Ther Patient/Ther Patient Educ*. 1(2): 213, 2009.
20. Trento M, Borgo E, Kucich C, Passera P, Trinetta A, Charrier L, Cavallo F, Porta M. Quality of life, coping ability and metabolic control in patients with Type 1 Diabetes managed by Group Care and a carbohydrate counting programme. *Diabetes Care*, 32, e134, 2009.
21. Porta M, Trento M. Time of exposure and type of diabetes may determine treatment outcome of group clinics. *Annals of Internal Medicine*. 483, 2010.
22. Trento M, Kucich C, Tibaldi P, Gennari S, Tedesco S, Balbo M, Arvat E, Cavallo F, Ghigo E and Porta M. A study of central serotonergic activity in health subjects and patients with type 2 diabetes treated by traditional one-to-one care or Group care. *Journal of Endocrinological Investigation* , 33, 624-628, 2010.
23. Trento M, Gamba S, Gentile L, Grassi G, Miselli V, Morone G, Passera P, Tonutti L, Tomalino M, Bondonio P, Cavallo F, Porta M; for the ROMEO investigators. Romeo: Rethink Organization To Improve Education And Outcomes. A Multicentre Randomised Trial Of

Lifestyle Intervention By Group Care To Manage Type 2 Diabetes. *Diabetes Care*. 33, 745-747, 2010.

24. Piana N, Maldonato A, Bloise D, Carboni L, Careddu G, Fraticelli E, Mereu L, Romani G. The narrative-autobiographical approach in the group education of adolescents with diabetes: A qualitative research on its effects. *Patient Educ Couns*. 80: 56-63, 2010.
25. Maldonato A, Piana N, Bloise D, Baldelli A. Optimizing patient education for people with obesity: Possible use of the autobiographical approach. *Patient Educ Couns*. 79: 287-290, 2010.
26. Trento M, Trinetta A, Borgo E, Kucich C, Grassi G, Passera P, Gennari S, Paganin V, Tedesco S, Charrier L, Cavallo F, Porta M. Carbohydrate counting improves coping ability and metabolic control in patients with Type 1 Diabetes managed by Group Care. *Journal of Endocrinological Investigation* 2, 101-105, 2011.
27. Trento M, Porta M. Structured and persistently reinforced patient education can work. *BMJ*. 21;345:e5100, 2012.
28. Raballo M, Trevisan M, Trinetta A, Charrier L, Cavallo F, Porta M, Trento M. A study of patients' perceptions of diabetes care delivery and diabetes. Propositional analysis in people with type 1 and 2 diabetes managed by group or usual care. *Diabetes Care*, 35, 242-247, 2012.
29. Trento M, Passera P, Cavallo F, Porta M. Comment on: Beverly et al. Do Older Adults Aged 60–75 Years Benefit From Diabetes Behavioral Interventions? *Diabetes Care* 2013;36:1501–1506. *Diabetes Care*, 36:e125;, 2013.
30. Trento M, Trevisan M, Coppo E, Raviolo A, Zanone MM, Cavallo F, Porta M. Diagnosis of type 1 diabetes within the first five years of life influences quality of life and risk of severe hypoglycemia in adulthood. *Acta Diabetol.*, 2013.
31. Sicuro J, Bondonio P, Charrier L, Berchiolla P, Cavallo F, Porta M, Trento M, for the ROMEO investigators. Cost analysis of Group Care versus usual care in patients with type 2 diabetes in the ROMEO clinical trial. *Nutrition, Metabolism & Cardiovascular Diseases*, 23(2): e13-4. 2013.
32. Gulli G, Frasson F, Borzi V, Fontanella A, Grandi M, Marengo C, Nicolucci A, Pastorelli A, Solerte B, Gatti A, Raimondo FC, Bonizzoni E, Gussoni G, Mazzone A, Ceriello A. Effectiveness of an educational intervention on the management of type 2 diabetic patients hospitalized in Internal Medicine: results from the FADOI-DIAMOND study. *Acta Diabetologica*. 51: 765-770, 2014.
33. Centis E, Trento M, Dei Cas A, Pontiroli AE, De Feo P, Bruno A, Sasdelli AS, Arturi F, Strollo F, Vigili De' Kreutzenberg S, Invitti C, Di Bonito P, Di Mauro M, Pugliese G, Molteni A,

Marchesini G. Stage of change and motivation to healthy diet and habitual physical activity in type 2 diabetes. *Acta Diabetol.* 51:559-566, 2014.

34. Sicuro J, Charrier L, Berchiolla P, Cavallo F, Merlo S, Mazzeo A, Porta M, Trento M. Self-management Education by Group Care reduces Cardiovascular risk in patients with type 2 diabetes: analysis of the ROMEO clinical trial. *Diabetes Care* 37, e1-e2, 2014.
35. Kahleova H, Belinova L, Malinska H, Oliyarnyk O, Trnovska J, Skop V, Kazdova L, Dezortova M, Hajek M, Tura A, Hill M, Pelikanova T. Eating two larger meals a day (breakfast and lunch) is more effective than six smaller meals in a reduced-energy regimen for patients with type 2 diabetes: a randomised crossover study. *Diabetologia.* 57(8):1552-60, 2014.
36. Fiore V, Marci M, Poggi A, Giagulli VA, Licchelli B, Iacoviello M, Guastamacchia E, De Pergola G, Triggiani V. The association between diabetes and depression: a very disabling condition. *Endocrine*, 48:14-24, 2015.
37. Del Favero S, Boscari F, Messori M, Rabbone I, Bonfanti R, Sabbion A, Iafusco D, Schiaffini R, Visentin R, Calore R, Moncada YL, Galasso S, Galderisi A, Vallone V, Di Palma F, Losiouk E, Lanzola G, Tinti D, Rigamonti A, Marigliano M, Zanfardino A, Rapini N, Avogaro A, Chernavvsky D, Magni L, Cobelli C, Bruttomesso D. Randomized Summer Camp Crossover Trial in 5- to 9-Year-Old Children: Outpatient Wearable Artificial Pancreas Is Feasible and Safe. *Diabetes Care.* 39(7):1180-5, 2016.
38. Troncone A, Bonfanti R, Iafusco D, Rabbone I, Sabbion A, Schiaffini R, Galderisi A, Marigliano M, Rapini N, Rigamonti A, Tinti D, Vallone V, Zanfardino A, Boscari F, Del Favero S, Galasso S, Lanzola G, Messori M, Di Palma F, Visentin R, Calore R, Leal Y, Magni L, Losiouk E, Chernavvsky D, Quaglini S, Cobelli C, Bruttomesso D. Evaluating the Experience of Children With Type 1 Diabetes and Their Parents Taking Part in an Artificial Pancreas Clinical Trial Over Multiple Days in a Diabetes Camp Setting. *Diabetes Care.* 39(12):2158-2164, 2016.
39. Trento M, Merlo S, Durando O, Rapetti S, Cavallo F, Porta M. Self-management education and psychological support improve self-esteem in people with type 1 diabetes. *Acta Diabetol.* 54(4): 415-6, 2017.
40. Trivedi H, Gray LJ, Seidu S, Davies MJ, Charpentier G, Lindblad U, Kellner C, Nolan J, Pazderska A, Rutten G, Trento M, Khunti K. Self-knowledge of HbA1c in people with Type 2 Diabetes Mellitus and its association with glycaemic control. *Prim Care Diabetes.* 11(5):414-420, 2017.

41. Indelicato L, Dauriz M, Santi L, Bonora F, Negri C, Cacciatori V, Targher G, Trento M, Bonora E. Psychological distress, self-efficacy and glycemic control in type 2 diabetes. *Nutr Metab Cardiovasc Dis.* 27(4):300-306, 2017.
42. Giorgini M, Vitale M, Bozzetto L, Ciano O, Giacco A, Rivieccio A, Calabrese I, Riccardi G, Rivellese AA, Annuzzi G. Micronutrient Intake in a Cohort of Italian Adults with Type 1 Diabetes: Adherence to Dietary Recommendations. *J Diabetes Res.* 2017:2682319, 2017.
43. Conti C, Di Francesco G, Fontanella L, Carrozzino D, Patierno C, Vitacolonna E, Fulcheri M. Negative Affectivity Predicts Lower Quality of Life and Metabolic Control in Type 2 Diabetes Patients: A Structural Equation Modeling Approach. *Front Psychol.* 24;8:831, 2017.
44. Conti C, Mennitto C, Di Francesco G, Fraticelli F, Vitacolonna E, Fulcheri M. Clinical Characteristics of Diabetes Mellitus and Suicide Risk. *Front Psychiatry.* 8:40, 2017.
45. Coppola A, Luzzi L, Montalcini T, Giustina A, Gazzaruso C. Role of structured individual patient education in the prevention of vascular complications in newly diagnosed type 2 diabetes: the INdividual Therapeutic Education in Newly Diagnosed type 2 diabetes (INTEND) randomized controlled trial. *Endocrine.* 60(1):46-49, 2018.
46. Maddaloni E, Pozzilli P. Diabetes: the disease of the 10 D. *Endocrine.* 61(2):353-354, 2018.
47. Gentile S, Strollo F; Nefrocenter Research Study Group. Cost saving effects of a short-term educational intervention entailing lower hypoglycaemic event rates in people with type 1 diabetes and lipo-hypertrophy. *Diabetes Res Clin Pract.* 143:320-32, 2018.
48. Vettoretti M, Facchinetti A, Sparacino G, Cobelli C. Type-1 Diabetes Patient Decision Simulator for In Silico Testing Safety and Effectiveness of Insulin Treatments. *IEEE Trans Biomed Eng.* 65(6):1281-1290, 2018.
49. Fico G, Hernandez L, Cancela J, Dagliati A, Sacchi L, Martinez-Millana A, Posada J, Manero L, Verdú J, Facchinetti A, Ottaviano M, Zarkogianni K, Nikita K, Groop L, Gabriel-Sanchez R, Chiovato L, Traver V, Merino-Torres JF, Cobelli C, Bellazzi R, Arredondo MT. What do healthcare professionals need to turn risk models for type 2 diabetes into usable computerized clinical decision support systems? Lessons learned from the MOSAIC project. *BMC Med Inform Decis Mak.* 19(1):163, 2019.
50. Marchesini G, Pasqualetti P, Anichini R, Caputo S, Memoli G, Ponzani P, Resi V, Rizzo M, Serviddio G, Zanette G. Patient preferences for treatment in type 2 diabetes: the Italian discrete-choice experiment analysis. *Acta Diabetol.* 56:289-299, 2019.
51. Iavicoli I, Gambelunghe A, Magrini A, Mosconi G, Soleo L, Vigna L, Trevisan R, Bruno A, Chiambretti AM, Scarpitta AM, Sciacca L, Valentini U. Diabetes and work: The need of a close

collaboration between diabetologist and occupational physician. *Nutr Metab Cardiovasc Dis*, 29:220-227, 2019.

- 52.** Trento M, Fornengo P, Amione C, Salassa M, Barutta F, Gruden G, Mazzeo A, Merlo S, Chiesa M, Cavallo F, Charrier L, Porta M. Self-management education may improve blood pressure in people with type 2 diabetes. A randomized controlled clinical trial. *Nutr Metab Cardiovasc Dis*. 30(11):1973-1979, 2020.