

1. Vigneri R, Squatrito S, Pezzino V, Filetti S, Branca S, Polosa P. Growth hormone levels in diabetes. Correlation with the clinical control of the disease. *Diabetes* 25:167-172, 1976.
2. Pezzino V, Vigneri R, Pliam NB, Goldfine ID. Rapid regulation of plasma membrane insulin receptors. *Diabetologia* 19:211-215, 1980.
3. Cohen DC, Pezzino V, Vigneri R, Avola R, Polosa P. Phenformin increases insulin binding to human cultured breast cancer cells. *Diabetes* 29:329, 1980.
4. Pezzino V, Vigneri R, cohen DC, Goldfine ID. Regenerating rat liver: insulin and glucagon serum levels and receptor binding. *Endocrinology*;108:2163-2169, 1981.
5. Cignarelli M, Blonda M, Cospite MR, Damato A, Nardelli GM, Giorgino R. Alterations of erythrocyte lipid pattern and of some membrane related functions as a consequence of plasma lipid disorder in diabetes mellitus. *Diabete & Metabolism*. 9: 272-296, 1983.
6. Trischitta V, Vigneri R., Roth R.A, Goldfine I.D. ATP and other nucleoside triphosphates inhibit the binding of insulin to its receptor. *Metabolism* 33: 577-581, 1984.
7. Klein HH, Freidenberg GR, Cordera R, Olefsky JM. Substrate specificities of insulin and epidermal growth factor receptor kinases. *Biochem Biophys Res Commun*. 127(1):254-63, 1985.
8. Gherzi R, Andraghetti G, Adezati L, Cordera R. Insulin receptor regulation in human mature red cells in vitro. *Horm Res* 22(4):270-5, 1985.
9. Cordera R, Gherzi R, De Pirro R, Rossetti L, Freidenberg GR, Andraghetti G, Lauro R, Adezati L. Inhibition of insulin and epidermal growth factor (EGF) receptor autophosphorylation by a human polyclonal IgG. *Biochem Biophys Res Commun*. 132(3):991-1000, 1985.
10. Freidenberg GR, Klein HH, Cordera R, Olefsky JM. Insulin receptor kinase activity in rat liver. Regulation by fasting and high carbohydrate feeding. *J Biol Chem*. 260(23):12444-53, 1985.
11. Marchetti P, Benzi L, Trischitta V, Brunetti A, Cecchetti P, Ciccarone AM, Pezzino V, Vigneri R, Navalesi R. Complementary use of gel permeation and reversed-phase liquid chromatography for the analysis of A14-125I-insulin and its degradation products in isolated human monocytes. *J Chromatogr* 377:339-344, 1986.
12. Benzi L, Pezzino V, Marchetti P, Gullo D, Cecchetti P, Masoni A, Vigneri R, Navalesi R. A14-125I-monoiodoinsulin purified by different high-performance

liquid chromatographic procedures and by polyacrylamide gel electrophoresis: preparation, immunochemical properties and receptor binding affinity. *J Chromatogr*; 378:337-347, 1986.

13. Gherzi R, Andraghetti G, Ferrannini E, Cordera R. Insulin receptor autophosphorylation and kinase activity in streptozotocin diabetic rats. Effect of a short fast. *Biochem Biophys Res Commun*. Nov 14;140(3):850-6, 1986.
14. Cordera R, Gherzi R, De Pirro R, Andraghetti G, Freidenberg GR, Minuto F, Lauro R, Giordano G, Adezati L. Insulin-like growth factor I (IGF I) receptor autophosphorylation and kinase activity. Effect of a human polyclonal antibody (pIgG). *Biochem Biophys Res Commun*. 138(3):1023-9, 1986.
15. Gherzi R, Andraghetti G, Cordera R, Adezati L. Porcine and human semisynthetic insulin bind equally to the insulin receptor on red blood cells. *Diabete Metab*. 12(4):225-6, 1986.
16. Gherzi R, Andraghetti G, Versari G, Cordera R. Effect of insulin receptor autophosphorylation on insulin receptor binding. *Mol Cell Endocrinol*. 45(2-3):247-52, 1986.
17. Maller JL, Pike LJ, Freidenberg GR, Cordera R, Stith BJ, Olefsky JM, Krebs EG. Increased phosphorylation of ribosomal protein S6 following microinjection of insulin receptor-kinase into *Xenopus* oocytes. *Nature*. 320(6061):459-61, 1986.
18. Freidenberg GR, Klein HH, Kladde MP, Cordera R, Olefsky JM. Regulation of epidermal growth factor receptor number and phosphorylation by fasting in rat liver. *J Biol Chem*. 261(2):752-7, 1986.
19. Cordera R, Andraghetti G, Gherzi R, Adezati L, Montemurro A, Lauro R, Goldfine ID, De Pirro R. Species specificity of insulin binding and insulin receptor protein tyrosine kinase activity. *Endocrinology*. 121(6):2007-10, 1987.
20. Trischitta V, Damante G, Foti D, Filetti S. Insulin binding and biological activities in the FRTL-5 rat thyroid cell line. *Metabolism* 36: 379-383, 1987.
21. Gherzi R, Cordera R, Andraghetti G, De Pirro R, Freidenberg GR, Lauro R, Adezati L. Regulation of insulin receptor-associated tyrosine kinase by a polyclonal IgG. *Mol Cell Endocrinol*. 53(1-2):9-14, 1987.
22. Gherzi R, Caratti C, Andraghetti G, Bertolini S, Montemurro A, Sesti G, Cordera R. Direct modulation of insulin receptor protein tyrosine kinase by vanadate and anti-insulin receptor monoclonal antibodies. *Biochem. Biophys. Res. Commun*. 152: 1474-1480, 1988.

23. Trischitta V., Reaven G. Evidence of a defect in insulin-receptor recycling in adipocytes from older rats. *Am J Physiol* 254 (Endocrinol Metab 17): E39--E44, 1988.
24. Pessino A, Gherzi R, Damiani G, Longhi R, Adezati L, Cordera R. Antipeptide antibodies toward the extracellular domain of insulin receptor beta-subunit. *Biochem Biophys Res Commun.* 162(3):1236-43, 1989.
25. Briata P, Gherzi R, Adezati L, Cordera R. Effect of two different glucose concentrations on insulin receptor mRNA levels in human hepatoma HepG2 cells. *Biochem Biophys Res Commun.* 160(3):1415-20, 1989.
26. Gherzi R, Sesti G, Andraghetti G, De Pirro R, Lauro R, Adezati L, Cordera R. An extracellular domain of the insulin receptor β -subunit with regulatory function on protein-tyrosine kinase. *J. Biol. Chem.* 264: 8627-8635, 1989.
27. Borboni P, Di Cola G, Sesti G, Marini MA, Del Porto P, Gilardini Montani M, Lauro R, De Pirro R. β -endorphin receptors on cultured and freshly isolated lymphocytes from normal subjects. *Biochem. Biophys. Res. Commun.* 163: 642-648; 1989.
28. Brunetti A, Maddux BA, Wong KY, Goldfine ID. Muscle cell differentiation is associated with increased insulin receptor biosynthesis and messenger RNA levels. *J Clin Invest* 83: 192-198, 1989.
29. Brunetti A, Maddux BA, Wong KY, Hofmann C, Whittaker J, Sung C, Goldfine ID. Monoclonal antibodies to the human insulin receptor mimic a spectrum of biological effects in transfected 3T3/HIR fibroblasts without activating receptor kinase. *Biochem Biophys Res Commun*; 165: 212-218, 1989.
30. De Pirro R, Borboni P, Marini MA, Montemurro A, Sesti G, Lauro R. Antibodies directed to the insulin receptor. Clinical aspects and applications to the study of insulin action. *J. Endocrinol. Invest.* 13: 951-968, 1990.
31. Brunetti A, Goldfine ID. Differential effects of fibroblast growth factor on insulin receptor and muscle specific protein gene expression in BC3H-1 myocytes. *Mol Endocrinol*; 4: 880-885, 1990.
32. Sbraccia P, Wong KY, Brunetti A, Rafaeloff R, Trischitta V, Hawley DM, Goldfine ID. Insulin down-regulates insulin receptor number and up-regulates insulin receptor affinity in cells expressing a tyrosine kinase-defective insulin receptor. *J Biol Chem*; 265: 4902-4907, 1990.
33. Mamula PW, McDonald AR, Brunetti A, Okabayashi Y, Wong KY, Maddux BA,

- Logsdon C, Goldfine ID. Regulating insulin-receptor-gene expression by differentiation and hormones. *Diabetes Care*; 13: 288-301, 1990.
34. Borboni P, Condorelli L, De Stefanis P, Sesti G, Lauro R. Modulation of insulin secretion by Diazepam binding inhibitor and its processing products. *Neuropharmacology* 30: 1399-1403, 1991.
35. Trischitta V., Scalisi R., Treutelar M.K., Arpi M.L., Goldfine I.D., Vigneri R. Insulin retroendocytosis can occur in human monocytes without activation of receptor tyrosine-kinase activity. *Diab Nutr Metab* 4: 253-258, 1991.
36. Sesti G, Marini MA, Tullio AN, Montemurro A, Borboni P, Fusco A, Accili D, Lauro R. Altered expression of the two naturally occurring human insulin receptor variants in isolated adipocytes of non-insulin-dependent diabetes mellitus patients. *Biochem. Biophys. Res. Commun.* 181: 1419-1424, 1991.
37. Sesti G, Marini MA, Montemurro A, Borboni P, Di Cola G, Bertoli A, Lauro R, De Pirro R. Evidence that human and porcine insulin affect differently the human insulin receptor: studies with monoclonal anti-insulin receptor antibodies. *J. Endocrinol. Invest.* 14: 913-918, 1991.
38. Rafaeloff R, Maddux BA, Brunetti A, Sbraccia P, Sung CK, Patel R, Hawley DM, Goldfine ID. Transmembrane signalling by insulin via an insulin receptor mutated at tyrosines 1158, 1162, and 1163. *Biochem Biophys Res Commun*; 179: 912-918, 1991.
39. Pezzino V, Papa V, Costantino A, Frittitta L, Russo P, Goldfine ID, Vigneri R. Identification and initial characterization of insulin receptor-like immunoreactivity in human plasma. *J Clin Endocrinol Metab*; 74:1116-1121, 1992.
40. Sesti G, Marini MA, Montemurro A, Borboni P, Condorelli L, Haring HU, Ullrich A, Goldfine D, De Pirro R, Lauro R. Evidence that two naturally occurring human insulin receptor α -subunit variants are immunologically distinct. *Diabetes* 41: 6-11, 1992.
41. Sesti G, Marini MA, Briata P, Tullio AN, Montemurro A, Borboni P, De Pirro R, Gherzi R, Lauro R. Androgens increase insulin receptor mRNA levels, insulin binding, and insulin responsiveness in Hep-2 larynx carcinoma cells. *Mol Cell Endocrinol* 86: 111-118, 1992.
42. Goodman PA, Sbraccia P, Brunetti A, Wong KY, Carter JD, Rosenthal SM, Goldfine ID. Growth factor receptor regulation in the Minn-1 leprechaun: defects in both insulin receptor and epidermal growth factor receptor gene expression.

Metabolism; 41: 504-509, 1992.

43. Sung CK, Han XL, Brunetti A, Maddux B, Yamamoto-Honda R, Goldfine ID. Regulation of biological functions by an insulin receptor monoclonal antibody in insulin receptor beta-subunit mutants. *Biochemistry* 31 :168-174,1992.
44. Papa V, Russo P, Gliozzo B, Goldfine ID, Vigneri R, Pezzino V. An intact and functional soluble form of the insulin receptor is secreted by cultured cells. *Endocrinology* 133:1369-1376, 1993.
45. . Frittitta L,. Grasso G,. Munguira M.E, Vigneri R.,. Trischitta V. Insulin receptor tyrosine-kinase activity is reduced in monocytes from non-obese normoglycaemic insulin-resistant subjects. *Diabetologia* 36:1163-1167, 1993.
46. Brunetti A, Foti D, Goldfine ID. Identification of unique nuclear regulatory proteins for the insulin receptor gene, which appear during myocyte and adipocyte differentiation. *J Clin Invest*; 92: 1288-1295, 1993.
47. Kellerer M, Sesti G, Seffer E, Obermaier-Kusser B, Pongratz DE, Mosthaf L, Haring HU. Altered pattern of insulin receptor isotypes in skeletal muscle membranes of Type II (non-insulin-dependent) diabetic subjects. *Diabetologia* 36:628-632, 1993.
48. Sesti G, Tullio AN, Marini MA, Manera E, Borboni P, Accili D, Longhi R, Fusco A, Lauro R, Montemurro A. Role of the exon 11 of the insulin receptor gene on insulin binding identified by anti-peptide antibodies. *Mol Cell Endocrinol* 101:121-127, 1994.
49. Sesti G, Tullio AN, D'Alfonso R, Napolitano ML, Marini MA, Borboni P, Longhi R, Albonici L, Fusco A, Aglianò AM, Manzari V, Lauro R. Tissue-specific expression of two alternatively spliced isoforms of the human insulin receptor protein. *Acta Diabetologica* 31: 59-65, 1994.
50. Sbraccia P, D'Adamo M, Giaccari A, Morviducci L, Zorretta D, Leonetti F, Caiola S, Buongiorno A, Tamburrano G. Regulation of rat insulin receptor tyrosine kinase by hypoglycemia. *Endocrinology*. Dec;135(6):2708-13, 1994.
51. Quon MJ, Butte AJ, Zarnowski MJ, Sesti G, Cushman SW, Taylor SI. Insulin receptor substrate 1 mediates the stimulatory effect of insulin on GLUT4 translocation in transfected rat adipose cells. *J. Biol Chem* 269: 27920-27924, 1994.
52. Frittitta L., Gliozzo B.M., Foti D., Astuto M., Basile F., Vigneri R.,. Trischitta V. Heterogeneity of Glut 4 content in adipose and muscle tissue of moderately obese

patients with or without non-insulin dependent diabetes mellitus. *Diab. Nutr. Metab* 7:17-20, 1994.

53. Mandarino L.J., Printz R.I., Cusi K., Kinchington P., O'Doherty R., Osawa H., Sewell C., Consoli A, Granner D.K., De Fronzo R.A.: Regulation of hexokinase II and glycogen synthase mRNA, protein and activity in human muscle. *Am J Physiol* 269:E701-E708, 1995.
54. Goodyear, L. J., F. Giorgino, L. A. Sherman, J. Carey, R. J. Smith, G. L. Dohm. Insulin receptor phosphorylation, IRS-1 phosphorylation, and phosphatidylinositol 3-kinase activity are decreased in intact skeletal muscle strips from obese subjects. *Journal of Clinical Investigation* 95:2195-2204, 1995.
55. Vinci C., V. Caltabiano, A.M. Santoro, A.M. Rabuazzo, M. Buscema, R. Purrello, E., Rizzarelli, R. Vigneri, F. Purrello. Copper addition prevents the inhibitory effects of interleukin 1-beta on rat pancreatic islets. *Diabetologia*, 38: 39-45, 1995.
56. Frittitta L., Grasso G., Vigneri R., Trischitta V. A reduced Glut 4 content in adipose tissue is not an early defect in the development of human insulin resistance. *Diab. Nutr. Metab.* 8:262-266, 1995.
57. Grasso G, Frittitta L, Anello M, Russo P, Sesti G, Trischitta V. Insulin receptor tyrosine-kinase activity is altered in both muscle and adipose tissue from nonobese normoglycemic insulin resistance subject. *Diabetologia* 38: 55-61, 1995.
58. Sesti G, D'Alfonso R, Vargas Punti MD, Frittitta L, Trischitta V, Liu YY, Borboni P, Longhi R, Montemurro A, Lauro R. Peptide-based radioimmunoassay for the two isoforms of the human insulin receptor. *Diabetologia* 38: 445-453, 1995.
59. Spagnoli A, Spadoni GL, Sesti G, Del Principe D, Germani D, Boscherini B. Effect of insulin on hydrogen peroxide production by human polymorphonuclear leucocytes. *Horm Research* 43:286-293, 1995.
60. Brunetti A, Goldfine ID. Insulin receptor gene expression and insulin resistance. *J Endocrinol Invest* 18: 398-405, 1995.
61. Rabuazzo A.M., Davalli A.M, Buscema M., Socci C., Caltabiano V., Pontiroli A.E., Di Carlo V., Pozza G., Vigneri R., Purrello F. Glucose transport, phosphorylation, and utilization in isolated porcine pancreatic islets. *Metabolism*, 44: 261-266, 1995.
62. Rabuazzo A.M., M. Buscema, V. Caltabiano, M. Anello, C. Degano, G. Patané, R.Vigneri, F.Purrello. Interleukin-1 beta inhibition of insulin release in rat pancreatic islets: possible involvement of G-proteins in the signal transduction

- pathway. *Diabetologia*, 38: 779-784, 1995.
63. Anello M., Rabuazzo M.A., Degano C., Caltabiano V., Patané G., Vigneri R., Purrello F. Fast reversibility of glucose-induced desensitization in rat pancreatic islets. *Diabetes*, 45: 502-506, 1996.
 64. Belfiore A., Costantino A., Frasca F., Pandini G., Mineo R, Vigneri P., Maddux B., Goldfine I.D., Vigneri R.. Overexpression of membrane glycoprotein PC-1 in MDA-MB231 breast cancer cells is associated with inhibition of insulin receptor tyrosine kinase activity. *Mol. Endocr.* 10: 1318-1326, 1996.
 65. Sbraccia P, D'Adamo M, Leonetti F, Caiola S, Iozzo P, Giaccari A, Buongiorno A, Tamburrano G. Chronic primary hyperinsulinaemia is associated with altered insulin receptor mRNA splicing in muscle of patients with insulinoma. *Diabetologia*. 39(2):220-5, 1996.
 66. Brunetti A, Brunetti L, Foti D, Accili D, Goldfine ID. Human diabetes associated with defects in nuclear regulatory proteins for the insulin receptor gene. *J Clin Invest* 97: 258-262, 1996.
 67. Hansen H, Svensson U, Zhu J, Laviola L, Giorgino F, Wolf G, Smith RJ, Riedel H. Interaction between the Grb10 SH2 domain and the insulin receptor carboxyl terminus. *J Biol Chem*. 271:8882-8886, 1996.
 68. Frittitta L., Youngren J., Vigneri R., Maddux B.A., Trischitta V, Goldfine I.D. PC-1 content in skeletal muscle of non-obese, non-diabetic subjects: relationship to insulin receptor tyrosine-kinase and whole body insulin sensitivity. *Diabetologia* 39:1190-1195, 1996.
 69. Sesti G, D'Alfonso R, Vargas Punti MD, Tullio AN, Liu YY, Federici M, Borboni P, Marini MA, Lauro R, Fusco A. Delayed intracellular dissociation of the insulin-receptor complex impairs receptor recycling and insulin processing in cultured EBV-transformed lymphocytes from insulin-resistant subjects. *Diabetologia* 39: 289-297, 1996.
 70. Valensise H, Liu YY, Federici M, Lauro D, Dell'anna D, Romanini C, Sesti G. Increased expression of low-affinity insulin receptor isoform and insulin/insulin-like growth factor-I hybrid receptors in term placenta from insulin resistant women with gestational hypertension. *Diabetologia* 39:952-960, 1996.
 71. Federici M, Zucaro L, Porzio O, Massoud R, Borboni P, Lauro D, Sesti G. Increased expression of insulin/insulin-like growth factor-I hybrid receptors in skeletal muscle of non-insulin-dependent diabetes mellitus subjects. *J Clin Invest*

98: 2887-2893, 1996.

72. Pezzino V, Costantino A, Russo P, Papa V. Insulin receptor content in tissues of normal and diabetic rats measured by radioimmunoassay. *J Endocrinol Invest* 19:593-597, 1996.
73. Pagano C, Granzotto M, Giaccari A, Fabris R, Serra R, Lombardi AM, Federspil G, Vettor R. Lactate infusion to normal rats during hyperglycemia enhances in vivo muscle glycogen synthesis. *Am J Physiol.* 273(6 Pt 2):R2072-9, 1997.
74. Rabuazzo A.M., Patanè G., Anello M., Piro S., Vigneri R., Purrello F. Hexokinase Shift to Mitochondria is Associated with an Increased Sensitivity to Glucose in Rat Pancreatic Islets. *Diabetes*, 46: 1-5, 1997.
75. Papa V., Milazzo G, Goldfine I.D., Waldman F.M, Vigneri R.. Sporadic amplification of the insulin receptor gene in human breast cancer. *J. Endocrinol. Invest.* 20: 531-536, 1997.
76. Paolisso G, Tagliamonte MR, Marfella R, Verrazzo G, D'Onofrio F, Giugliano D. L-arginine but not D-arginine stimulates insulin-mediated glucose uptake. *Metabolism.* 46(9):1068-73, 1997.
77. Frittitta L, Youngren JF, Sbraccia P., D'Adamo M., Buongiorno A., Vigneri R, Goldfine ID, Trischitta V. Increased adipose tissue PC-1 protein content but not tumour necrosis factor- α gene expression, is associated with a reduction of both whole body insulin sensitivity and insulin receptor tyrosine-kinase activity *Diabetologia* 40: 282-289, 1997.
78. Trischitta V., Frittitta L, Vigneri R. Early molecular defects in human insulin resistance: studies in healthy subjects with low insulin sensitivity *Diabetes Metab Rev* 13:147-162, 1997.
79. Laviola L, Giorgino F, Chow JC, Baquero JA, Hansen H, Ooi J, Zhu J, Riedel H, Smith RJ. The adapter protein Grb10 associates preferentially with the insulin receptor as compared with the IGF-I receptor in mouse fibroblasts. *J Clin Invest.* 99:830-837, 1997.
80. Federici M, Porzio O, Zucaro L, Fusco A, Borboni P, Lauro D, Sesti G. Distribution of insulin/insulin-like growth factor-I hybrid receptors in human tissues. *Mol Cell Endocrinol* 129, 121-126, 1997.
81. Federici M, Porzio O, Zucaro L, Giovannone B, Borboni P, Marini MA, Lauro D, Sesti G. Increased abundance of insulin/IGF-I hybrid receptors in adipose tissue from NIDDM patients. *Mol Cell Endocrinol* 135, 41-47, 1997.

82. Gliozzo B, Sung CK, Papa V, Scalia P, Frasca F, Sciacca L, Giorgino F, Milazzo G, Goldfine ID, Vigneri R, Pezzino V. Insulin-stimulated cell growth in Insulin Receptor Substrate-1-deficient ZR-75-1 cells is mediated by a phosphatidylinositol-3-kinase-independent pathway. *J Cell Biochem* 70:268-280, 1998.
83. Lauro D, Kido Y, Castle AL, Zarnowski MJ, Hayashi H, Ebina Y, Accili D. Impaired glucose tolerance in mice with a targeted impairment of insulin action in muscle and adipose tissue. *Nat Genet.* 20(3):294-8, 1998.
84. Goldfine ID, Maddux B, Youngren JF, Frittitta L., Trischitta V., Dohm GL. Membrane glycoprotein PC-1 and insulin resistance. *Mol Cell Biochem* 182:177-184, 1998.
85. Frittitta L., Spampinato D., Solini A., Nosadini R., Goldfine I.D., Vigneri R, Trischitta V. Elevated PC-1 content in cultured skin fibroblasts correlates with decreased in vivo and in vitro insulin action in non diabetic subjects: evidence that PC-1 may be an intrinsic factor in impaired insulin receptor signaling. *Diabetes* 47:1095-1110, 1998.
86. Sbraccia P, Giaccari A, D'Adamo M, Caiola S, Morviducci L, Zorretta D, Maroccia E, Buongiorno A, Tamburrano G. Expression of the two insulin receptor isoforms is not altered in the skeletal muscle and liver of diabetic rats. *Metabolism.* Feb;47(2):129-32, 1998.
87. Federici M, Lauro D, D'Adamo M, Giovannone B, Porzio O, Mellozzi M, Tamburrano G, Sbraccia P, Sesti G. Expression of insulin/IGF-I hybrid receptors is increased in skeletal muscle of patients with chronic primary hyperinsulinemia. *Diabetes* 47: 87-92, 1998.
88. Federici M, Porzio O, Lauro D, Borboni P, Giovannone B, Zucaro L, Hribal ML, Sesti G. Increased abundance of insulin/insulin-like growth factor-I hybrid receptors in skeletal muscle of obese subjects is correlated with in vivo insulin sensitivity. *J Clin Endocrinol Metab* 83: 2911-2915, 1998.
89. Federici M, Giaccari A, Hribal ML, Giovannone B, Lauro D, Morviducci L, Pastore L, Tamburrano G, Lauro R, Sesti G. Evidences for Glucose/Hexosamine In Vivo Regulation of Insulin/IGF-I Hybrid Receptors Assembly. *Diabetes* 48: 2277-2285, 1999.
90. Lauro D, Kido Y, Hayashi H, Ebina Y, Accili D. Expression of kinase-inactive mutant insulin receptors does not rescue insulin receptor-deficient mice from perinatal death. *Diabetologia.* 42(12):1441-2, 1999.

91. Goldfine ID, Maddux BA, Youngren JF, Trischitta V., Frittitta L Role of PC-1 in the etiology of insulin resistance. *Ann N Y Acad Sci* 892:204-222, 1999.
92. Giorgino F, Logoluso F, Davalli AM, Napoli R, Laviola L, Hirshman MF, Horton ES, Weir GC, Smith RJ. Islet transplantation restores normal levels of insulin receptor and substrate tyrosine phosphorylation and phosphatidylinositol 3-kinase activity in skeletal muscle and myocardium of streptozocin-induced diabetic rats. *Diabetes.*; 48:801-812, 1999.
93. Giorgino F, de Robertis O, Laviola L, Montrone C, Perrini S, McCowen KC, Smith RJ. The sentrin-conjugating enzyme mUbc9 interacts with GLUT4 and GLUT1 glucose transporters and regulates transporter levels in skeletal muscle cells. *Proc Natl Acad Sci U S A.*; 97:1125-1130, 2000.
94. Sesti G. Insulin receptor variant forms and Type 2 diabetes mellitus. *Pharmacogenomics* 1: 49-61, 2000.
95. Patané G., Piro S., Anello M., Rabuazzo M.A, Vigneri R., Purrello F. Exposure to glibenclamide increase rat beta cells sensitivity to glucose. *Br. J. Pharmacol.* 129: 887-892, 2000.
96. Patané G., Piro S., Rabuazzo A.M., Anello M., Vigneri R., Purrello F. Metformin restores insulin secretion altered by chronic exposure to free fatty acids or high glucose. A direct metformin effect on pancreatic beta-cells. *Diabetes*, 49: 735-740, 2000.
97. Frittitta L., Sbraccia P., Costanzo B., Tassi V., D'Adamo M., Spampinato D, Ercolino T, Tamburrano G., Vigneri R, Trischitta V. High Insulin levels do not influence PC-1 gene expression and protein content in human muscle tissue and hepatoma cells. *Diabetes Metab Res Rev* 16:26-32, 2000.
98. Giovannone B, Scaldaferri ML, Federici M, Porzio O, Lauro D, Fusco A, Sbraccia P, Borboni P, Lauro R, Sesti G. Insulin receptor substrate (IRS) transduction system: distinct and overlapping signaling potential. *Diabetes Metab Res Rev* 16: 434-441, 2000.
99. Gu H.F, Almgren P., Lindholm E., Frittitta L., Pizzuti A., Trischitta V., Groop L.C. Association between the human glycoprotein PC-1 gene and elevated glucose and insulin levels in a paired-sibling analysis. *Diabetes*, 49:1608-1611, 2000.
100. Spampinato D., Pandini G., Iuppa A., Trischitta V., Vigneri R, Frittitta L. Insulin/Insulin-like growth factor-I hybrid receptors overexpression is not an early defect in insulin resistant subjects *J Clin Endocrinol Metab*, 85: 4219-4223, 2000.

101. Brunetti A, Manfioletti G, Chiefari E, Goldfine ID, Foti D. Transcriptional regulation of human insulin receptor gene by the high-mobility group protein HMGI(Y). *FASEB J*; 15: 492-500, 2001.
102. Sesti G, Federici M, Lauro D, Sbraccia P, Lauro R. Molecular mechanism of insulin resistance in type 2 diabetes mellitus: role of the insulin receptor variant forms. *Diabetes Metab Res Rev*. 17:363-373, 2001.
103. Sesti G, Federici M, Hribal ML, Lauro D, Sbraccia P, Lauro R. Defects of the insulin receptor substrate (IRS) system in human metabolic disorders. *FASEB J*. 15:2099-2111, 2001.
104. Hribal ML, D'Alfonso R, Giovannone B, Lauro D, Liu YY, Borboni P, Federici M, Lauro R, Sesti G. The sulfonylurea glimepiride regulates intracellular routing of the insulin-receptor complexes through their interaction with specific protein kinase C isoforms. *Mol Pharmacol*. 59: 322-330, 2001.
105. Laviola L, Belsanti G, Davalli AM, Napoli R, Perrini S, Weir GC, Giorgino R, Giorgino F. Effects of streptozocin diabetes and diabetes treatment by islet transplantation on in vivo insulin signaling in rat heart. *Diabetes*.; 50:2709-2720, 2001.
106. Patanè G., Anello M., Piro S., Vigneri R., Purrello F., Rabuazzo A.M. Role of ATP Production and Uncoupling Protein-2 in the Insulin Secretory Defect Induced by Chronic Exposure to High Glucose or Free Fatty Acids and Effects of Peroxisome Proliferator – Activated Receptor- γ Inhibition. *Diabetes*, 51: 2749-2756, 2002.
107. Pandini G., Frasca F., Mineo R., Sciacca L., Vigneri R., Belfiore A. Insulin/Insulin-like Growth Factor I Hybrid Receptors have different biological characteristics depending on the Insulin Receptor Isoform Involved. *J. Biol. Chem*. 277: 39684-39695, 2002.
108. Piro S., Anello M., Di Pietro C., Lizzio M.N., Patanè G., Rabuazzo A.M., Vigneri R., Purrello M., Purrello F. Chronic exposure to free fatty acids or high glucose induces apoptosis in rat pancreatic islets: possible role of oxidative stress. *Metabolism*, 51: 1340-1347, 2002.
109. Granata R, Gauna C, Arnolfo E, Atragne D, Broglio F, Ponti R, Ricotti E, Ghigo E. H9c2 cardiac muscle cells express insulin-like growth factor binding protein-3 (IGFBP-3). *J Endocrinol Invest*. 25(10 Suppl):44-6, 2002.

110. Baldanzi G, Filigheddu N, Cutrupi S, Catapano F, Bonisconi S, Fubini A, Malan D, Baj G, Granata R, Broglio F, Papotti M, Surico N, Bussolino F, Isgaard J, Deghenghi R, Sinigaglia F, Prat M, Muccioli G, Ghigo E, Graziani A. Ghrelin and des-acyl ghrelin inhibit cell death in cardiomyocytes and endothelial cells through ERK1/2 and PI 3-kinase/AKT. *J Cell Biol.* 159(6):1029-37, 2002.
111. Menzaghi C., Di Paola R., Baj G., Funaro A, Arnulfo A., Ercolino T., Surico N., Malavasi F Trischitta V. Insulin modulates PC-1 processing and recruitment in cultured human cells. *Am J Physiol Endocrinol Metab* 284: E514-E520, 2003.
112. Sciacca L., Prisco M., Wu A., Belfiore A., Vigneri R., Baserga R. Signaling Differences from the A and B isoforms of the Insulin Receptor (IR) in 32D Cells in the Presence or Absence of IR Substrate-1. *Endocrinology*, 144: 2650-2658, 2003.
113. Sesti G. Role of the insulin receptor variant forms in human metabolic disorders. *Current Genomics* 4: 295-307, 2003.
114. Hribal ML, Nakae J, Kitamura T, Shutter JR, Accili D. Regulation of insulin-like growth factor-dependent myoblast differentiation by Foxo forkhead transcription factors. *J Cell Biol.* 162:535-41, 2003.
115. Foti D, Iuliano R, Chiefari E, Brunetti A. A nucleoprotein complex containing Sp1, C/EBP beta, and HMGI-Y controls human insulin receptor gene transcription. *Mol Cell Biol*; 23: 2720-2732, 2003.
116. Spampinato D, Giaccari A, Trischitta V, Costanzo BV, Morviducci L, Buongiorno A, Di Mario U, Vigneri R, Frittitta L. Rats that are made insulin resistant by glucosamine treatment have impaired skeletal muscle insulin receptor phosphorylation. *Metabolism.*;52(9):1092-5, 2003.
117. Serra C, Federici M, Buongiorno A, Senni MI, Morelli S, Segratella E, Pascuccio M, Tiveron C, Mattei E, Tatangelo L, Lauro R, Molinaro M, Giaccari A, Bouché M. Transgenic mice with dominant negative PKC-theta in skeletal muscle: a new model of insulin resistance and obesity. *J Cell Physiol.* 196(1):89-97, 2003.
118. Pandini G., Medico E., Conte E., Sciacca L., Vigneri R., Belfiore A. Differential Gene Expression Induced by Insulin-like Growth Factor-II through the Insulin Receptor Isoform A. *J. Biol. Chem.*, 278: 42178-42186, 2003.
119. Williams K.V., Bertoldo A., Mattioni B., Price J.C., Cobelli C., Kelley D.E.: Glucose transport and phosphorylation in skeletal muscle in obesity: insight from a muscle-specific positron emission tomography model. *J. Clin. Endocrinol. Metab.* 88:1271-9, 2003.

120. Williams K.V., Bertoldo A., Kinahan P., Cobelli C., Kelley D.E.: Weight loss-induced plasticity of glucose transport and phosphorylation in the insulin resistance of obesity and type 2 diabetes. *Diabetes*. 52:1619-26, 2003.
121. Perrini S, Henriksson J, Zierath JR, Widegren U. Exercise-induced protein kinase C isoform-specific activation in human skeletal muscle. *Diabetes*. 53:21-4, 2004.
122. Pandini G, Conte E., Medico E., Sciacca L., Vigneri R. Belfiore A. IGF-II Binding to insulin Receptor Isoform A Induces a Partially Different Gene Expression Profile from Insulin Binding. *Ann. N.Y. Acad. Sci.* 1028: 450-456, 2004.
123. Marfella R, Di Filippo C, Esposito K, Nappo F, Piegari E, Cuzzocrea S, Berrino L, Rossi F, Giugliano D, D'Amico M. Absence of inducible nitric oxide synthase reduces myocardial damage during ischemia reperfusion in streptozotocin-induced hyperglycemic mice. *Diabetes*. 53(2):454-62, 2004.
124. Natalicchio A, Laviola L, De Tullio C, Renna LA, Montrone C, Perrini S, Valenti G, Procino G, Svelto M, Giorgino F. Role of the p66Shc isoform in insulin-like growth factor I receptor signaling through MEK/Erk and regulation of actin cytoskeleton in rat myoblasts. *J Biol Chem*; 279:43900-43909, 2004.
125. Broglio F, Gottero C, Prodam F, Destefanis S, Gauna C, Me E, Riganti F, Vivenza D, Rapa A, Martina V, Arvat E, Bona G, van der Lely AJ, Ghigo E. Ghrelin secretion is inhibited by glucose load and insulin-induced hypoglycaemia but unaffected by glucagon and arginine in humans. *Clin Endocrinol (Oxf)*. 61(4):503-9, 2004.
126. Federici M, Hribal ML, Menghini R, Kanno H, Marchetti V, Porzio O, Sunnarborg SW, Rizza S, Serino M, Cunsolo V, Lauro D, Mauriello A, Smookler DS, Sbraccia P, Sesti G, Lee DC, Khokha R, Accili D, Lauro R. Timp3 deficiency in insulin receptor-haploinsufficient mice promotes diabetes and vascular inflammation via increased TNF- α . *J Clin Invest* 115:3494-3505, 2005.
127. Pucci L, Chirulli V, Marini S, Lucchesi D, Penno G, Gervasi PG, Del Prato S, Longo V. Expression and activity of CYP2E1 in circulating lymphocytes are not altered in diabetic individuals. *Pharmacol Res*. 51: 561-565, 2005.
128. Krämer DK, Al-Khalili L, Perrini S, Skogsberg J, Wrettenberg P, Kannisto K, Wallberg-Henriksson H, Ehrenborg E, Zierath JR, Krook A. Direct activation of glucose transport in primary human myotubes after activation of peroxisome proliferator-activated receptor delta. *Diabetes* 54:1157-63, 2005.

129. Di Filippo C, Marfella R, Cuzzocrea S, Piegari E, Petronella P, Giugliano D, Rossi F, D'Amico M. Hyperglycemia in streptozotocin-induced diabetic rat increases infarct size associated with low levels of myocardial HO-1 during ischemia/reperfusion. *Diabetes*. 54(3):803-10, 2005.
130. Gauna C, Delhanty PJ, Hofland LJ, Janssen JA, Broglio F, Ross RJ, Ghigo E, van der Lely AJ. Ghrelin stimulates, whereas des-octanoyl ghrelin inhibits, glucose output by primary hepatocytes. *J Clin Endocrinol Metab*. 90(2):1055-60, 2005.
131. Sasso FC, Torella D, Carbonara O, Ellison GM, Torella M, Scardone M, Marra C, Nasti R, Marfella R, Cozzolino D, Indolfi C, Cotrufo M, Torella R, Salvatore T. Increased vascular endothelial growth factor expression but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease. *J Am Coll Cardiol*. 46(5):827-34, 2005.
132. Banks AS, Li J, McKeag L, Hribal ML, Kashiwada M, Accili D, Rothman PB. Deletion of SOCS7 leads to enhanced insulin action and enlarged islets of Langerhans. *J Clin Invest*. 115:2462-71, 2005.
133. Sesti G. Pathophysiology of insulin resistance. *Best Practice & Research Clinical Endocrinology & Metabolism* 20: 665-679, 2006.
134. Abate N., Chandalia M., Di Paola R., Foster D.W., Grundy S.M., Trischitta V. Ecto-Nucleotide Pyrophosphatase Phosphodiesterase 1/Plasma Cell glycoprotein 1 as a "Gatekeeper" of Insulin Receptor. *Nat Clin Pract Endocrinol Metab*, 2:694-701, 2006.
135. Bertoldo A., Pencek R.R., Azuma K., Price J.C., Kelley C., Cobelli C., Kelley D.E. Interactions between delivery, transport, and phosphorylation of glucose in governing uptake into human skeletal muscle. *Diabetes* 55:3028-37, 2006.
136. Laviola L, Perrini S, Cignarelli A, Natalicchio A, Leonardini A, De Stefano F, Cuscito M, De Fazio M, Memeo V, Neri V, Cignarelli M, Giorgino R, Giorgino F. Insulin signaling in human visceral and subcutaneous adipose tissue in vivo *Diabetes*. 55(4):952-61, 2006.
137. Valentino R, Lupoli GA, Raciti GA, Oriente F, Farinaro E, Della Valle E, Salomone M, Riccardi G, Vaccaro O, Donnarumma G, Sesti G, Hribal ML, Cardellini M, Miele C, Formisano P, Beguinot F. The PEA15 gene is overexpressed and related to insulin resistance in healthy first-degree relatives of patients with type 2 diabetes. *Diabetologia* 49:3058-3066, 2006.

138. Marfella R, D'Amico M, Esposito K, Baldi A, Di Filippo C, Siniscalchi M, Sasso FC, Portoghesi M, Cirillo F, Cacciapuoti F, Carbonara O, Crescenzi B, Baldi F, Ceriello A, Nicoletti GF, D'Andrea F, Verza M, Coppola L, Rossi F, Giugliano D. The ubiquitin-proteasome system and inflammatory activity in diabetic atherosclerotic plaques: effects of rosiglitazone treatment. *Diabetes*. 55(3):622-32, 2006.
139. Marfella R, Di Filippo C, Baldi A, Siniscalchi M, Sasso FC, Crescenzi B, Cirillo F, Nicoletti GF, D'Andrea F, Chiorazzo G, Musacchio E, Rossi F, Verza M, Coppola L, D'Amico M. The vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control. *J Am Coll Cardiol*. 47(10):2118-20, 2006.
140. Gauna C, Delhanty PJ, van Aken MO, Janssen JA, Themmen AP, Hofland LJ, Culler M, Broglio F, Ghigo E, van der Lely AJ. Unacylated ghrelin is active on the INS-1E rat insulinoma cell line independently of the growth hormone secretagogue receptor type 1a and the corticotropin releasing factor 2 receptor. *Mol Cell Endocrinol*. 251(1-2):103-11, 2006.
141. Marfella R, D'Amico M, Di Filippo C, Baldi A, Siniscalchi M, Sasso FC, Portoghesi M, Carbonara O, Crescenzi B, Sangiuolo P, Nicoletti GF, Rossiello R, Ferraraccio F, Cacciapuoti F, Verza M, Coppola L, Rossi F, Paolisso G. Increased activity of the ubiquitin-proteasome system in patients with symptomatic carotid disease is associated with enhanced inflammation and may destabilize the atherosclerotic plaque: effects of rosiglitazone treatment. *J Am Coll Cardiol*. 47(12):2444-55, 2006.
142. Marfella R, Cacciapuoti F, Grassia A, Manfredi E, De Maio G, Caruso G, Pepe M, Nittolo G, Cacciapuoti F. Role of the ubiquitin-proteasome system in carotid plaque instability in diabetic patients. *Acta Cardiol*. 61(6):630-6, 2006.
143. Marchetti V, Menghini R, Rizza S, Vivanti A, Feccia T, Lauro D, Fukamizu A, Lauro R, Federici M. Benfotiamine counteracts glucose toxicity effects on endothelial progenitor cell differentiation via Akt/FoxO signaling. *Diabetes*. 55(8):2231-7, 2006.
144. Fadini GP, Pucci L, Vanacore R, Baesso I, Penno G, Balbarini A, Di Stefano R, Miccoli R, de Kreutzenberg S, Coracina A, Tiengo A, Agostini C, Del Prato S, Avogaro A. Glucose tolerance is negatively associated with circulating progenitor cell levels. *Diabetologia*.; 50: 2156-2163, 2007.

145. Pendergrass M., Bertoldo A., Bonadonna R.C., Nucci G., Mandarino L., Cobelli C., DeFronzo R.A.: Muscle glucose transport and phosphorylation in type 2 diabetic, obese nondiabetic, and genetically predisposed individuals. *Am. J. Physiol. Endocrinol. Metab.* 292:E92 -100, 2007.
146. D'Alessandris C, Lauro R, Presta I, Sesti G. C-Reactive protein induces phosphorylation of insulin receptor substrate-1 on Ser307 and Ser612 in L6 myocytes, thereby impairing the insulin signalling pathway that promotes glucose transport. *Diabetologia.* 50:840-849, 2007.
147. Iantorno M, Chen H, Kim JA, Tesauro M, Lauro D, Cardillo C, Quon MJ. Ghrelin has novel vascular actions that mimic PI 3-kinase-dependent actions of insulin to stimulate production of NO from endothelial cells. *Am J Physiol Endocrinol Metab.* 292(3):E756-64, 2007.
148. Serino M, Menghini R, Fiorentino L, Amoruso R, Mauriello A, Lauro D, Sbraccia P, Hribal ML, Lauro R, Federici M. Mice heterozygous for tumor necrosis factor-alpha converting enzyme are protected from obesity-induced insulin resistance and diabetes. *Diabetes.* 56(10):2541-6, 2007.
149. Marfella R, Di Filippo C, D'Amico M, Paolisso G. Diabetes, ubiquitin proteasome system and atherosclerotic plaque rupture. *Circ Res.* 100(10):e84-5, 2007.
150. Marfella R, D' Amico M, Di Filippo C, Siniscalchi M, Sasso FC, Ferraraccio F, Rossi F, Paolisso G. The possible role of the ubiquitin proteasome system in the development of atherosclerosis in diabetes. *Cardiovasc Diabetol.* 6:35, 2007.
151. Frasca F., Pandini G., Malaguarnera R., Mandarino A., Messina R.L., Sciacca L., Belfiore A., Vigneri R. Role of c-Abl in Directing Metabolic versus Mitogenic Effects in Insulin Receptor Signaling. *J. Biol. Chem.* 282: 26077-26088, 2007.
152. Vettor R., Granzotto M., De Stefani D., Trevellin E., Rossato M., Farina M.G., Milan G., Pilon C., Nigro A., Federspil G., Vigneri R., Vitiello L., Rizzuto R., Baratta R., Frittitta L. Loss-of-Function Mutation of the GPR40 Gene Associates with Abnormal Stimulated Insulin Secretion by Acting on Intracellular Calcium Mobilization. *J. Clin. Endocrinol. Metab.* 93(9): 3541-3550, 2008.
153. Gonzalez-Rodriguez A, Nevado C, Escrivá F, Sesti G, Rondinone C, Benito M, Valverde A. PTP1B deficiency increases glucose uptake in neonatal hepatocytes: involvement of IRA/GLUT2 complexes. *Am J Physiol Gastrointest Liver Physiol* 295:G338-347, 2008.

154. Marfella R, Di Filippo C, Portoghese M, Ferraraccio F, Crescenzi B, Siniscalchi M, Barbieri M, Bologna C, Rizzo MR, Rossi F, D'Amico M, Paolisso G. Proteasome activity as a target of hormone replacement therapy-dependent plaque stabilization in postmenopausal women. *Hypertension*. 51(4):1135-41, 2008.
155. Marfella R, Filippo CD, Laieta MT, Vestini R, Barbieri M, Sangiulo P, Crescenzi B, Ferraraccio F, Rossi F, D'Amico M, Paolisso G. Effects of ubiquitin-proteasome system deregulation on the vascular senescence and atherosclerosis process in elderly patients. *J Gerontol A Biol Sci Med Sci*. 63(2):200-3, 2008.
156. Goldfine ID., Maddux BA., Youngren JF., Reaven G., Accili D., Trischitta V., Vigneri R., Frittitta L. The role of membrane glycoprotein PC-1/ENPP1 in the pathogenesis of insulin resistance and related abnormalities. *Endocr Rev* 29: 62-75, 2008.
157. Di Filippo C, Marfella R, D'Amico M. Possible dual role of ubiquitin-proteasome system in the atherosclerotic plaque progression. *J Am Coll Cardiol*. 52(16):1350-1, 2008.
158. Natalicchio A, De Stefano F, Perrini S, Laviola L, Cignarelli A, Caccioppoli C, Quagliara A, Melchiorre M, Leonardini A, Conserva A, Giorgino F. Involvement of the p66Shc protein in glucose transport regulation in skeletal muscle myoblasts. *Am J Physiol Endocrinol Metab*; 296:E228-237, 2009.
159. Belfiore A., Frasca F., Pandini G., Sciacca L., Vigneri R. Insulin Receptor Isoforms and Insulin Receptor/Insulin-like Growth Factor Receptor Hybrids in Physiology and Disease. *Endocrine Rev.*: 30(6): 586-623, 2009.
160. Sacco A., Morcavallo A., Pandini G., Vigneri R., Belfiore R. Differential signaling activation by Insulin and Insulin-like growth factors I and II upon binding to Insulin Receptor Isoform A. *Endocrinology*, 150(8): 3594-3602, 2009.
161. Menghini R, Menini S, Amoruso R, Fiorentino L, Casagrande V, Marzano V, Tornei F, Bertucci P, Iacobini C, Serino M, Porzio O, Hribal ML, Folli F, Khokha R, Urbani A, Lauro R, Pugliese G, Federici M. Tissue Inhibitor of Metalloproteinase 3 Deficiency Causes Hepatic Steatosis and Adipose Tissue Inflammation in Mice. *Gastroenterology*.; 136:663-72, 2009.
162. Bacci S, Di Paola R, Menzaghi C, Di Fulvio P, Di Silvestre S, Pellegrini F, Baratta R, Marucci A, Mastroianno S, Fini G, Formoso G, Consoli A, Perticone F, Frittitta L, Pandolfi A, Trischitta V. ENPP1 Q121 variant, increased pulse pressure

- and reduced insulin signaling, and nitric oxide synthase activity in endothelial cells. *Arterioscler Thromb Vasc Biol.* 29(10):1678-83, 2009.
163. Marucci A., Miscio G., Padovano L., Boonyasrisawat W., Florez JC, Doria A., Trischitta V, Di Paola R. The role of HSP70 on ENPP1 expression and insulin-receptor activation. *J Mol Med* 87:139-44, 2009.
 164. Marfella R, Di Filippo C, Portoghese M, Siniscalchi M, Martis S, Ferraraccio F, Guastafierro S, Nicoletti G, Barbieri M, Coppola A, Rossi F, Paolisso G, D'Amico M. The ubiquitin-proteasome system contributes to the inflammatory injury in ischemic diabetic myocardium: the role of glycemic control. *Cardiovasc Pathol.* 18(6):332-45, 2009.
 165. Fiorentino L, Vivanti A, Cavallera M, Marzano V, Ronci M, Fabrizi M, Menini S, Pugliese G, Menghini R, Khokha R, Lauro R, Urbani A, Federici M. Increased tumor necrosis factor alpha-converting enzyme activity induces insulin resistance and hepatosteatosis in mice. *Hepatology.* 51:103-10, 2010.
 166. Cainarca S, Fenu S, Ferri C, Nucci C, Arioli P, Menegon A, Piemonti L, Lohmer S, Wrabetz L, Corazza S. A photoprotein in mouse embryonic stem cells measures Ca²⁺ mobilization in cells and in animals. *PLoS One.* 27;5(1):e8882, 2010.
 167. De Kreutzenberg S.V., Ceolotto G., Papparella I., Bortoluzzi A., Semplicini A., Dalla Man C., Cobelli C., Fadini G.P., Avogaro A.: Downregulation of the longevity-associated protein sirtuin 1 in insulin resistance and metabolic syndrome: potential biochemical mechanisms. *Diabetes* 59:1006-1015, 2010.
 168. Di Filippo C, Cervone C, Rossi C, di Ronza C, Marfella R, Capodanno P, Luongo C, Rossi F, D'Amico M. Antiarrhythmic effect of acute oxygen-ozone administration to rats. *Eur J Pharmacol.* 629(1-3):89-95, 2010.
 169. Di Filippo C, Luongo M, Marfella R, Ferraraccio F, Lettieri B, Capuano A, Rossi F, D'Amico M. Oxygen/ozone protects the heart from acute myocardial infarction through local increase of eNOS activity and endothelial progenitor cells recruitment. *Naunyn Schmiedeberg's Arch Pharmacol.* 382(3):287-91, 2010.
 170. Andreozzi F, Procopio C, Greco A, Mannino GC, Miele C, Raciti GA, Iadicicco C, Beguinot F, Pontiroli AE, Hribal ML, Folli F, Sesti G. Increased levels of the Akt-specific phosphatase PH domain leucine-rich repeat protein phosphatase (PHLPP)-1 in obese participants are associated with insulin resistance. *Diabetologia* 54: 1879-1887, 2011.

171. Toldo S, Boccellino M, Rinaldi B, Seropian IM, Mezzaroma E, Severino A, Quagliuolo L, Van Tassell BW, Marfella R, Paolisso G, Rossi F, Natarajan R, Voelkel N, Abbate A, Crea F, Baldi A. Altered oxido-reductive state in the diabetic heart: loss of cardioprotection due to protein disulfide isomerase. *Mol Med.* 17(9-10):1012-21, 2011.
172. Caporarello N., Marucci A., Dimatteo C., Iadicicco C., Del Guerra S., Prudente S, Sudano D., Miele C., Parrino C, Piro S., Beguinot F., Marchetti P., Trischitta V., Frittitta L, Di Paola R. ENPP1 affect insulin action and secretion: evidences from in vitro studies. *PLoS ONE*, 6(5): e19462, 2011.
173. Natalicchio A, Tortosa F, Perrini S, Laviola L, Giorgino F. p66Shc, a multifaceted protein linking Erk signalling, glucose metabolism, and oxidative stress. *Arch Physiol Biochem*; 117:116-124, 2011.
174. Morcavallo A., Gaspari M., Pandini G., Palummo A., Cuda G., Larsen M.R. Vigneri R., Belfiore A. Research Resource. New and Diverse Substrates for the Insulin Receptor Isoform A Revealed by Quantitative Proteomics after stimulation with IGF-II or Insulin. *Mol. Endocrinol.*: 25 (8): 1456-1468, 2011.
175. Miegueu P, St Pierre D, Broglio F, Cianflone K. Effect of desacyl ghrelin, obestatin and related peptides on triglyceride storage, metabolism and GHSR signaling in 3T3-L1 adipocytes. *J Cell Biochem.* 112(2):704-14, 2011.
176. Chiefari E, Nevolo MT, Arcidiacono B, Maurizio E, Nocera A, Iiritano S, Sgarra R, Possidente K, Palmieri C, Paonessa F, Brunetti G, Manfioletti G, Foti D, Brunetti A. HMGA1 is a novel downstream nuclear target of the insulin receptor signaling pathway. *Sci Rep*; 2: 251, 2012.
177. Vigneri R., Squatrito S., Frittitta L. Selective Insulin Receptor Modulators (SIRM): A New Class of Antidiabetes Drugs ? *Diabetes*: 16: 984-985, 2012.
178. Barbieri M, Di Filippo C, Esposito A, Marfella R, Rizzo MR, D'Amico M, Ferraraccio F, Di Ronza C, Duan SZ, Mortensen RM, Rossi F, Paolisso G. Effects of PPARs agonists on cardiac metabolism in littermate and cardiomyocyte-specific PPAR- γ -knockout (CM-PGKO) mice. *PLoS One*. 7(4):e35999, 2012.
179. Ludovico O., Farina MG., Copetti M., Palena A., Proto V., Marotta V., Giovanni F, Strippoli M, Frittitta L., Trischitta V, Prudente. S. ENPP1 mRNA levels in white blood cells and prediction of metformin efficacy in type 2 diabetic patients: a preliminary evidence. *Nutr Metab Cardiovasc Dis*, 22:e5-6, 2012.

- 180.** Iiritano S, Chiefari E, Ventura V, Arcidiacono B, Possidente K, Nocera A, Nevolo MT, Fedele M, Greco A, Greco M, Brunetti G, Fusco A, Foti D, Brunetti A. The HMGA1-IGF-I/IGFBP system: a novel pathway for modulating glucose uptake. *Mol Endocrinol*; 26: 1578-1589, 2012.
- 181.** Costantini S, Capone F, Guerriero E, Marfella R, Sorice A, Maio P, Di Stasio M, Paolisso G, Castello G, Colonna G. Cytokine profile of patients with type 2 diabetes and/or chronic hepatitis C infection. *PLoS One*. 7(6):e39486, 2012.
- 182.** Jain D, Jain R, Ebehard D, Elinger J, Bugliani M, Piemonti L, Marchetti P, Lammert E. Age- and diet-dependent requirement of DJ-1 for glucose homeostasis in mice with implications for human type 2 diabetes. *J Mol Cell Biol*. 4(4): 221-30. 2012.
- 183.** Morán I, Akerman I, van de Bunt M, Xie R, Benazra M, Nammo T, Arnes L, Nakić N, García-Hurtado J, Rodríguez-Seguí S, Pasquali L, Sauty-Colace C, Beucher A, Scharfmann R, van Arensbergen J, Johnson PR, Berry A, Lee C, Harkins T, Gmyr V, Pattou F, Kerr-Conte J, Piemonti L, Berney T, Hanley N, Gloyn AL, Sussel L, Langman L, Brayman KL, Sander M, McCarthy MI, Ravassard P, Ferrer J. Human β Cell Transcriptome Analysis Uncovers lncRNAs That Are Tissue-Specific, Dynamically Regulated, and Abnormally Expressed in Type 2 Diabetes. *Cell Metab*. Oct 3;16(4):435-48, 2012.
- 184.** Menghini R, Casagrande V, Menini S, Marino A, Marzano V, Hribal ML, Gentileschi P, Lauro D, Schillaci O, Pugliese G, Sbraccia P, Urbani A, Lauro R, Federici M. TIMP3 Overexpression in Macrophages Protects From Insulin Resistance, Adipose Inflammation, and Nonalcoholic Fatty Liver Disease in Mice. *Diabetes*.; 61:454-62, 2012.
- 185.** Prudente S, Sesti G, Pandolfi A, Andreozzi F, Consoli A, Trischitta V. The Mammalian Tribbles Homolog TRIB3, Glucose Homeostasis, and Cardiovascular Diseases. *Endocr Rev*. 33: 526-546, 2012.
- 186.** Bizzarro V, Fontanella B, Carratù A, Belvedere R, Marfella R, Parente L, Petrella A. Annexin A1 N-terminal derived Peptide ac2-26 stimulates fibroblast migration in high glucose conditions. *PLoS One*.7(9):e45639, 2012.
- 187.** Balestrieri ML, Servillo L, Esposito A, D'Onofrio N, Giovane A, Casale R, Barbieri M, Paolisso P, Rizzo MR, Paolisso G, Marfella R. Poor glycaemic control in type 2 diabetes patients reduces endothelial progenitor cell number by influencing

- SIRT1 signalling via platelet-activating factor receptor activation. *Diabetologia*. 56(1):162-72, 2013.
188. Dimatteo C, Marucci A, Palazzo A, Cisternino C, Marsano RM, Trischitta V, Di Paola R. Role of Somatomedin-B-like domains on ENPP1 inhibition 1 of insulin signaling. *Biochim Biophys Acta* 1833:552-8, 2013.
 189. Pandini G., Pace V., Copani A., Squatrito S., Milardi D. Vigneri R. Insulin Has Multiple Anti-amyloidogenic Effects on Human Neuronal Cells. *Endocrinology*: 154; 375 – 387, 2013.
 190. Patanè G., Caporarello N., Marchetti P., Parrino C., Sudano D., Marselli L., Vigneri R., Frittitta L. Adiponectin increases glucose-induced insulin secretion through the activation of lipid oxidation. *Acta Diabetol*: 50: 851 – 857, 2013.
 191. Tassone EJ, Sciacqua A, Andreozzi F, Presta I, Perticone M, Carnevale D, Casaburo M, Hribal ML, Sesti G, Perticone F. Angiotensin (1-7) counteracts the negative effect of angiotensin II on insulin signaling in HUVECs. *Cardiovasc Res* 99:129-36, 2013.
 192. Marfella R, Di Filippo C, Potenza N, Sardu C, Rizzo MR, Siniscalchi M, Musacchio E, Barbieri M, Mauro C, Mosca N, Solimene F, Mottola MT, Russo A, Rossi F, Paolisso G, D'Amico M. Circulating microRNA changes in heart failure patients treated with cardiac resynchronization therapy: responders vs. non-responders. *Eur J Heart Fail*. 15(11):1277-88, 2013.
 193. Chiefari E, Arcidiacono B, Possidente K, Iiritano S, Ventura V, Pandolfo R, Brunetti FS, Greco M, Foti D, Brunetti A. Transcriptional regulation of the HMGA1 gene by octamer-binding proteins Oct-1 and Oct-2. *PLoS One*; 8 :e83969, 2013.
 194. Muscogiuri G, Salmon AB, Aguayo-Mazzucato C, Li M, Balas B, Guardado-Mendoza R, Giaccari A, Reddick RL, Reyna SM, Weir G, DeFronzo RA, Van Remmen H, Musi N. Genetic disruption of SOD1 gene causes glucose intolerance and impairs β -cell function. *Diabetes*. 62(12):4201-7, 2013.
 195. Kiechl S, Wittmann J, Giaccari A, Knoflach M, Willeit P, Bozec A, Moschen AR, Muscogiuri G, Sorice GP, Kireva T, Summerer M, Wirtz S, Luther J, Mielenz D, Billmeier U, Egger G, Mayr A, Oberhollenzer F, Kronenberg F, Orthofer M, Penninger JM, Meigs JB, Bonora E, Tilg H, Willeit J, Schett G. Blockade of receptor activator of nuclear factor- κ B (RANKL) signaling improves hepatic insulin resistance and prevents development of diabetes mellitus. *Nat Med*. 19(3):358-63, 2013.

196. Jain R, Jain D, Liu Q, Bartosinska B, Wang J, Schumann D, Kauschke S G, Eickelmann P, Piemonti L, Gray N S, Lammert E. Pharmacological inhibition of Eph receptors enhances glucose-stimulated insulin secretion from mouse and human pancreatic islets. *Diabetologia*. 56(6):1350-5, 2013.
197. Hodson DJ, Mitchell RK, Bellomo EA, Sun G, Vinet L, Meda P, Li D, Li WH, Bugliani M, Marchetti P, Bosco D, Piemonti L, Johnson P, Hughes SJ, Rutter GA. Lipotoxicity disrupts incretin-regulated human β cell connectivity. *J Clin Invest*.;123(10):4182-94, 2013.
198. Marucci A., Cozzolino F., Dimatteo C., Monti M., Pucci P., Trischitta V., Di Paola R. Role of GALNT2 in the modulation of ENPP1 expression, and insulin signaling and action: GALNT2: A novel modulator of insulin signaling. *Biochim Biophys Acta*. 1833:1388-95, 2013.
199. Marucci A, di Mauro L, Menzaghi C, Prudente S, Mangiacotti D, Fini G, Lotti G, Trischitta V, Di Paola R. GALNT2 expression is reduced in patients with type 2 diabetes: possible role of hyperglycemia. *PLoS One* 8:e70159, 2013.
200. Russo E, Andreozzi F, Iuliano R, Dattilo V, Procopio T, Fiume G, Mimmi S, Perrotti N, Citraro R, Sesti G, Constanti A, Sarro GD. Early molecular and behavioral response to lipopolysaccharide in the WAG/Rij rat model of absence epilepsy and depressive-like behavior, involves interplay between AMPK, AKT/mTOR pathways and neuroinflammatory cytokine release. *Brain Behav Immun* 42:157-168, 2014.
201. Sardu C, Marfella R, Santulli G, Paolisso G. Functional role of miRNA in cardiac resynchronization therapy. *Pharmacogenomics*. 15(8):1159-68, 2014.
202. Pacifici F, Arriga R, Sorice GP, Capuani B, Scioli MG, Pastore D, Donadel G, Bellia A, Caratelli S, Coppola A, Ferrelli F, Federici M, Sconocchia G, Tesaro M, Sbraccia P, Della-Morte D, Giaccari A, Orlandi A, Lauro D. Peroxiredoxin 6, a novel player in the pathogenesis of diabetes. *Diabetes*. 63(10):3210-20, 2014.
203. De Minicis S, Agostinelli L, Rychlicki C, Sorice GP, Saccomanno S, Candelaresi C, Giaccari A, Trozzi L, Pierantonelli I, Mingarelli E, Marzioni M, Muscogiuri G, Gaggini M, Benedetti A, Gastaldelli A, Guido M, Svegliati-Baroni G. HCC development is associated to peripheral insulin resistance in a mouse model of NASH. *PLoS One*. 22;9(5):e97136, 2014.
204. Fabrizi M, Marchetti V, Mavilio M, Marino A, Casagrande V, Cavalera M, Moreno-Navarrete JM, Mezza T, Sorice GP, Fiorentino L, Menghini R, Lauro R,

- Monteleone G, Giaccari A, Fernandez Real JM, Federici M. IL-21 is a major negative regulator of IRF4-dependent lipolysis affecting Tregs in adipose tissue and systemic insulin sensitivity. *Diabetes*. 63(6):2086-96, 2014.
- 205.** Goodpaster B.H., Bertoldo A., Ng J.M., Azuma K., Pencek R.R., Kelley C., Price J.C., Cobelli C., Kelley D.E.: Interactions among glucose delivery, transport, and phosphorylation that underlie skeletal muscle insulin resistance in obesity and type 2 Diabetes: studies with dynamic PET imaging. *Diabetes* 63(3):1058-68, 2014.
- 206.** Porcu S, Lapolla A, Biasutto L, Zoratti M, Piarulli F, Eliana G, Basso D, Roverso M, Seraglia R. A preliminary fastview of mitochondrial protein profile from healthy and type 2 diabetic subjects. *Eur J Mass Spectrom (Chichester, Eng)*. 20(4):307-15, 2014.
- 207.** Granata R, Settanni F, Trovato L, Gallo D, Gesmundo I, Nano R, Gallo MP, Bergandi L, Volante M, Alloatti G, Piemonti L, Leprince J, Papotti M, Vaudry H, Ong H, Ghigo E. RFamide peptides 43RFa and 26RFa both promote survival of pancreatic β -cells and human pancreatic islets but exert opposite effects on insulin secretion. *Diabetes*. 63(7):2380-93. 2014.
- 208.** Pasquali L, Gaulton KJ, Rodríguez-Seguí SA, Mularoni L, Miguel-Escalada I, Akerman I, Tena JJ, Morán I, Gómez-Marín C, van de Bunt M, Ponsa-Cobas J, Castro N, Nammo T, Cebola I, García-Hurtado J, Maestro MA, Pattou F, Piemonti L, Berney T, Gloyn AL, Ravassard P, Gómez-Skarmeta JL, Müller F, McCarthy MI, Ferrer J. Pancreatic islet enhancer clusters enriched in type 2 diabetes risk-associated variants. *Nat Genet*. 46(2):136-43, 2014.
- 209.** Christensen DP, Gysemans C, Lundh M, Dahllöf MS, Noesgaard D, Schmidt SF, Mandrup S, Birkbak N, Workman CT, Piemonti L, Blaabjerg L, Monzani V, Fossati G, Mascagni P, Paraskevas S, Aikin RA, Billestrup N, Grunnet LG, Dinarello CA, Mathieu C, Mandrup-Poulsen T. Lysine deacetylase inhibition prevents diabetes by chromatin-independent immunoregulation and β -cell protection. *Proc Natl Acad Sci U S A*. 21;111(3):1055-9, 2014.
- 210.** Hodson DJ, Mitchell RK, Marselli L, Pullen TJ, Brias SG, Semplici F, Everett KL, Cooper DM, Bugliani M, Marchetti P, Lavallard V, Bosco D, Piemonti L, Johnson PR, Hughes SJ, Li D, Li WH, Shapiro AM, Rutter GA. ADCY5 couples glucose to insulin secretion in human islets. *Diabetes*. 63(9):3009-21, 2014.
- 211.** Santovito D, De Nardis V, Marcantonio P, Mandolini C, Paganelli C, Vitale E, Buttitta F, Bucci M, Mezzetti A, Consoli A, Cipollone F. Plasma exosome

microRNA profiling unravels a new potential modulator of adiponectin pathway in diabetes: effect of glycemic control. *J Clin Endocrinol* 99 (9): E1681-5, 2014.

- 212.** Natalicchio A, Tortosa F, Labarbuta R, Biondi G, Marrano N, Carchia E, Leonardini A, Cignarelli A, Bugliani M, Marchetti P, Fadini GP, Giorgio M, Avogaro A, Perrini S, Laviola L, Giorgino F. The p66(Shc) redox adaptor protein is induced by saturated fatty acids and mediates lipotoxicity-induced apoptosis in pancreatic beta cells. *Diabetologia*. 58(6):1260-71, 2015.
- 213.** D'Addio F, La Rosa S, Maestroni A, Jung P, Orsenigo E, Ben Nasr M, Tezza S, Bassi R, Finzi G, Marando A, Vergani A, Frego R, Albarello L, Andolfo A, Manuguerra R, Viale E, Staudacher C, Corradi D, Batlle E, Breault D, Secchi A, Folli F, Fiorina P. Circulating IGF-I and IGFBP3 Levels Control Human Colonic Stem Cell Function and Are Disrupted in Diabetic Enteropathy. *Cell Stem Cell*. 17(4):486-98, 2015.
- 214.** Zandi S, Nakao S, Chun KH, Fiorina P, Sun D, Arita R, Zhao M, Kim E, Schueller O, Campbell S, Taher M, Melhorn MI, Schering A, Gatti F, Tezza S, Xie F, Vergani A, Yoshida S, Ishikawa K, Yamaguchi M, Sasaki F, Schmidt-Ullrich R, Hata Y, Enaida H, Yuzawa M, Yokomizo T, Kim YB, Sweetnam P, Ishibashi T, Hafezi-Moghadam A. ROCK-isoform-specific polarization of macrophages associated with age-related macular degeneration. *Cell Rep*. 24;10(7):1173-86, 2015.
- 215.** Menini S, Iacobini C, Ricci C, Blasetti Fantauzzi C, Pugliese G. Protection from diabetes-induced atherosclerosis and renal disease by D-carnosine-octylester: effects of early vs late inhibition of advanced glycation end-products in Apoe-null mice. *Diabetologia*. 58(4):845-53, 2015.
- 216.** Lauro D, Pastore D, Capuani B, Pacifici F, Palmirotta R, Abete P, Roselli M, Bellia A, Federici M, Di Daniele N, Sbraccia P, Guadagni F, Lauro R, Della-Morte D. Role of Serum and Glucocorticoid-Inducible Kinase (SGK)-1 in Senescence: A Novel Molecular Target Against Age-Related Diseases. *Curr Med Chem*. 22(33):3765-88, 2015.
- 217.** Fiorentino TV, Owston M, Abrahamian G, La Rosa S, Marando A, Perego C, Di Cairano ES, Finzi G, Capella C, Sessa F, Casiraghi F, Paez A, Adivi A, Davalli A, Fiorina P, Guardado Mendoza R, Comuzzie AG, Sharp M, DeFronzo RA, Halff G, Dick EJ, Folli F. Chronic continuous exenatide infusion does not cause pancreatic

inflammation and ductal hyperplasia in non-human primates. *Am J Pathol.* 185(1):139-50, 2015.

- 218.** Di Tomo P, Di Silvestre S, Cordone VG, Giardinelli A, Faricelli B, Pipino C, Lanuti P, Peng T, Formoso G, Yang D, Arduini A, Chiarelli F, Pandolfi A, Di Pietro N. Centella asiatica and lipoic acid, or a combination thereof, inhibit monocyte adhesion to endothelial cells from umbilical cords of gestational diabetic women. *Nutr Metab Cardiovasc Dis.* 25(7):659-66, 2015.
- 219.** Salani B, Ravera S, Amaro A, Salis A, Passalacqua M, Millo E, Damonte G, Marini C, Pfeiffer U, Sambuceti G, Cordera R, Maggi D. IGF1 regulates PKM2 function through Akt phosphorylation. *Cell Cycle.* 14(10):1559-67, 2015.
- 220.** Ferrelli F, Pastore D, Capuani B, Lombardo MF, Blot-Chabaud M, Coppola A, Basello K, Galli A, Donadel G, Romano M, Caratelli S, Pacifici F, Arriga R, Di Daniele N, Sbraccia P, Sconocchia G, Bellia A, Tesauro M, Federici M, Della-Morte D, Lauro D. Serum glucocorticoid inducible kinase (SGK)-1 protects endothelial cells against oxidative stress and apoptosis induced by hyperglycaemia. *Acta Diabetol.* 52(1):55-64, 2015.
- 221.** Capuani B, Della-Morte D, Donadel G, Caratelli S, Bova L, Pastore D, De Canio M, D'Aguanno S, Coppola A, Pacifici F, Arriga R, Bellia A, Ferrelli F, Tesauro M, Federici M, Neri A, Bernardini S, Sbraccia P, Di Daniele N, Sconocchia G, Orlandi A, Urbani A, Lauro D. Liver protein profiles in insulin receptor-knockout mice reveal novel molecules involved in the diabetes pathophysiology. *Am J Physiol Endocrinol Metab.* 308(9):E744-55, 2015.
- 222.** Pastore D, Della-Morte D, Coppola A, Capuani B, Lombardo MF, Pacifici F, Ferrelli F, Arriga R, Mammi C, Federici M, Bellia A, Di Daniele N, Tesauro M, Donadel G, Noto D, Sbraccia P, Sconocchia G, Lauro D. SGK-1 protects kidney cells against apoptosis induced by ceramide and TNF- α . *Cell Death Dis.* 17;6:e1890, 2015.
- 223.** Di Mauro S, Ragusa M, Urbano F, Filippello A, Di Pino A, Scamporrino A, Pulvirenti A, Ferro A, Rabuazzo AM, Purrello M, Purrello F, Piro S. Intracellular and extracellular miRNome deregulation in cellular models of NAFLD or NASH: Clinical implications. *Nutr Metab Cardiovasc Dis.* 26(12):1129-1139, 2016.
- 224.** Basello K, Pacifici F, Capuani B, Pastore D, Lombardo MF, Ferrelli F, Coppola A, Donadel G, Arriga R, Sconocchia G, Bellia A, Rogliani P, Federici M, Sbraccia P, Lauro D, Della-Morte D. Serum- and Glucocorticoid-Inducible Kinase 1 Delay

- the Onset of Endothelial Senescence by Directly Interacting with Human Telomerase Reverse Transcriptase. *Rejuvenation Res.* 19(1):79-89, 2016.
225. Natalicchio A, Biondi G, Marrano N, Labarbuta R, Tortosa F, Spagnuolo R, D'Oria R, Carchia E, Leonardini A, Cignarelli A, Perrini S, Laviola L, Giorgino F. Long-Term Exposure of Pancreatic β -Cells to Palmitate Results in SREBP-1C-Dependent Decreases in GLP-1 Receptor Signaling via CREB and AKT and Insulin Secretory Response. *Endocrinology.* 157(6):2243-58, 2016.
 226. Cignarelli A, Perrini S, Nigro P, Ficarella R, Barbaro M, Peschechera A, Porro S, Natalicchio A, Laviola L, Puglisi F, Giorgino F. Long-acting insulin analog detemir displays reduced effects on adipocyte differentiation of human subcutaneous and visceral adipose stem cells. *Nutr Metab Cardiovasc Dis.* 26(4):333-44, 2016.
 227. Cimellaro A, Perticone M, Fiorentino TV, Sciacqua A, Hribal ML. Role of endoplasmic reticulum stress in endothelial dysfunction. *Nutr Metab Cardiovasc Dis.* 26(10):863-71, 2016.
 228. Urbano F, Filippello A, Di Pino A, Barbagallo D, Di Mauro S, Pappalardo A, Rabuazzo AM, Purrello M, Purrello F, Piro S. Altered expression of uncoupling protein 2 in GLP-1-producing cells after chronic high glucose exposure: implications for the pathogenesis of diabetes mellitus. *Am J Physiol Cell Physiol.* 310(7):C558-67, 2016.
 229. Menini S, Iacobini C, Blasetti Fantauzzi C, Pesce CM, Pugliese G. Role of Galectin-3 in Obesity and Impaired Glucose Homeostasis. *Oxid Med Cell Longev.* 2016:9618092, 2016.
 230. Senesi P, Montesano A, Luzi L, Codella R, Benedini S, Terruzzi I. Metformin Treatment Prevents Sedentariness Related Damages in Mice. *J Diabetes Res.* 2016:8274689, 2016.
 231. Dauriz M, Trombetta M, Boselli L, Santi L, Brangani C, Pichiri I, Bonora E, Bonadonna RC. Interleukin-6 as a potential positive modulator of human beta-cell function: an exploratory analysis-the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 6. *Acta Diabetol.* 53(3):393-402, 2016.
 232. Lombardo GE, Arcidiacono B, De Rose RF, Lepore SM, Costa N, Montalcini T, Brunetti A, Russo D, De Sarro G, Celano M. Normocaloric Diet Restores Weight Gain and Insulin Sensitivity in Obese Mice. *Front Endocrinol (Lausanne).* 7:49, 2016.

- 233.** Ben Nasr M, Fiorina P. CXCR4 antagonism overcomes diabetic stem cell mobilopathy. *Atherosclerosis*. 251:512-3, 2016.
- 234.** Park K, Mima A, Li Q, Rask-Madsen C, He P, Mizutani K, Katagiri S, Maeda Y, Wu IH, Khamaisi M, Preil SR, Maddaloni E, Sørensen D, Rasmussen LM, Huang PL, King GL. Insulin decreases atherosclerosis by inducing endothelin receptor B expression. *JCI Insight*. 1(6) pii: e86574, 2016.
- 235.** Mezza T, Shirakawa J, Martinez R, Hu J, Giaccari A, Kulkarni RN. Nuclear Export of FoxO1 Is Associated with ERK Signaling in β -Cells Lacking Insulin Receptors. *J Biol Chem*. 291(41):21485-21495, 2016.
- 236.** Mezza T, Sorice GP, Conte C, Sun VA, Cefalo CM, Moffa S, Pontecorvi A, Mari A, Kulkarni RN, Giaccari A. β -Cell Glucose Sensitivity Is Linked to Insulin/Glucagon Bihormonal Cells in Nondiabetic Humans. *J Clin Endocrinol Metab*. 101(2):470-5, 2016.
- 237.** Andreozzi F, Raciti GA, Nigro C, Mannino GC, Procopio T, Davalli AM, Beguinot F, Sesti G, Miele C, Folli F. The GLP-1 receptor agonists exenatide and liraglutide activate Glucose transport by an AMPK-dependent mechanism. *J Transl Med*. 14(1):229, 2016.
- 238.** Hribal ML, Mancuso E, Spiga R, Mannino GC, Fiorentino TV, Andreozzi F, Sesti G. PHLPP phosphatases as a therapeutic target in insulin resistance-related diseases. *Expert Opin Ther Targets*. 20(6):663-75, 2016.
- 239.** Montanucci P, Pescara T, Pennoni I, Alunno A, Bistoni O, Torlone E, Luca G, Gerli R, Basta G, Calafiore R. Functional Profiles of Human Umbilical Cord-Derived Adult Mesenchymal Stem Cells in Obese/Diabetic Versus Healthy Women. *Curr Diabetes Rev*. [Epub ahead of print], 2016.
- 240.** Willeit P, Skrobilin P, Moschen AR, Yin X, Kaudewitz D, Zampetaki A, Barwari T, Whitehead M, Ramírez CM, Goedeke L, Rotllan N, Bonora E, Hughes AD, Santer P, Fernández-Hernando C, Tilg H, Willeit J, Kiechl S, Mayr M. Circulating MicroRNA-122 is Associated With the Risk of New-Onset Metabolic Syndrome and Type-2-Diabetes. *Diabetes*. 66:347-57, 2017.
- 241.** Pontrelli P, Conserva F, Papale M, Oranger A, Barozzino M, Vocino G, Rocchetti MT, Gigante M, Castellano G, Rossini M, Simone S, Laviola L, Giorgino F, Grandaliano G, Di Paolo S, Gesualdo L. Lysine 63 ubiquitination is involved in the progression of tubular damage in diabetic nephropathy. *FASEB J*. 31:308-319, 2017.

- 242.** Barbieri M, Marfella R, Esposito A, Rizzo MR, Angellotti E, Mauro C, Siniscalchi M, Chirico F, Caiazzo P, Furbatto F, Bellis A, D'Onofrio N, Vitiello M, Ferraraccio F, Paolisso G, Balestrieri ML. Incretin treatment and atherosclerotic plaque stability: Role of adiponectin/APPL1 signaling pathway. *J Diabetes Complications*. 31:295-303, 2017.
- 243.** Leonardini A, D'Oria R, Incalza MA, Caccioppoli C, Andrulli Buccheri V, Cignarelli A, Paparella D, Margari V, Natalicchio A, Perrini S, Giorgino F, Laviola L. GLP-1 Receptor Activation Inhibits Palmitate-Induced Apoptosis via Ceramide in Human Cardiac Progenitor Cells. *J Clin Endocrinol Metab*. 102(11):4136-4147, 2017.
- 244.** Salani B, Ravera S, Fabbi P, Garibaldi S, Passalacqua M, Brunelli C, Maggi D, Cordera R, Ameri P. Glibenclamide Mimics Metabolic Effects of Metformin in H9c2 Cells. *Cell Physiol Biochem*. 43(3):879-890, 2017.
- 245.** Arcidiacono B, Chiefari E, Laria AE, Messineo S, Bilotta FL, Britti D, Foti DP, Foryst-Ludwig A, Kintscher U, Brunetti A. Expression of matrix metalloproteinase-11 is increased under conditions of insulin resistance. *World J Diabetes*. 15;8(9):422-428, 2017.
- 246.** Willeit P, Skrobilin P, Moschen AR, Yin X, Kaudewitz D, Zampetaki A, Barwari T, Whitehead M, Ramírez CM, Goedeke L, Rotllan N, Bonora E, Hughes AD, Santer P, Fernández-Hernando C, Tilg H, Willeit J, Kiechl S, Mayr M. Circulating MicroRNA-122 Is Associated With the Risk of New-Onset Metabolic Syndrome and Type 2 Diabetes. *Diabetes*. 66(2):347-357, 2017.
- 247.** D'Oria R, Laviola L, Giorgino F, Unfer V, Bettocchi S, Scioscia M. PKB/Akt and MAPK/ERK phosphorylation is highly induced by inositols: Novel potential insights in endothelial dysfunction in preeclampsia. *Pregnancy Hypertens*. 10:107-112, 2017.
- 248.** Barbieri M, Marfella R, Esposito A, Rizzo MR, Angellotti E, Mauro C, Siniscalchi M, Chirico F, Caiazzo P, Furbatto F, Bellis A, D'Onofrio N, Vitiello M, Ferraraccio F, Paolisso G, Balestrieri ML. Incretin treatment and atherosclerotic plaque stability: Role of adiponectin/APPL1 signaling pathway. *J Diabetes Complications*. 31(2):295-30, 2017.
- 249.** Spigoni V, Mena P, Fantuzzi F, Tassotti M, Brighenti F, Bonadonna RC, Del Rio D, Dei Cas A. Bioavailability of Bergamot (Citrus bergamia) Flavanones and

Biological Activity of Their Circulating Metabolites in Human Pro-Angiogenic Cells. *Nutrients*. 9(12), 2017.

- 250.** Matone A, Derlindati E, Marchetti L, Spigoni V, Dei Cas A, Montanini B, Ardigò D, Zavaroni I, Priami C, Bonadonna RC. Identification of an early transcriptomic signature of insulin resistance and related diseases in lymphomonocytes of healthy subjects. *PLoS One*. 12(8):e0182559, 2017. *Erratum in: PLoS One*, 14(1):e0211394, 2019.
- 251.** Spigoni V, Fantuzzi F, Fontana A, Cito M, Derlindati E, Zavaroni I, Cnop M, Bonadonna RC, Dei Cas A. Stearic acid at physiologic concentrations induces in vitro lipotoxicity in circulating angiogenic cells. *Atherosclerosis*. 265:162-171, 2017.
- 252.** Pitrone M, Pizzolanti G, Tomasello L, Coppola A, Morini L, Pantuso G, Ficarella R, Guarnotta V, Perrini S, Giorgino F, Giordano C. NANOG Plays a Hierarchical Role in the Transcription Network Regulating the Pluripotency and Plasticity of Adipose Tissue-Derived Stem Cells. *Int J Mol Sci*. 23;18(6), 2017.
- 253.** Belfiore A, Malaguarnera R, Vella V, Lawrence MC, Sciacca L, Frasca F, Morrione A, Vigneri R. Insulin Receptor Isoforms in Physiology and Disease: An Updated View. *Endocr Rev*. 38(5):379-431, 2017.
- 254.** Fiorentino TV, Suraci E, Arcidiacono GP, Cimellaro A, Mignogna C, Presta I, Andreozzi F, Hribal ML, Perticone F, Donato G, Luzzza F, Sesti G. Duodenal Sodium/Glucose Cotransporter 1 Expression Under Fasting Conditions Is Associated With Postload Hyperglycemia. *J Clin Endocrinol Metab*. 1;102(11):3979-3989, 2017.
- 255.** Mancuso E, Mannino GC, Fatta CD, Fuoco A, Spiga R, Andreozzi F, Sesti G. Insulin-like growth factor-1 is a negative modulator of glucagon secretion. *Oncotarget*. 8(31):51719-51732, 2017.
- 256.** Spiga R, Marini MA, Mancuso E, Di Fatta C, Fuoco A, Perticone F, Andreozzi F, Mannino GC, Sesti G. Uric Acid Is Associated With Inflammatory Biomarkers and Induces Inflammation Via Activating the NF- κ B Signaling Pathway in HepG2 Cells. *Arterioscler Thromb Vasc Biol*. 37(6):1241-1249, 2017.
- 257.** Palleria C, Leo A, Andreozzi F, Citraro R, Iannone M, Spiga R, Sesti G, Constanti A, De Sarro G, Arturi F, Russo E. Liraglutide prevents cognitive decline in a rat model of streptozotocin-induced diabetes independently from its peripheral metabolic effects. *Behav Brain Res*. 321:157-169, 2017.

- 258.** Di Pietro N, Marcovecchio ML, Di Silvestre S, de Giorgis T, Cordone VGP, Lanuti P, Chiarelli F, Bologna G, Mohn A, Pandolfi A. Plasma from pre-pubertal obese children impairs insulin stimulated Nitric Oxide (NO) bioavailability in endothelial cells: Role of ER stress. *Mol Cell Endocrinol.* 443:52-62, 2017.
- 259.** Barutta F, Bellini S, Mastrocola R, Bruno G, Gruden G. MicroRNA and Microvascular Complications of Diabetes. *Int J Endocrinol.* 2018:6890501, 2018.
- 260.** Vacante F, Senesi P, Montesano A, Frigerio A, Luzi L, Terruzzi I. L-Carnitine: An Antioxidant Remedy for the Survival of Cardiomyocytes under Hyperglycemic Condition. *J Diabetes Res.* 2018:4028297, 2018.
- 261.** Carnovali M, Luzi L, Terruzzi I, Banfi G, Mariotti M. Metabolic and bone effects of high-fat diet in adult zebrafish. *Endocrine.* 61(2):317-326, 2018.
- 262.** Terruzzi I, Vacante F, Senesi P, Montesano A, Codella R, Luzi L. Effect of Hazelnut Oil on Muscle Cell Signalling and Differentiation. *J Oleo Sci.* 67(10):1315-1326, 2018.
- 263.** Sardu C, Pieretti G, D'Onofrio N, Ciccarelli F, Paolisso P, Passavanti MB, Marfella R, Cioffi M, Mone P, Dalise AM, Ferraraccio F, Panarese I, Gambardella A, Passariello N, Rizzo MR, Balestrieri ML, Nicoletti G, Barbieri M. Inflammatory Cytokines and SIRT1 Levels in Subcutaneous Abdominal Fat: Relationship With Cardiac Performance in Overweight Pre-diabetics Patients. *Front Physiol.* 9:1030, 2018.
- 264.** Iacobini C, Blasetti Fantauzzi C, Bedini R, Pecci R, Bartolazzi A, Amadio B, Pesce C, Pugliese G, Menini S. Galectin-3 is essential for proper bone cell differentiation and activity, bone remodeling and biomechanical competence in mice. *Metabolism.* 83:149-158, 2018.
- 265.** Castellano I, Di Tomo P, Di Pietro N, Mandatori D, Pipino C, Formoso G, Napolitano A, Palumbo A, Pandolfi A. Anti-Inflammatory Activity of Marine Othiol A in an In Vitro Model of Endothelial Dysfunction Induced by Hyperglycemia. *Oxid Med Cell Longev.* 2018:2087373, 2018.
- 266.** Tassone EJ, Cimellaro A, Perticone M, Hribal ML, Sciacqua A, Andreozzi F, Sesti G, Perticone F. Uric Acid Impairs Insulin Signaling by Promoting Enpp1 Binding to Insulin Receptor in Human Umbilical Vein Endothelial Cells. *Front Endocrinol (Lausanne)* 9:98, 2018.
- 267.** Filippello A, Urbano F, Di Mauro S, Scamporrino A, Di Pino A, Scicali R, Rabuazzo AM, Purrello F, Piro S. Chronic Exposure to Palmitate Impairs Insulin

Signaling in an Intestinal L-cell Line: A Possible Shift from GLP-1 to Glucagon Production. *Int J Mol Sci.* 19(12), 2018.

- 268.** Jones B, Buenaventura T, Kanda N, Chabosseu P, Owen BM, Scott R, Goldin R, Angkathunyakul N, Corrêa IR Jr, Bosco D, Johnson PR, Piemonti L, Marchetti P, Shapiro AMJ, Cochran BJ, Hanyaloglu AC, Inoue A, Tan T, Rutter GA, Tomas A, Bloom SR. Targeting GLP-1 receptor trafficking to improve agonist efficacy. *Nat Commun.* 9(1):1602, 2018.
- 269.** Fine NHF, Doig CL, Elhassan YS, Vierra NC, Marchetti P, Bugliani M, Nano R, Piemonti L, Rutter GA, Jacobson DA, Lavery GG, Hodson DJ. Glucocorticoids Reprogram β -Cell Signaling to Preserve Insulin Secretion. *Diabetes.* 67(2):278-290, 2018.
- 270.** Buenaventura T, Kanda N, Douzenis PC, Jones B, Bloom SR, Chabosseu P, Corrêa IR Jr, Bosco D, Piemonti L, Marchetti P, Johnson PR, Shapiro AMJ, Rutter GA, Tomas A. A Targeted RNAi Screen Identifies Endocytic Trafficking Factors That Control GLP-1 Receptor Signaling in Pancreatic β -Cells. *Diabetes.* 67(3):385-399, 2018.
- 271.** Perreault L, Newsom SA, Strauss A, Kerege A, Kahn DE, Harrison KA, Snell-Bergeon JK, Nemkov T, D'Alessandro A, Jackman MR, MacLean PS, Bergman BC. Intracellular localization of diacylglycerols and sphingolipids influences insulin sensitivity and mitochondrial function in human skeletal muscle. *JCI Insight.* 8;3(3), 2018.
- 272.** Chiefari E, Foti DP, Sgarra R, Pegoraro S, Arcidiacono B, Brunetti FS, Greco M, Manfioletti G, Brunetti A. Transcriptional Regulation of Glucose Metabolism: The Emerging Role of the HMGA1 Chromatin Factor. *Front Endocrinol (Lausanne).* 9:357, 2018.
- 273.** Chiefari E, Arcidiacono B, Palmieri C, Corigliano DM, Morittu VM, Britti D, Armoni M, Foti DP, Brunetti A. Cross-talk among HMGA1 and FoxO1 in control of nuclear insulin signaling. *Sci Rep.* 8(1):8540, 2018.
- 274.** Arcidiacono B, Chiefari E, Messineo S, Bilotta FL, Pastore I, Corigliano DM, Foti DP, Brunetti A. HMGA1 is a novel transcriptional regulator of the FoxO1 gene. *Endocrine.* 60(1):56-64, 2018.
- 275.** Lombardo GE, Lepore SM, Morittu VM, Arcidiacono B, Colica C, Procopio A, Maggisano V, Bulotta S, Costa N, Mignogna C, Britti D, Brunetti A, Russo D,

- Celano M. Effects of Oleacein on High-Fat Diet-Dependent Steatosis, Weight Gain, and Insulin Resistance in Mice. *Front Endocrinol (Lausanne)*. 9:116, 2018.
276. Tura A, Bizzotto R, Yamada Y, Seino Y, Pacini G, Ahrén B. Increased insulin clearance in mice with double deletion of glucagon-like peptide-1 and glucose-dependent insulinotropic polypeptide receptors. *Am J Physiol Regul Integr Comp Physiol*. 314(5):R639-R646, 2018.
 277. Bilotta FL, Arcidiacono B, Messineo S, Greco M, Chiefari E, Britti D, Nakanishi T, Foti DP, Brunetti A. Insulin and osteocalcin: further evidence for a mutual cross-talk. *Endocrine*. 59(3):622-632, 2018.
 278. Pontrelli P, Oranger A, Barozzino M, Divella C, Conserva F, Fiore MG, Rossi R, Papale M, Castellano G, Simone S, Laviola L, Giorgino F, Piscitelli D, Gallone A, Gesualdo L. Deregulation of autophagy under hyperglycemic conditions is dependent on increased lysine 63 ubiquitination: a candidate mechanism in the progression of diabetic nephropathy. *J Mol Med (Berl)*. 96(7):645-659, 2018.
 279. Incalza MA, D'Oria R, Natalicchio A, Perrini S, Laviola L, Giorgino F. Oxidative stress and reactive oxygen species in endothelial dysfunction associated with cardiovascular and metabolic diseases. *Vascul Pharmacol*. 100:1-19, 2018.
 280. Brunetti A, Arcidiacono B, Foti DP, Semple RK. Editorial: Transcriptional Regulation of Glucose Metabolism: Gaps and Controversies. *Front Endocrinol (Lausanne)*, 10:629, 2019.
 281. Lepore SM, Maggisano V, Bulotta S, Mignogna C, Arcidiacono B, Procopio A, Brunetti A, Russo D, Celano M. Oleacein Prevents High Fat Diet-Induced Adiposity and Ameliorates Some Biochemical Parameters of Insulin Sensitivity in Mice. *Nutrients*, 11(8):1829, 2019.
 282. Cimini FA, Arena A, Barchetta I, Tramutola A, Ceccarelli V, Lanzillotta C, Fontana M, Bertocchini L, Leonetti F, Capoccia D, Silecchia G, Di Cristofano C, Chiappetta C, Di Domenico F, Baroni MG, Perluigi M, Cavallo MG, Barone E. Reduced biliverdin reductase-A levels are associated with early alterations of insulin signaling in obesity. *Biochim Biophys Acta Mol Basis Dis*, 1865(6):1490-1501, 2019.
 283. Oliosio D, Dauriz M, Bacchi E, Negri C, Santi L, Bonora E, Moghetti P. Effects of Aerobic and Resistance Training on Circulating Micro-RNA Expression Profile

- in Subjects With Type 2 Diabetes. *J Clin Endocrinol Metab*, 104(4):1119-1130, 2019.
- 284.** Ciciliot S, Fadini GP. Modulation of Obesity and Insulin Resistance by the Redox Enzyme and Adaptor Protein p66Shc. *Int J Mol Sci*, 20(4):985, 2019.
 - 285.** Tura A, Pacini G, Yamada Y, Seino Y, Ahrén B. Glucagon and insulin secretion, insulin clearance, and fasting glucose in GIP receptor and GLP-1 receptor knockout mice. *Am. J. Physiol. Regul. Integr. Comp. Physiol*, 316:R27-R37, 2019.
 - 286.** Albiero M, Ciciliot S, Tedesco S, Menegazzo L, D'Anna M, Scattolini V, Cappellari R, Zuccolotto G, Rosato A, Cignarella A, Giorgio M, Avogaro A, Fadini GP. Diabetes-Associated Myelopoiesis Drives Stem Cell Mobilopathy Through an OSM-p66Shc Signaling Pathway. *Diabetes*, 68(6):1303-1314, 2019.
 - 287.** Puddu A, Sanguineti R, Maggi D, Nicolò M, Traverso CE, Cordera R, Viviani GL. Advanced Glycation End-Products and Hyperglycemia Increase Angiopoietin-2 Production by Impairing Angiopoietin-1-Tie-2 System. *J Diabetes Res*, 6198495, 2019.
 - 288.** Carnovali M, Luzi L, Terruzzi I, Banfi G, Mariotti M. Liquiritigenin Reduces Blood Glucose Level and Bone Adverse Effects in Hyperglycemic Adult Zebrafish. *Nutrients*, 11:pii: E1042, 2019.
 - 289.** Giorgio C, Incerti M, Pala D, Russo S, Chiodelli P, Rusnati M, Cantoni AM, Di Lecce R, Barocelli E, Bertoni S, Ravassard P, Manenti F, Piemonti L, Ferlenghi F, Lodola A, Tognolini M. Inhibition of Eph/ephrin interaction with the small molecule UniPR500 improves glucose tolerance in healthy and insulin-resistant mice. *Pharmacol. Res*, 141:319-330, 2019.
 - 290.** Di Pino A, Urbano F, Scicali R, Di Mauro S, Filippello A, Scamporrino A, Piro S, Purrello F, Rabuazzo AM. 1 h Postload Glycemia Is Associated with Low Endogenous Secretory Receptor for Advanced Glycation End Product Levels and Early Markers of Cardiovascular Disease. *Cells*, 8:pii: E910, 2019.
 - 291.** Tedesco S, Scattolini V, Albiero M, Bortolozzi M, Avogaro A, Cignarella A, Fadini GP. Mitochondrial Calcium Uptake Is Instrumental to Alternative Macrophage Polarization and Phagocytic Activity. *Int J Mol Sci*, 20(19):4966, 2019.
 - 292.** D'Onofrio N, Pieretti G, Ciccarelli F, Gambardella A, Passariello N, Rizzo MR, Barbieri M, Marfella R, Nicoletti G, Balestrieri ML, Sardu C. Abdominal Fat SIRT6 Expression and Its Relationship with Inflammatory and Metabolic Pathways in Pre-Diabetic Overweight Patients. *Int. J. Mol. Sci*, 20(5):pii:E1153, 2019.

- 293.** Cignarelli A, Genchi VA, Perrini S, Natalicchio A, Laviola L, Giorgino F. Insulin and Insulin Receptors in Adipose Tissue Development. *Int J Mol Sci*, 20(3):759, 2019.
- 294.** Blasetti Fantauzzi C, Iacobini C, Menini S, Vitale M, Sorice GP, Mezza T, Cinti S, Giaccari A, Pugliese G. Galectin-3 gene deletion results in defective adipose tissue maturation and impaired insulin sensitivity and glucose homeostasis. *Sci Rep*. 10(1):20070, 2020.
- 295.** Spigoni V, Fantuzzi F, Carubbi C, Pozzi G, Masselli E, Gobbi G, Solini A, Bonadonna RC, Dei Cas A. Sodium-glucose cotransporter 2 inhibitors antagonize lipotoxicity in human myeloid angiogenic cells and ADP-dependent activation in human platelets: potential relevance to prevention of cardiovascular events. *Cardiovasc Diabetol*. 19(1):46, 2020.
- 296.** Arcidiacono B, Chiefari E, Foryst-Ludwig A, Currò G, Navarra G, Brunetti FS, Mirabelli M, Corigliano DM, Kintscher U, Britti D, Mollace V, Foti DP, Goldfine ID, Brunetti A. Obesity-related hypoxia via miR-128 decreases insulin-receptor expression in human and mouse adipose tissue promoting systemic insulin resistance. *EBioMedicine*. 59:102912, 2020.
- 297.** Lee A, Sun Y, Lin T, Song NJ, Mason ML, Leung JH, Kowdley D, Wall J, Brunetti A, Fitzgerald J, Baer LA, Stanford KI, Ortega-Anaya J, Gomes-Dias L, Needleman B, Noria S, Weil Z, Blakeslee JJ, Jiménez-Flores R, Parquette JR, Ziouzenkova O. Amino acid-based compound activates atypical PKC and leptin receptor pathways to improve glycemia and anxiety like behavior in diabetic mice. *Biomaterials*. 239:119839, 2020.
- 298.** Azoury ME, Tarayrah M, Afonso G, Pais A, Colli ML, Maillard C, Lavaud C, Alexandre-Heymann L, Gonzalez-Duque S, Verdier Y, Vinh J, Pinto S, Buus S, Dubois-Laforgue D, Larger E, Beressi JP, Bruno G, Eizirik DL, You S, Mallone R. Peptides Derived From Insulin Granule Proteins Are Targeted by CD8+ T Cells Across MHC Class I Restrictions in Humans and NOD Mice. *Diabetes*. 69(12):2678-2690, 2020.
- 299.** Natalicchio A, Marrano N, Biondi G, Dipaola L, Spagnuolo R, Cignarelli A, Perrini S, Laviola L, Giorgino F. Irisin increases the expression of anorexigenic and neurotrophic genes in mouse brain. *Diabetes Metab Res Rev*. 36(3):e3238, 2020.
- 300.** Rizza S, Longo S, Piciucchi G, Romanello D, Mavilio M, Montagna M, Coppeta L, Martelli E, Magrini A, Federici M. Carotid intimal medial thickness in

rotating night shift is related to IL1 β /IL6 axis. *Nutr Metab Cardiovasc Dis.* 30(10):1826-1832, 2020.

301. Mayneris-Perxachs J, Puig J, Burcelin R, Dumas ME, Barton RH, Hoyles L, Federici M, Fernández-Real JM. The APOA1bp-SREBF-NOTCH axis is associated with reduced atherosclerosis risk in morbidly obese patients. *Clin Nutr.* 39(11):3408-3418, 2020.
302. Menghini R, Casagrande V, Iuliani G, Rizza S, Mavilio M, Cardellini M, Federici M. Metabolic aspects of cardiovascular diseases: Is FoxO1 a player or a target? *Int J Biochem Cell Biol.* 118:105659, 2020.
303. Cassano V, Leo A, Tallarico M, Nesci V, Cimellaro A, Fiorentino TV, Citraro R, Hribal ML, De Sarro G, Perticone F, Sesti G, Russo E, Sciacqua A. Metabolic and Cognitive Effects of Ranolazine in Type 2 Diabetes Mellitus: Data from an in vivo Model. *Nutrients.* 2020, 12(2):382.
304. Hribal ML, Mancuso E, Arcidiacono GP, Greco A, Musca D, Procopio T, Ruffo M, Sesti G. The Phosphatase PHLPP2 Plays a Key Role in the Regulation of Pancreatic Beta-Cell Survival. *Int J Endocrinol.* 2020:1027386, 2020.
305. Gomez-Hernandez A, Lopez-Pastor AR, Rubio-Longas C, Majewski P, Beneit N, Viana-Huete V, García-Gómez G, Fernandez S, Hribal ML, Sesti G, Escribano O, Benito M. Specific knockout of p85 α in brown adipose tissue induces resistance to high-fat diet-induced obesity and its metabolic complications in male mice. *Mol Metab.* 31:1-13, 2020.
306. Menini S, Iacobini C, de Latouliere L, Manni I, Vitale M, Piloizzi E, Pesce C, Cappello P, Novelli F, Piaggio G, Pugliese G. Diabetes promotes invasive pancreatic cancer by increasing systemic and tumour carbonyl stress in KrasG12D/+ mice. *J Exp Clin Cancer Res.* 39(1):152, 2020.
307. Senesi P, Luzi L, Terruzzi I. Adipokines, Myokines, and Cardiokines: The Role of Nutritional Interventions. *Int J Mol Sci.* 21(21):8372, 2020.
308. Mollica G, Senesi P, Codella R, Vacante F, Montesano A, Luzi L, Terruzzi I. L-carnitine supplementation attenuates NAFLD progression and cardiac dysfunction in a mouse model fed with methionine and choline-deficient diet. *Dig Liver Dis.* 52(3):314-323, 2020.
309. Scisciola L, Rizzo MR, Marfella R, Cataldo V, Fontanella RA, Boccalone E, Paolisso G, Barbieri M. New insight in molecular mechanisms regulating SIRT6

expression in diabetes: Hyperglycaemia effects on SIRT6 DNA methylation. *J Cell Physiol.* [Epub ahead of print], 2020

- 310.** Scisciola L, Rizzo MR, Cataldo V, Fontanella RA, Balestrieri ML, D'Onofrio N, Marfella R, Paolisso G, Barbieri M. Incretin drugs effect on epigenetic machinery: New potential therapeutic implications in preventing vascular diabetic complications. *FASEB J.* 34(12):16489-16503, 2020.
- 311.** Benincasa G, Franzese M, Schiano C, Marfella R, Miceli M, Infante T, Sardu C, Zanfardino M, Affinito O, Mansueto G, Sommese L, Nicoletti GF, Salvatore M, Paolisso G, Napoli C DNA methylation profiling of CD04+/CD08+ T cells reveals pathogenic mechanisms in increasing hyperglycemia: PIRAMIDE pilot study. *Ann Med Surg (Lond).* 60:218-226, 2020.
- 312.** Beltramo E, Mazzeo A, Lopatina T, Trento M, Porta M. Thiamine transporter 2 is involved in high glucose-induced damage and altered thiamine availability in cell models of diabetic retinopathy. *Diab Vasc Dis Res.* 17(1):1479164119878427, 2020.
- 313.** Giglio RV, Nikolic D, Volti GL, Stoian AP, Banerjee Y, Magan-Fernandez A, Castellino G, Patti AM, Chianetta R, Castracani CC, Montalto G, Rizvi AA, Sesti G, Rizzo M. Liraglutide Increases Serum Levels of MicroRNA-27b, -130a and -210 in Patients with Type 2 Diabetes Mellitus: A Novel Epigenetic Effect. *Metabolites.* 10(10):391, 2020.