

1. Bonora E., Coscelli C., Butturini U. Secretion and hepatic removal of insulin in female obese subjects with reactive hypoglycemia. *Ann. Nutr. Metab.* 28: 305-310, 1984.
2. Muggeo M., Moghetti P., Querenza M., Girotto S., Bonora E., Crepaldi G. Effect of aging on growth hormone, ACTH and cortisol response to insulin-induced hypoglycemia in type I diabetes. *Acta Diabetol. Lat.* 22: 159-168, 1985.
3. Miccoli R., Marchetti P., Giampietro O., Penno G., Miccoli DF, Tallarigo L, Sampietro T, Navalesi R. Factitious hypoglycemia in an insulin-dependent woman in the eighth week of gestation. *Gynecol Obstet Invest.* 21: 52-56, 1986.
4. Tamburrano G, Lala A, Locuratolo N, Leonetti F, Sbraccia P, Giaccari A, Busco S, Porcu S. Electroencephalography and visually evoked potentials during moderate hypoglycemia. *J Clin Endocrinol Metab.* 66(6):1301-6, 1988.
5. Perriello G, De Feo P, Torlone E, Calcinaro F, Ventura MM, Basta G, Santeusano F, Brunetti P, Gerich JE, Bolli GB. The effect of asymptomatic nocturnal hypoglycemia on glycemic control in diabetes mellitus. *N Engl J Med.* 319(19):1233-9, 1988.
6. De Feo P, Gallai V, Mazzotta G, Crispino G, Torlone E, Perriello G, Ventura MM, Santeusano F, Brunetti P, Bolli GB. Modest decrements in plasma glucose concentration cause early impairment in cognitive function and later activation of glucose counterregulation in the absence of hypoglycemic symptoms in normal man. *J Clin Invest.* 82(2):436-44, 1988.
7. De Feo P, Perriello G, Torlone E, Ventura MM, Fanelli C, Santeusano F, Brunetti P, Gerich JE, Bolli GB. Contribution of cortisol to glucose counterregulation in humans. *Am J Physiol.* 257(1 Pt 1):E35-42, 1989.
8. Tamburrano G, Leonetti F, Sbraccia P, Giaccari A, Locuratolo N, Lala A. Increased insulin sensitivity in patients with idiopathic reactive hypoglycemia. *J Clin Endocrinol Metab.* 69(4):885-90, 1989.
9. Tamburrano G, Locuratolo N, Pozzessere G, Lostia O, Caiola S, Valle E, Bianco F, Giaccari A, Rizzo PA. Changes in central and peripheral nervous system function during hypoglycemia in man: an electro-physiological quantification. *J Endocrinol Invest.* 15(4):279-82, 1992.
10. Leonetti F, Morviducci L, Giaccari A, Sbraccia P, Caiola S, Zorretta D, Lostia O, Tamburrano G. Idiopathic reactive hypoglycemia: a role for glucagon? *J Endocrinol Invest.* 15(4):273-8, 1992.

11. Dozio N, Scavini M, Beretta A, Sartori S, Meschi F, Sarugeri E, and Pozza G. In vivo metabolic effects of insulin-like growth factor-I not mediated through the insulin receptor. *J Clin Endocrinol Metab* 80:1325-1328, 1995.
12. Leonetti F, Foniciello M, Iozzo P, Riggio O, Merli M, Giovannetti P, Sbraccia P, Giaccari A, Tamburrano G. Increased nonoxidative glucose metabolism in idiopathic reactive hypoglycemia. *Metabolism*. 45(5):606-10, 1996.
13. Basso A; Dalla Paola L; Erle G; Nacamulli D; Armanini D. Hyperosmolar nonketotic coma at the onset of type I diabetes in a child. *J Endocrinol Invest*. 20(4) pp.237-9, 1997.
14. Dozio N, Scavini M, Beretta A, Sarugeri E, Sartori S, Belloni C, Dosio F, Savi A, Fazio F, Sodoyez JC, Pozza G: Imaging of the buffering effect of insulin antibodies in the autoimmune hypoglycemic syndrome. *J Clin Endocrinol Metab* 83:643-648, 1998.
15. Dozio N, Sarugeri E, Scavini M, Beretta A, Belloni C, Dosio F, Savi A, Fazio F, Sodoyez-Goffaux F, Pozza G. Insulin receptor antibodies inhibit insulin uptake by the liver: in vivo ¹²³I-insulin scintigraphic scanning and in vitro characterization in autoimmune hypoglycemia. *J Investig Med* 49:85-92, 2001.
16. Barbagallo, C.M., Aversa, M.R., Citarrella, R., Rizzo, M., Amato, M., Noto, D., Pugliese, A., Cefalù AB, Galluzzo A, Giordano, C. Transient chylomicronemia preceding the onset of insulin-dependent diabetes in a young girl with no humoral markers of islet autoimmunity *European Journal of Endocrinology* 150 (6) : 831-83, 2004.
17. Lubow J.M., Pinon I.G., Avogaro A., Cobelli C., Treason D.M., Mandeville K.A., Toffolo G., Boyle P.J.: Brain oxygen utilization is unchanged by hypoglycemia in normal humans: lactate, alanine, and leucine uptake are not sufficient to offset energy deficit. *Am. J. Physiol. Endocrinol. Metab.* 290:E149-153, 2005.
18. Scavini M, Pontiroli AE, Folli F. Asymptomatic hyperinsulinemic hypoglycemia after gastric banding. *N Engl J Med*. 353(26):2822-3, 2005.
19. Lubow J.M., Pinon I.G., Avogaro A., Cobelli C., Treason D.M., Mandeville K.A., Toffolo G., Boyle P.J.: Brain oxygen utilization is unchanged by hypoglycemia in normal humans: lactate, alanine, and leucine uptake are not sufficient to offset energy deficit. *Am. J. Physiol. Endocrinol. Metab.* 290: E149-153, 2006.
20. Sparacino G., Facchinetti A., Maran A., Cobelli C.: Continuous glucose monitoring time series and hypo/hyperglycemia prevention: requirements, methods, open problems. *Current Diabetes Review* 4:181-192, 2008.
21. Castaldo E, Sabato D, Lauro D, Sesti G, Marini MA. Hypoglycemia assessed by continuous glucose monitoring is associated with preclinical atherosclerosis in individuals with

- impaired glucose tolerance. PLoS ONE 6 (12): e28312, 2011.
22. D'Ancona G, Bertuzzi F, Sacchi L, Pirone F, Stringi V, Arcadipane A, Bellazzi R, Pilato M. Iatrogenic hypoglycemia secondary to tight glucose control is an independent determinant for mortality and cardiac morbidity. *Eur J Cardiothorac Surg.* 40(2): 360-6, 2011.
 23. Nobile, L., Cosenza, B., Amato, M., Guarnotta, V., Giordano, C., Galluzzo, A., Galluzzo, M Development of a fuzzy expert system for the control of glycemia in type 1 diabetic patients . *Computer Aided Chemical Engineering* 29:1568-1572, 2011.
 24. Zecchin C., Facchinetti A., Sparacino G., Cobelli C.: Reduction of number and duration of hypoglycemic events by glucose prediction methods: A proof-of-concept in silico study. *Diabetes Technol Ther.* 15:66-77, 2013.
 25. Pontiroli AE. Intranasal glucagon: a promising approach for treatment of severe hypoglycemia. *J Diabetes Sci Technol.* 9(1):38-43, 2015.
 26. Salutini E, Bianchi C, Santini M, Dardano A, Daniele G, Penno G, Miccoli R, Del Prato S. Access to emergency room for hypoglycaemia in people with diabetes. *Diabetes Metab Res Rev.* 31(7):745-51, 2015.
 27. Boido A, Ceriani V, Pontiroli AE. Glucagon for hypoglycemic episodes in insulin-treated diabetic patients: a systematic review and meta-analysis with a comparison of glucagon with dextrose and of different glucagon formulations. *Acta Diabetol.* 52(2):405-12, 2015.
 28. Borzì V, Frasson S, Gussoni G, Di Lillo M, Gerloni R, Augello G, Gulli G, Ceriello A, Solerte B, Bonizzoni E, Fontanella A; Research Department of FADOI. Risk factors for hypoglycemia in patients with type 2 diabetes, hospitalized in internal medicine wards: Findings from the FADOI-DIAMOND study. *Diabetes Res Clin Pract.* 115:24-30, 2016.
 29. Kovatchev B, Cobelli C. Glucose Variability: Timing, Risk Analysis, and Relationship to Hypoglycemia in Diabetes. *Diabetes Care.* 39(4):502-10, 2016.
 30. Rubega M, Sparacino G, Sejling AS, Juhl CB, Cobelli C. Hypoglycemia-Induced Decrease of EEG Coherence in Patients with Type 1 Diabetes. *Diabetes Technol Ther.* 18(3):178-84, 2016.
 31. Piarulli F, Sartore G, Sechi A, Basso D, Fogar P, Greco E, Ragazzi E, Lapolla A. Low Glucose Concentrations Induce a Similar Inflammatory Response in Monocytes from Type 2 Diabetic Patients and Healthy Subjects. *Oxid Med Cell Longev.* 2017:9185272, 2017.
 32. Bonaventura A, Gallo F, Carbone F, Sacchi G, Liberale L, Dallegri F, Maggi D, Montecucco F, Cordera R. Low serum C-reactive protein levels predict 90-day mortality in hypoglycaemic patients. *Diabetes Metab.* 43(6):554-55, 2017.

33. Indelicato L, Mariano V, Galasso S, Boscari F, Cipponeri E, Negri C, Frigo A, Avogaro A, Bonora E, Trombetta M, Bruttomesso D. Influence of health locus of control and fear of hypoglycaemia on glycaemic control and treatment satisfaction in people with Type 1 diabetes on insulin pump therapy. *Diabet Med.* 34(5):691-697, 2017.
34. Soare A, Khazrai YM, Fontana L, Del Toro R, Lazzaro MC, Di Rosa C, Buldo A, Fioriti E, Maddaloni E, Angeletti S, Di Mauro A, Gesuita R, Skrami E, Tuccinardi D, Fallucca S, Pianesi M, Pozzilli P. Treatment of reactive hypoglycemia with the macrobiotic Ma-pi 2 diet as assessed by continuous glucose monitoring: The MAHYP randomized crossover trial. *Metabolism.* 69:148-156, 2017.
35. Pontiroli AE. Letter to the Editor: Intranasal Glucagon for Hypoglycemia. *Curr Diab Rep.* 17(1):1, 2017. (letter)
36. Quercia S, Turrone S, Fiori J, Soverini M, Rampelli S, Biagi E, Castagnetti A, Consolandi C, Severgnini M, Pianesi M, Fallucca F, Pozzilli P, Brigidi P, Candela M. Gut microbiome response to short-term dietary interventions in reactive hypoglycemia subjects. *Diabetes Metab Res Rev.* 33(8), 2017.
37. Gentile S, Guarino G, Marino G, Strollo F. Risk factors for severe hypoglycemia in people with insulin-treated diabetes: Are we sure we took into account all variables involved? *Nutr Metab Cardiovasc Dis.* 27(5):415-416, 2017.
38. Guarino G, Strollo F, Carbone L, Della Corte T, Letizia M, Marino G, Gentile S. Bioimpedance analysis, metabolic effects and safety of the association Berberis aristata/Bilybum marianum: a 52-week double-blind, placebo-controlled study in obese patients with type 2 diabetes. *J Biol Regul Homeost Agents.* 31(2):495-502, 2017.
39. Amione C, Giunti S, Fornengo P, Soedamah-Muthu SS, Chaturvedi N, Fuller JH, Barutta F, Gruden G, Bruno G. Incidence of prolonged QTc and severe hypoglycemia in type 1 diabetes: the EURODIAB Prospective Complications Study. *Acta Diabetol.* 54(9):871-876, 2017.
40. Nicolucci A, Prosperini G, Buzzetti R, De Cosmo S, Fanelli CG, Napoli R, Giorgino F; AGERE Study Group. A multistep approach for the stratification of the risk of severe hypoglycemia in patients with type 2 diabetes. *Minerva Endocrinol.* 43(4):501-510, 2018.
41. Pontiroli AE, Ceriani V. Intranasal glucagon for hypoglycaemia in diabetic patients. An old dream is becoming reality? *Diabetes Obes Metab.* 20(8):1812-1816, 2018.
42. Bonaventura A, Gallo F, Carbone F, Liberale L, Maggi D, Sacchi G, Dallegri F, Montecucco F, Cordera R. Levels of serum uric acid at admission for hypoglycaemia predict 1-year mortality. *Acta Diabetol.* 55(4):323-330, 2018.

43. Nicolucci A, Prosperini G, Buzzetti R, De Cosmo S, Fanelli CG, Napoli R, Giorgino F; AGERE Study Group. A multistep approach for the stratification of the risk of severe hypoglycemia in patients with type 2 diabetes. *Minerva Endocrinol.* 43(4):501-510, 2018.
44. Lembo E, Lupoli R, Ciciola P, Creanza A, Silvestri E, Saldalamacchia G, Capaldo B. Implementation of Low Glycemic Index Diet Together with Cornstarch in Post-Gastric Bypass Hypoglycemia: Two Case Reports. *Nutrients.* 10(6), 2018.
45. Gentile S, Strollo F, Della Corte T, Marino G, Guarino G. Insulin related lipodystrophic lesions and hypoglycemia: Double standards? *Diabetes Metab Syndr.* 12(5):813-818, 2018.
46. Gentile S, Strollo F, Corte TD, Marino G, Guarino G; Italian Study Group on Injection Techniques. Skin complications of insulin injections: A case presentation and a possible explanation of hypoglycaemia. *Diabetes Res Clin Pract.* 138:284-287, 2018.
47. Schiavon M, Dalla Man C, Cobelli C. Insulin Sensitivity Index-Based Optimization of Insulin to Carbohydrate Ratio: In Silico Study Shows Efficacious Protection Against Hypoglycemic Events Caused by Suboptimal Therapy. *Diabetes Technol Ther.* 20(2):98-105, 2018.
48. Moffa S, Improta I, Rocchetti S, Mezza T, Giaccari A. Potential cause-effect relationship between insulin autoimmune syndrome and alpha lipoic acid: Two case reports. *Nutrition,* 57:1-4, 2019.
49. Dauriz M, Maneschi C, Castelli C, Tomezzoli A, Fuini A, Landoni L, Malleo G, Ferdeghini M, Bonora E, Moghetti P. A Case Report of Insulinoma Relapse on Background Nesidioblastosis: A Rare Cause of Adult Hypoglycemia. *J Clin Endocrinol Metab,* 104(3):773-778, 2019.
50. Bonadonna RC, Yale JF, Brulle-Wohlhueter C, Boëlle-Le Corfec E, Choudhary P, Bailey TS. Hypoglycaemia as a function of HbA1c in type 2 diabetes: Insulin glargine 300 U/mL in a patient-level pooled analysis of EDITION 1, 2 and 3. *Diabetes Obes Metab,* 21(3):715-719, 2019.
51. Danne T, Pettus J, Giaccari A, Cariou B, Rodbard H, Weinzimer SA, Bonnemaire M, Sawhney S, Stewart J, Wang S, Castro RC, Garg SK. Sotagliflozin Added to Optimized Insulin Therapy Leads to Lower Rates of Clinically Relevant Hypoglycemic Events at Any HbA1c at 52 Weeks in Adults with Type 1 Diabetes. *Diabetes Technol Ther,* 21(9):471-477, 2019.
52. Pontiroli AE, Tagliabue E. Therapeutic Use of Intranasal Glucagon: Resolution of Hypoglycemia. *Int. J. Mol. Sci,* 20:pii:E3646, 2019.

53. Irace C, Cutruzzolà A, Carbotti DF, Mastroianni S, Cavallo M, Gnasso A. Hypoglycemia does not affect the progression of preclinical atherosclerosis in subjects with type 2 diabetes. *PLoS One*, 14(3):e0212871, 2019.
54. Fadini GP, Morieri ML, Boscari F, Fioretto P, Maran A, Busetto L, Bonora BM, Selmin E, Arcidiacono G, Pinelli S, Farnia F, Falaguasta D, Russo L, Voltan G, Mazzocut S, Costantini G, Ghirardini F, Tresso S, Cattelan AM, Vianello A, Avogaro A, Vettor R. Newly-diagnosed diabetes and admission hyperglycemia predict COVID-19 severity by aggravating respiratory deterioration. *Diabetes Res Clin Pract.* 168:108374, 2020.
55. Bonora BM, Avogaro A, Fadini GP. Euglycemic Ketoacidosis. *Curr Diab Rep.* 20(7):25, 2020.
56. Bonora BM, Boscari F, Avogaro A, Bruttomesso D, Fadini GP. Glycaemic Control Among People with Type 1 Diabetes During Lockdown for the SARS-CoV-2 Outbreak in Italy. *Diabetes Ther.* 11(6):1-11, 2020.
57. Bonadonna RC, Giaccari A, Buzzetti R, Perseghin G, Cucinotta D, Avogaro A, Aimaretti G, Larosa M, Fanelli CG, Bolli GB. Comparable efficacy with similarly low risk of hypoglycaemia in patient- vs physician-managed basal insulin initiation and titration in insulin-naïve type 2 diabetic subjects: The Italian Titration Approach Study. *Diabetes Metab Res Rev.* 36(6):e3304, 2020.
58. Piarulli F, Lapolla A. COVID 19 and low-glucose levels: Is there a link? *Diabetes Res Clin Pract.* 166:108283, 2020.
59. Sartore G, Ragazzi E, Faccin L, Lapolla A. A role of glycation and methylation for SARS-CoV-2 infection in diabetes? *Med Hypotheses.* 144:110247, 2020.
60. Lapolla A, Amaro F, Bruttomesso D, Di Bartolo P, Grassi G, Maffei C, Purrello F, Tumini S. Diabetic ketoacidosis: A consensus statement of the Italian Association of Medical Diabetologists (AMD), Italian Society of Diabetology (SID), Italian Society of Endocrinology and Pediatric Diabetology (SIEDP). *Nutr Metab Cardiovasc Dis.* 30(10):1633-1644, 2020.
61. La Sala L, Luzi L, Pontiroli AE. Pre-existing diabetes is worse for SARS-CoV-2 infection; an endothelial perspective. *Nutr Metab Cardiovasc Dis.* 30(10):1855-1856, 2020.
62. Sardu C, D'Onofrio N, Balestrieri ML, Barbieri M, Rizzo MR, Messina V, Maggi P, Coppola N, Paolisso G, Marfella R. Hyperglycaemia on admission to hospital and COVID-19. *Diabetologia.* 63(11):2486-2487, 2020.
63. Sardu C, Gargiulo G, Esposito G, Paolisso G, Marfella R. Impact of diabetes mellitus on clinical outcomes in patients affected by Covid-19. *Cardiovasc Diabetol.* 19(1):76, 2020.

64. Marfella R, Paolisso P, Sardu C, Bergamaschi L, D'Angelo EC, Barbieri M, Rizzo MR, Messina V, Maggi P, Coppola N, Pizzi C, Biffi M, Viale P, Galié N, Paolisso G. Negative impact of hyperglycaemia on tocilizumab therapy in Covid-19 patients. *Diabetes Metab.* 46(5):403-40, 2020.
65. Sardu C, D'Onofrio N, Balestrieri ML, Barbieri M, Rizzo MR, Messina V, Maggi P, Coppola N, Paolisso G, Marfella R. Outcomes in Patients With Hyperglycemia Affected by COVID-19: Can We Do More on Glycemic Control? *Diabetes Care.* 43(7):1408-1415, 2020.
66. Sardu C, Gambardella J, Morelli MB, Wang X, Marfella R, Santulli G. Hypertension, Thrombosis, Kidney Failure, and Diabetes: Is COVID-19 an Endothelial Disease? A Comprehensive Evaluation of Clinical and Basic Evidence. *J Clin Med.* 9(5):1417, 2020.
67. Coppelli A, Giannarelli R, Aragona M, Penno G, Falcone M, Tiseo G, Ghiadoni L, Barbieri G, Monzani F, Virdis A, Menichetti F, Del Prato S; Pisa COVID-19 Study Group. Hyperglycemia at Hospital Admission Is Associated With Severity of the Prognosis in Patients Hospitalized for COVID-19: The Pisa COVID-19 Study. *Diabetes Care.* 43(10):2345-2348, 2020.
68. Ciardullo S, Zerbini F, Perra S, Muraca E, Cannistraci R, Lauriola M, Grosso P, Lattuada G, Ippoliti G, Mortara A, Manzoni G, Perseghin G. Impact of diabetes on COVID-19-related in-hospital mortality: a retrospective study from Northern Italy. *J Endocrinol Invest.* 10:1-8, 2020.
69. Pontiroli AE, Tagliabue E. Intranasal versus injectable glucagon for hypoglycemia in type 1 diabetes: systematic review and meta-analysis. *Acta Diabetol.* 57(6):743-749, 2020.
70. Renard E, Ikegami H, Daher Vianna AG, Pozzilli P, Brette S, Bosnyak Z, Lauand F, Peters A, Pilorget V, Jurišić-Eržen D, Kesavadev J, Seufert J, Wilmot EG. The SAGE study: global observational analysis of glycaemic control, hypoglycaemia and diabetes management in T1DM. *Diabetes Metab Res Rev.* [Epub ahead of print], 2020.
71. Ibrahim M, Baker J, Cahn A, Eckel RH, El Sayed NA, Fischl AH, Gaede P, Leslie RD, Pieralice S, Tuccinardi D, Pozzilli P, Richelsen B, Roitman E, Standl E, Toledano Y, Tuomilehto J, Weber SL, Umpierrez GE. Hypoglycaemia and its management in primary care setting. *Diabetes Metab Res Rev.* 36(8):e3332, 2020.