

1. Riccardi G, Vaccaro O, Rivellese AA, Pignatelli S, Tutino L, Mancini M. Reproducibility of the new diagnostic criteria for impaired glucose tolerance. *AMERICAN JOURNAL OF EPIDEMIOLOGY*, 121:422, 1985.
2. Cugini P, Lucia P, Tomassini R, Letizia C, Murano G, Scavo D, Tamburrano G, Maldonato A, Halberg F, Schramm A, Pusch HJ, Franke H, Shoeffling K, Althoff P, Rosak C. Temporal correlation of some endocrine circadian rhythms in elderly subjects. *Maturitas*; 7: 175-186, 1985.
3. Pozzilli P, Visalli N, Corcos A, Andreani D Why do so few diabetic patients attend dialysis centers in central Italy? *J Diabet Complications*. 1(1):4-6. 1987.
4. D'Alessandro A, Simon D, Coignet MC, Cenee S, Giorgino R, Eschwege E. Assessment of the use of haemoglobin A1c in diabetes mellitus screening. *Diabete Metab* 16(3): 213-219, 1990.
5. Travia D., Bonora E., Cacciatori V., Zenere M., Tosi F., Branzi P., Moghetti P., Raffaelli A., Marini F., Poli M., Zenari L., Muggeo M. Study of some putative pathogenetic factors of diabetes mellitus in the elderly. *Arch. Gerontol. Geriatr. Suppl.* 2: 219-222, 1991.
6. Pozzilli P, Buzzetti R, Bottazzo GF, Tosi R. The selection of control subjects for case/control analysis of susceptibility to type 1 (insulin-dependent) diabetes mellitus. *Diabetologia*. 36(11):1208-9, 1993
7. D'Alessandro A, Damato A, De Pergola G, Lollino G, Giorgino R. Combining three different sources as a valid tool to identify known diabetic patients: use in a prevalence study in an Italian local health unit. *Diabete Metab* 20(3):265-270, 1994.
8. Fava D, Leslie RD, Pozzilli P Relationship between dairy product consumption and incidence of IDDM in childhood in Italy. *Diabetes Care*. 17(12):1488-90, 1994.
9. Arpi M.L., Italia S., Motta R.M., Raimondo M., Mancuso M., Tomaselli L., Squatrito S., Vigneri R., Purrello F.. Incidence of type I diabetes in the district of Catania, Sicily. *Acta Diabetol.*, 31: 37-39, 1994.
10. Verlato G., Muggeo M., Bonora E., Corbellini M., Bressan F., De Marco R. Attending the Diabetes Center is associated with increased 5-year survival probability of diabetic patients. The Verona Diabetes Study. *Diabetes Care* 19: 211-213, 1996.
11. Kiechl S., Willeit S., Poewe S., Egger G., Oberhollenzer F., Muggeo M., Bonora E. Insulin sensitivity and regular alcohol consumption: large, prospective, cross-sectional population study (Bruneck Study). *Brit. Med. J.* 313: 1040-44, 1996.

12. Saggiani F., Pilati S., Targher G., Branzi P., Muggeo M., Bonora E. Serum uric acid and related factors in 500 hospitalized subjects. *Metabolism* 45: 1557-61, 1996.
13. Maldonato A. Ethical aspects in the prediction of type 1 diabetes. *Diab Nutrit Metab*; 9: 325-329, 1996 .
14. Sebastiani L, Visalli N, Adorisio E, Suppa MA, Buzzetti R, De Cicco AL, Giovannini C, Commerci MD, Negri M, Pozzilli P. A 5-year (1989-1993) prospective study of the incidence of IDDM in Rome and the Lazio region in the age-group 0-14 years. *Diabetes Care*. 19(1):70-3, 1996.
15. Gnasso A, Calindro MC, Carallo C, De Novara G, Ferraro M, Gorgone G, Irace C, Romeo P, Siclari D, Spagnuolo V, Talarico R, Mattioli PL, Pujia A. Awareness, treatment and control of hyperlipidemia, hypertension and diabetes mellitus in a selected population of southern Italy. *European Journal of Epidemiology*;13:421-428, 1997.
16. Maldonato A. Commentary: Ethical considerations for IDDM prevention trials. *Diabetes Metab Rev*; 13: 204, 1997.
17. Muntoni S, Fonte MT, Stoduto S, Marietti G, Bizzarri C, Crinò A, Ciampalini P, Multari G, Suppa MA, Matteoli MC, Lucentini L, Sebastiani LM, Visalli N, Pozzilli P, Boscherini B, Muntoni S Incidence of insulin-dependent diabetes mellitus among Sardinian-heritage children born in Lazio region, Italy. *Lancet*. 349(9046):160-2, 1997
18. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Targher G., Alberiche M., Bonadonna R., Muggeo M. Prevalence of insulin resistance in metabolic disorders. The Bruneck Study. *Diabetes* 47: 1643-1649, 1998.
19. Imperatore G, Riccardi G, Iovine C, Rivellese AA, Vaccaro O Plasma fibrinogen: a new factor of the metabolic syndrome. A population-based study. *DIABETES CARE*, vol. 21, p. 649-654, 1998.
20. Vaccaro O, Ruffa G, Imperatore G, Iovino V, Rivellese A, Riccardi G. Risk of diabetes in the new diagnostic category of impaired fasting glucose: a prospective analysis. *DIABETES CARE*, p. 1490-1495, 1999.
21. Medici F, Hawa MI, Giorgini A, Panelo A, Solfelix CM, Leslie RD, Pozzilli P. Antibodies to GAD65 and a tyrosine phosphatase-like molecule IA-2ic in Filipino type 1 diabetic patients. *Diabetes Care*. 22(9):1458-61, 1999.
22. Muggeo M., Zoppini G., Bonora E., Brun E., Bonadonna R.C, Moghetti P., Verlato G. Fasting plasma glucose variability predicts 10-yr survival of type 2 diabetic patients from the Verona Diabetes Study. *Diabetes Care* 23: 45-50, 2000.

23. Pozzilli P, Visalli N, Leslie D. No evidence of rapid onset (Japanese) Type I diabetes in Caucasian patients. IMDIAB Group. *Diabetologia*. 43(10):1332, 2000.
24. Bugawan TL, Klitz W, Alejandrino M, Ching J, Pabello A, Solfelix CM, Petrone A, Buzzetti R, Pozzilli P, Erlich HA The association of specific HLA class I and II alleles with type 1 diabetes among Filipinos. *Tissue Antigens*. 59(6):452-69, 2002.
25. Arpi M.L., Fichera G., Mancuso M., Lucenti C., Italia S., Tomaselli L., Motta R.M, Mazza A., Vigneri R., Purrello F., Squatrito S. A ten year (1989-1998) perspective study of the incidence of Type 1 diabetes in the district of Catania (Sicily) in a 0-14 year age group. *J. Endocrinol. Invest.* 25: 414-419, 2002.
26. Petrone A, Battelino T, Krzisnik C, Bugawan T, Erlich H, Di Mario U, Pozzilli P, Buzzetti R. Similar incidence of type 1 diabetes in two ethnically different populations (Italy and Slovenia) is sustained by similar HLA susceptible/protective haplotype frequencies. *Tissue Antigens*.;60(3):244-53, 2002.
27. Stidley CA, Shah VO, Narva AS, Dalton D, MacCluer J, Bobelu A, Scavini M, Welty TK, Zager PG. A population-based, cross-sectional survey of the Zuni Pueblo: a collaborative approach to an epidemic of kidney disease: design and methods. *Am J Kidney Dis* 39:358-368, 2002.
28. Scavini M, Stidley CA, Shah VO, Narva AS, Tentori F, Kessler DS, Bobelu A, Albert CP, Bobelu J, Jamon E, Natachu K, Neha D, Waikaniwa M, Welty TK, MacCluer JW, Zager PG. Prevalence of diabetes is higher among female than male Zuni Indians. *Diabetes Care* 26:55-60, 2003.
29. Shah VO, Scavini M, Stidley CA, Tentori F, Welty TK, MacCluer, JW, Narva AS, Bobelu A, Albert CP, Kessler DS, Harford AM, Wong CS, Harris AA, Paine S, Zager PG. Epidemic of diabetic and non-diabetic renal disease among the Zuni Indians: The Zuni Kidney Project. *J Am Soc Nephrol* 14:1320-1329, 2003.
30. Tentori F, Stidley CA, Scavini M, Shah VO, Narva AS, Paine S, Bobelu A, Welty TK, MacCluer JW, Zager PG. Prevalence of hematuria among diabetic and non-diabetic Zuni Indians: The Zuni Kidney Project. *Am J Kidney Dis* 41:1195-1204, 2003.
31. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M. Metabolic Syndrome: epidemiology and more extensive phenotypic description. Cross-sectional data from the Bruneck Study. *Int. J. Obes.* 27: 1283-1289, 2003.
32. Invitti C., Guzzaloni G., Gilardini L., Morabito F., Viberti G.: Prevalence and concomitants of glucose intolerance in European obese children and adolescents. *Diabetes Care*, 26; 118-124, 2003 .

33. Picardi A, Pozzilli P. Dynamic tests in the clinical management of diabetes. *J Endocrinol Invest.*;26(7 Suppl):99-106. 2003.
34. Mottini G, D'Avola D, Dimbelolo JC, Lumu R, Gallizioli E, Nisita J, Manfrini S, De Clerck M, Pozzilli. A hospital survey of the clinical features of diabetes in Congo. *Diabetes NutrMetab.* Aug;16(4):236-42, 2003.
35. Vaccaro O, Masulli M, Cuomo V, Rivellese AA, Uusitupa M, Vessby B, Hermansen, K, Tapsell L, G. Riccardi. Comparative evaluation of simple indices of insulin resistance. *Metabolism Clinic and Exp.* 53: 1522-1526, 2004.
36. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Meigs J.B., Bonadonna R.C., Muggeo M. Population-based incidence rates and risk factors for type 2 diabetes in Caucasians. The Bruneck Study. *Diabetes* 53: 1782-1789, 2004.
37. Schett G., Kiechl S., Bonora E., Redlich K., Woloszczuk W., Oberhollenzer F., Jocher J., Dorizzi R., Muggeo M., Smolen J., Willeit J. Serum leptin level and the risk of non-traumatic fracture. *Am. J. Med.* 117: 952-956, 2004.
38. Carle F, Gesuita R, Bruno G, Coppa GV, Falorni A, Lorini R, Martinucci ME, Pozzilli P, Prisco F, Songini M, Tenconi MT, Cherubini V; RIDI Study Group Diabetes incidence in 0- to 14-year age-group in Italy: a 10-year prospective study. *Diabetes Care.* 27(12):2790-6, 2004.
39. Pontiroli AE. Type 2 diabetes mellitus is becoming the most common type of diabetes in school children. *Acta Diabetol.*; 41: 85-90, 2004.
40. Parillo M. Riccardi G. Diet Composition and the risk of type 2 diabetes: Epidemiological and clinical evidence. *British Journal of Nutrition* 92. 7-19, 2004.
41. Chiodini I, Torlontano M, Scillitani A, Arosio M, Bacci S, Di Lembo S, Epaminonda P, Augello G, Enrini R, Ambrosi B, Adda G, Trischitta V. Association of subclinical hypercortisolism with type-2 diabetes mellitus: a case-control study in hospitalised patients. *European Journal of Endocrinology* 153: 837-844, 2005.
42. Valensi P, Schwarz PEH, Hall M, Felton AM, Maldonato A, Mathieu C. Pre-diabetes essential action: a European perspective. *Diab Metab* 31: 606-620, 2005.
43. Petrone A, Galgani A, Spoletini M, Alemanno I, Di Cola S, Bassotti G, Picardi A, Manfrini S, Osborn J, Pozzilli P, Buzzetti R. Residual insulin secretion at diagnosis of type 1 diabetes is independently associated with both, age of onset and HLA genotype. *Diabetes Metab Res Rev.* 2005.
44. Lorini R, Minicucci L, Napoli F, Padovani P, Bazzigaluppi E, Tortoioli C, Cherubini V, Bottazzo G, Pozzilli P, Falorni A, Buzzetti R. Screening for type 1 diabetes genetic risk in

newborns of continental Italy. Primary prevention (Prevefin Italy)--preliminary data. *Acta Biomed.*;76Suppl 3:31-5, 2005.

45. Gentilucci UV, Picardi A, Pozzilli P Glucose abnormalities in patients with hepatitis C virus infection: epidemiology and pathogenesis: response to Lecube et al. *Diabetes Care.* Nov;29(11):2558-9, 2006.
46. Petersen K.F., Dufour S., Feng J., Befroy D., Dzuira J., Dalla Man C., Cobelli C., Shulman G.: Increased prevalence of insulin resistance and non-alcoholic fatty liver disease in asian indian men. *PNAS* 103:18273-7, 2006.
47. Hawa MI, Picardi A, Costanza F, D'Avola D, Beretta Anguissola G, Guglielmi C, Mottini G, Fezeu L, Mbanya JC, Leslie RD, Pozzilli P. Frequency of diabetes and thyroid autoantibodies in patients with autoimmune endocrine disease from Cameroon. *Clin Immunol.* 118(2-3):229-32, 2006.
48. Invitti C, Giardini L, Pontiggia B, Morabito F, Mazzilli G, Viberti G Period prevalence of abnormal glucose tolerance and its concomitans in Italian obese children. *NMCD*, 16:256-262, 2006.
49. Scavini M, Stidley CA, Paine SS, Shah VO, Tentori F, Bobelu A, Welty TK, MacCluer JW, Zager PG. The burden of chronic kidney disease among the Zuni Indians: the Zuni Kidney Project. *Clin J Am Soc Nephrol* 2:509-16, 2007.
50. Noble JA, Martin A, Valdes AM, Lane JA, Galgani A, Petrone A, Lorini R, Pozzilli P, Buzzetti R, Erlich HA Type 1 diabetes risk for human leukocyte antigen (HLA)-DR3 haplotypes depends on genotypic context: association of DPB1 and HLA class I loci among DR3- and DR4-matched Italian patients and controls. *Hum Immunol.* 69(4-5):291-300, 2008.
51. Cardwell CR, Stene LC, Joner G, Cinek O, Svensson J, Goldacre MJ, Parslow RC, Pozzilli P, Brigis G, Stoyanov D, Urbonaite B, Sipetić S, Schober E, Ionescu-Tirgoviste C, Devoti G, de Beaufort CE, Buschard K, Patterson CC. Caesarean section is associated with an increased risk of childhood-onset type 1 diabetes mellitus: a meta-analysis of observational studies. *Diabetologia.* 51(5):726-35, 2008.
52. Pronina EA, Petraikina EE, Antsiferov MB, Duchareva OV, Petrone A, Buzzetti R, Pozzilli P. A 10-year (1996-2005) prospective study of the incidence of Type 1 diabetes in Moscow in the age group 0-14 years. *Diabet Med.* 25(8):956-9. 2008.
53. Hawa MI, Thivolet C, Mauricio D, Alemanno I, Cipponeri E, Collier D, Hunter S, Buzzetti R, de Leiva A, Pozzilli P, Leslie RD; Action LADA Group Metabolic syndrome and autoimmune diabetes: action LADA 3. *Diabetes Care.* 32(1):160-4. 2009.

54. Nicolucci A, Cucinotta D, Squatrito S, Lapolla A, Musacchio N, Leotta S, Vitali L, Bulotta A, Nicoziani P, Coronel G; QuoLITy Study Group. Clinical and socio-economic correlates of quality of life and treatment satisfaction in patients with type 2 diabetes. *Nutr Metab Cardiovasc Dis.* 19:45-53, 2009.
55. Bellia A, Giardina E, Lauro D, Tesauro M, Di Fede G, Cusumano G, Federici M, Rini GB, Novelli G, Lauro R, Sbraccia P. "The Linosa Study": epidemiological and heritability data of the metabolic syndrome in a Caucasian genetic isolate. *Nutr Metab Cardiovasc Dis.* 19(7):455-61, 2009.
56. Zoppini G., Verlato G., Targher G., Casati S., Gusson E., Biasi V., Perrone F., Bonora E., Muggeo M. Is fasting glucose variability a risk factor for retinopathy in people with type 2 diabetes? *Nutr. Metab. Cardiovasc. Dis.* 19: 334-339, 2009.
57. Schett G., Kiechl S., Bonora E., Zwerina J., Mayr A., Axmann R., Redlich K., Weger S., Oberhollenzer F., Lorenzini R., Willeit J. Vascular adhesion molecule-1 as a predictor for severe osteoarthritis of hip and knee joints. *Arthritis Rheumatism* 60: 2381-2389, 2009.
58. Lapice E., Maione S., Patti L., Cipriano P., Rivellese A. A., Riccardi G., Vaccaro O.. Abdominal adiposity is associated with elevated C-reactive protein independent of BMI in healthy non obese people. *DIABETES CARE*, p. 1734-1736, 2009.
59. Zoppini G., Targher G., Negri C., Stoico V., Gemma M.L., Bonora E. Usefulness of the triglyceride to high-density lipoprotein cholesterol ratio for predicting mortality risk in type 2 diabetes: Role of kidney dysfunction. *Atherosclerosis* 212: 287-291, 2010.
60. Bizzarri C, Patera PI, Arnaldi C, Petrucci S, Bitti ML, Scrocca R, Manfrini S, Portuesi R, Buzzetti R, Cappa M, Pozzilli P Incidence of type 1 diabetes has doubled in Rome and the Lazio region in the 0- to 14-year age-group: a 6-year prospective study (2004-2009). Immunotherapy Diabetes (IMDIAB) Group. *Diabetes Care.* 33(11):e140, 2010.
61. Napoli N, Pedone C, Pozzilli P, Lauretani F, Ferrucci L, Incalzi RA Adiponectin and bone mass density: The InCHIANTI study. *Bone.* 47(6):1001-5. 2010.
62. St-Pierre DH, Settanni F, Olivetti I, Gramaglia E, Tomellini M, Granata R, Prodam F, Benso A, Ghigo E, Broglio F. Circulating obestatin levels in normal and Type 2 diabetic subjects. *J Endocrinol Invest.* 33(4):211-4, 2010.
63. Bruno G, Maule M, Merletti F, Novelli G, Falorni A, Iannilli A, Iughetti L, Altobelli E, d'Annunzio G, Piffer S, Pozzilli P, Iafusco D, Songini M, Roncarolo F, Toni S, Carle F, Cherubini V; RIDI Study Group Age-period-cohort analysis of 1990-2003 incidence time trends of childhood diabetes in Italy: the RIDI study. *Diabetes.* 59(9):2281-7, 2010.

64. Cardwell CR, Stene LC, Joner G, Bulsara MK, Cinek O, Rosenbauer J, Ludvigsson J, Jané M, Svensson J, Goldacre MJ, Waldhoer T, Jarosz-Chobot P, Gimeno SG, Chuang LM, Parslow RC, Wadsworth EJ, Chetwynd A, Pozzilli P, Brigis G, Urbonaite B, Sipetic S, Schober E, Devoti G, Ionescu-Tirgoviste C, de Beaufort CE, Stoyanov D, Buschard K, Patterson CC Maternal age at birth and childhood type 1 diabetes: a pooled analysis of 30 observational studies. *Diabetes*. 59(2):486-94. 2010
65. Brunetti P, Muggeo M, Cattin L, Arcangeli A, Pozzilli P, Provenzano V, Francesconi A, Calatola P, Santeusano F. Incidence of severe nocturnal hypoglycemia in patients with type 1 diabetes treated with insulin lispro or regular human insulin in addition to basal insulin glargine. *NutrMetabCardiovasc Dis*. 20(7):519-26, 2010.
66. Targher G, Zoppini G, Chonchol M, Negri C, Stoico V, Perrone F, Muggeo M, Bonora E. Glomerular filtration rate, albuminuria and risk of cardiovascular and all-cause mortality in type 2 diabetic individuals. *Nutr. Metab. Cardiovasc. Dis*. 21: 294-301, 2011.
67. Pugliese G., Solini A., Bonora E., Orsi E., Zerbini G., Giorgino F., Cavalot F., Pontiroli A.E., Baroni M.G., Morano S., Nicolucci A., Penno G. The chronic kidney disease epidemiology collaboration (CKD-EPI) equation provides a better definition of cardiovascular burden associated with CKD than the Modification Of Diet In Renal Disease (MDRD) Study formula in subjects with type 2 diabetes. *Atherosclerosis* 218: 194-199, 2011.
68. Penno G., Solini A., Bonora E., Fondelli C., Orsi E., Zerbini G., Trevisan R., Vedovato M., Gruden G., Cavalot F., Cignarelli M., Laviola L., Morano S., Nicolucci A., Pugliese G.; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Clinical significance of nonalbuminuric renal impairment in type 2 diabetes. *J. Hypertens*. 29: 1802-1809, 2011.
69. Zoppini G., Targher G., Bonora E. The role of serum uric acid in cardiovascular disease in Type 2 diabetic and non-diabetic subjects: a narrative review. *J. Endocrinol. Invest*. 34: 881-886, 2011.
70. Barchetta I, Angelico F, Del Ben M, Baroni MG, Pozzilli P, Morini S, Cavallo MG. Strong association between non alcoholic fatty liver disease (NAFLD) and low 25(OH) vitamin D levels in an adult population with normal serum liver enzymes. *BMC Med*. Jul 12;9:85, 2011.
71. Di Stasio E, Maggi D, Berardesca E, Marulli GC, Bizzarri C, Lauria A, Portuesi R, Cavallo MG, Costantino F, Buzzetti R, Astorri E, Pitocco D, Songini M, Pozzilli P; IMDIAB Group

Blue eyes as a risk factor for type 1 diabetes. *Diabetes Metab Res Rev.* Sep;27(6):609-13, 2011.

72. Giorda CB, Manicardi V, Cabezudo JD The impact of diabetes mellitus on healthcare costs in Italy. *Expert Review of Pharmacoeconomics & Outcomes Research* 11(6):709-19, 2011.
73. Franzini L, Ardigò D, Cavalot F, Miccoli R, Rivellesse A, Trovati M, Zavaroni I, Vaccaro O. Women show worse control of type 2 diabetes and cardiovascular disease risk factors than men: Results from the MIND.IT Study Group of the Italian Society of Diabetology. *NMCD. NUTRITION METABOLISM AND CARDIOVASCULAR DISEASES*, 2012
74. Zoppini G., Targher G., Chonchol M., Ortalda V., Abaterusso C., Pichiri I., Negri C., Bonora E. Serum uric acid levels and incident chronic kidney disease in patients with type 2 diabetes and preserved kidney function. *Diabetes Care* 35: 99-104, 2012.
75. Solini A., Penno G., Bonora E., Fondelli C., Orsi E., Arosio M., Trevisan R., Vedovato M., Cignarelli M., Andreozzi F., Nicolucci A., Pugliese G.; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Diverging association of reduced glomerular filtration rate and albuminuria with coronary and noncoronary events in patients with type 2 diabetes: The Renal Insufficiency and Cardiovascular Events (RIACE) Italian Multicentre Study. *Diabetes Care* 35: 143-149, 2012.
76. Zoppini G., Targher G., Chonchol M., Ortalda V., Negri C., Stoico V., Bonora E. Predictors of estimated GFR decline in patients with type 2 diabetes and preserved kidney function. *Clin. J. Am. Soc. Nephrol.* 7: 401-408, 2012.
77. Rossi A., Targher G., Zoppini G., Ciccoira M., Bonapace S., Negri C., Stoico V., Faggiano P., Vassanelli C., Bonora E. Aortic and Mitral Annular Calcification Are Predictive of All-Cause and Cardiovascular Mortality in Patients With Type 2 Diabetes. *Diabetes Care* 35: 1781–1786, 2012.
78. Targher G., Zoppini G., Mantovani W., Chonchol M., Negri C., Stoico V., Mantovani A., De Santi F., Bonora E. Comparison of two creatinine-based estimating equations in predicting all-cause and cardiovascular mortality in patients with type 2 diabetes. *Diabetes Care* 35: 2347-2353, 2012.
79. Guglielmi C, Palermo A, Pozzilli P. Latent autoimmune diabetes in the adults (LADA) in Asia: from pathogenesis and epidemiology to therapy. *Diabetes Metab Res Rev.* Dec;28Suppl 2:40-6, 2012.
80. Cardwell CR, Stene LC, Ludvigsson J, Rosenbauer J, Cinek O, Svensson J, Perez-Bravo F, Memon A, Gimeno SG, Wadsworth EJ, Strotmeyer ES, Goldacre MJ, Radon K, Chuang LM, Parslow RC, Chetwynd A, Karavanaki K, Briggs G, Pozzilli P, Urbonaite B, Schober E,

Devoti G, Sipetic S, Joner G, Ionescu-Tirgoviste C, de Beaufort CE, Harrild K, Benson V, Savilahti E, Ponsonby AL, Salem M, Rabiei S, Patterson CC Breast-feeding and childhood-onset type 1 diabetes: a pooled analysis of individual participant data from 43 observational studies. *Diabetes Care*. 35(11):2215-25, 2012.

81. Giaccari A, Grassi G, Ozzello A. Self-monitoring of blood glucose: guideline application rather than utilization restrictions on testing strips has potential to reduce diabetes healthcare costs in Italy. *Diabetes Technol Ther*. Oct;14(10):862-7, 2012.
82. Stone A, Charpentier G, Doggen K, Kuss O, Lindblad U, Kellner C, Nolan J, Pazderska A, Rutten G, Trento M, Khunti K and On behalf of the GUIDANCE Study Group. Quality of Care of People With Type 2 Diabetes in Eight European Countries: Findings from the Guideline Adherence to Enhance Care (GUIDANCE) study. *Diabetes Care*. 36, 2628-38, 2013.
83. Trento M, Panero F, Porta M, Gruden G, Barutta F, Cerutti F, Gambino R, Perotto M, Perin PC, Bruno G. Piedmont Study Group for Diabetes Epidemiology. Diabetes-specific variables associated with quality of life changes in young diabetic people: The type 1 diabetes Registry of Turin (Italy). *Nutrition, Metabolism & Cardiovasc Disease*. 23(10), 1031-6, 2013.
84. Cioffi G, Rossi A, Zoppini G, Targher G, de Simone G, Devereux RB, Vassanelli C, Bonora E. Inappropriate left ventricular mass independently predicts cardiovascular mortality in patients with type 2 diabetes. *Int. J. Cardiol*. 168: 4953-4956, 2013.
85. Zoppini G, Galletti A, Targher G, Brangani C, Pichiri I, Negri C, Stoico V, Cacciatori V, Bonora E. Glycated haemoglobin is inversely related to serum vitamin D levels in type 2 diabetic patients. *PLoS One* 8: e82733, 2013.
86. Marchesini G, Bernardi D, Miccoli R, Rossi E, Vaccaro O, De Rosa M, Bonora E, Bruno G. Under-treatment of migrants with diabetes in a universalistic health care system: The ARNO Observatory. *Nutr Metab Cardiovasc Dis*. 24: 393-399, 2013.
87. Ballotari P, Chiatamone Ranieri S, Vicentini M, Caroli S, Gardini A, Rodolfi R, Crucco R, Greci M, Manicardi V, Giorgi Rossi P. Building a population-based diabetes register: An Italian experience. *Diabetes research and clinical practice* 12, 2013.
88. Rossi MC, Cristofaro MR, Gentile S, Lucisano G, Manicardi V, Mulas MF, Napoli A, Nicolucci A, Pellegrini F, Suraci C, Giorda C. Sex Disparities in the Quality of Diabetes Care: Biological and Cultural Factors May Play a Different Role for Different Outcomes: A cross-sectional observational study from the AMD Annals initiative. - *Diabetes care* 07, 2013.

89. Vaccaro O, Franzini L, Miccoli R, Cavalot F, Ardigo D, Boemi M, De Feo P, Reboldi G, Rivellese AA, Trovati M, Zavaroni I; MIND.IT Study Group. Feasibility and effectiveness in clinical practice of a multifactorial intervention for the reduction of cardiovascular risk in patients with type 2 diabetes: the 2-year interim analysis of the MIND.IT study: a cluster randomized trial. *Diabetes Care* 36(9):2566-72, 2013.
90. Bosi E, Scavini M, Ceriallo A, Cucinotta D, Tiengo A, Marino R, Bonizzoni E, Giorgino F, PRISMA Study Group. Intensive structured self-monitoring of blood glucose and glycemic control in noninsulin-treated type 2 diabetes: the PRISMA randomized trial.; *Diabetes Care*. 36(10):2887-94, 2013.
91. Franciosi M, Lucisano G, Amoretti R, Capani F, Bruttomesso D, Di Bartolo P, Girelli A, Leonetti F, Morviducci L, Vitacolonna E, Nicolucci A. Costs of treatment and complications of adult type 1 diabetes. *Nutr Metab Cardiovasc Dis*. 23(7):606-11, 2013.
92. Portuesi R, Pozzilli P, Boehm B, Buzzetti R, Filippi S. Assessment of type 1 diabetes risk conferred by HLA-DRB1, INS-VNTR and PTPN22 genes using the Bayesian network approach. *PLoS One*. 18;8(11):e79506, 2013.
93. Mollo A, Hernandez M, Marsal JR, Esquerda A, Rius F, Blanco-Vaca F, Verdaguer J, Pozzilli P, de Leiva A, Mauricio D; Action LADA 8 Latent autoimmune diabetes in adults is perched between type 1 and type 2: evidence from adults in one region of Spain. *Diabetes Metab Res Rev*. 29(6):446-51, 2013.
94. Hawa MI, Kolb H, Schloot N, Beyan H, Paschou SA, Buzzetti R, Mauricio D, De Leiva A, Yderstraede K, Beck-Neilsen H, Tuomilehto J, Sarti C, Thivolet C, Hadden D, Hunter S, Schernthaner G, Scherbaum WA, Williams R, Brophy S, Pozzilli P, Leslie RD; Action LADA consortium. Adult-onset autoimmune diabetes in Europe is prevalent with a broad clinical phenotype: Action LADA 7. *Diabetes Care*. Apr;36(4):908-13, 2013.
95. Masserini B, Bedeschi MF, Bianchi V, Scuvera G, Beck-Peccoz P, Lalatta F, Selicorni A, Orsi E. Prevalence of Diabetes and Pre-Diabetes in a cohort of Italian Young Adults with Williams Syndrome. *Am J Med Genet*. 161:817-821, 2013.
96. Cesario A, Auffray C, Agusti A, Apolone G, Balling R, Barbanti P, Bellia A, Boccia S, Bousquet J, Cardaci V, Cazzola M, Dall'Armi V, Daraselia N, Ros LD, Bufalo AD, Ducci G, Ferri L, Fini M, Fossati C, Gensini G, Granone PM, Kinross J, Lauro D, Cascio GL, Lococo F, Lococo A, Maier D, Marcus F, Margaritora S, Marra C, Minati G, Neri M, Pasqua F, Pison C, Pristipino C, Roca J, Rosano G, Rossini PM, Russo P, Salinaro G, Shenhar S, Soreq H, Sterk PJ, Stocchi F, Torti M, Volterrani M, Wouters EF, Frustaci A,

- Bonassi S. A systems medicine clinical platform for understanding and managing non-communicable diseases. *Curr Pharm Des.* 20(38):5945-56, 2014.
97. Scalone L, Cesana G, Furneri G, Ciampichini R, Beck-Peccoz P, Chiodini V, Mangioni S, Orsi E, Fornari C, Mantovani LG. Burden of diabetes mellitus estimated with a longitudinal population-based study using administrative databases. *PLoS One.*9:e113741, 2014.
 98. Cioffi G., Rossi A., Targher G., Zoppini G., de Simone G., Devereux R.B., Bonora E., Vassanelli C. Usefulness of subclinical left ventricular midwall dysfunction to predict cardiovascular mortality in patients with Type 2 Diabetes Mellitus. *Am J Cardiol.* 113: 1409-1414, *Am J Cardiol.* 15;113(8):1409-14, 2014.
 99. Pugliese G., Solini A., Bonora E., Orsi E., Zerbini G., Fondelli C., Gruden G., Cavalot F., Lamacchia O., Trevisan R., Vedovato M., Penno G.; RIACE Study Group. Distribution of cardiovascular disease and retinopathy in patients with type 2 diabetes according to different classification systems for chronic kidney disease: a cross-sectional analysis of the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study. *Cardiovasc. Diabetol.* 13:59-65, 2014.
 100. Sacks FM, Hermans MP, Fioretto P, Valensi P, Davis T, Horton E, Wanner C, Al-Rubeaan K, Aronson R, Barzon I, Bishop L, Bonora E, Bunnag P, Chuang LM, Deerochanawong C, Goldenberg R, Harshfield B, Hernández C, Herzlinger-Botein S, Itoh H, Jia W, Jiang YD, Kadowaki T, Laranjo N, Leiter L, Miwa T, Odawara M, Ohashi K, Ohno A, Pan C, Pan J, Pedro-Botet J, Reiner Z, Rotella CM, Simo R, Tanaka M, Tedeschi-Reiner E, Twum-Barima D, Zoppini G, Carey VJ. Association between plasma triglycerides and HDL-cholesterol and microvascular kidney disease and retinopathy in type 2 diabetes: a global case-control study in 13 countries. *Circulation* 129: 999-1008, 2014.
 101. D'Alessandro A. De Pergola G. Mediterranean Diet Pyramid: a proposal for Italian People. *Nutrients*,6,4302-4316; 2014.
 102. Chillelli NC, Cosma C, Ragazzi E, Burlina S, Zaninotto M, Plebani M, Lapolla A. Screening with HbA1c identifies only one in two individuals with diagnosis of prediabetes at oral glucose tolerance test: findings in a real-world Caucasian population. *Acta Diabetol.*, 51(5):875-82, 2014.
 103. Barker A, Lauria A, Schloot N, Hosszufalusi N, Ludvigsson J, Mathieu C, Mauricio D, Nordwall M, Van der Schueren B, Mandrup-Poulsen T, Scherbaum WA, Weets I, Gorus FK, Wareham N, Leslie RD, Pozzilli P Age-dependent decline of β -cell function in type 1 diabetes after diagnosis: a multi-centre longitudinal study. *Diabetes Obes Metab.* 16(3):262-7, 2014.

104. Ardigò D, Vaccaro O, Cavalot F, Rivellese AA, Franzini L, Miccoli R, Patti L, Boemi M, Trovati M, Zavaroni I; MIND.IT study group). Effectiveness of treat-to-target strategy for LDL-cholesterol control in type 2 diabetes: post-hoc analysis of data from the MIND.IT study. *EUR J PREV CARDIOL*. 21(4):456-63, 2014.
105. Ciocca G, Carosa E, Stornelli M, Limoncin E, Gravina GL, Iannarelli R, Sperandio A, Di Sante S, Lenzi A, Lauro D, Jannini EA. Post-traumatic stress disorder, coping strategies and type 2 diabetes: psychometric assessment after L'Aquila earthquake. *Acta Diabetol*. 52(3):513-21, 2015.
106. Lauria A, Barker A, Schloot N, Hosszufalusi N, Ludvigsson J, Mathieu C, Mauricio D, Nordwall M, Van der Schueren B, Mandrup-Poulsen T, A Scherbaum W, Weets I, K Gorus F, Wareham N, D Leslie R, Pozzilli P. BMI is an important driver of β -cell loss in type 1 diabetes upon diagnosis in 10 to 18-year-old children. *Eur J Endocrinol*. 172(2):107-13, 2015.
107. Weng J, Pozzilli P. Hot topics on diabetes in China. *Diabetes Metab Res Rev*. 31(8):779-80, 2015.
108. Incani M, Sentinelli F, Perra L, Pani MG, Porcu M, Lenzi A, Cavallo MG, Cossu E, Leonetti F, Baroni MG. Glycated hemoglobin for the diagnosis of diabetes and prediabetes: Diagnostic impact on obese and lean subjects, and phenotypic characterization. *J Diabetes Investig*. 6(1):44-50, 2015.
109. Zagami RM, Di Pino A, Urbano F, Piro S, Purrello F, Rabuazzo AM. Low circulating vitamin D levels are associated with increased arterial stiffness in prediabetic subjects identified according to HbA1c. *Atherosclerosis*. 243(2):395-401, 2015.
110. Spadaro L, Privitera G, Fede G, Magliocco O, Russello M, Piro S, Rabuazzo AM, Purrello F. Diabetes increases renovascular impedance in patients with liver cirrhosis. *Intern Emerg Med*. 10(6):703-9, 2015.
111. Tocci G, Ferrucci A, Bruno G, Mannarino E, Nati G, Trimarco B, Volpe M. Prevalence of metabolic syndrome in the clinical practice of general medicine in Italy. *Cardiovasc Diagn Ther*. 5(4):271-9, 2015.
112. Nicolucci A, Pintauro B, Rossi MC, Messina R, Dotta F, Frontoni S, Caputo S, Lauro R. The social burden of hypoglycemia in the elderly. *Acta Diabetol*. 52(4):677-85, 2015.
113. Maddaloni E, Lessan N, Al Tikriti A, Buzzetti R, Pozzilli P, Barakat MT. Latent Autoimmune Diabetes in Adults in the United Arab Emirates: Clinical Features and Factors Related to Insulin-Requirement. *PLoS One*. 10(8):e0131837, 2015.

114. Ballotari P, Caroli S, Ferrari F, Romani G, Marina G, Chiarenza A, Manicardi V, Giorgi Rossi P. Differences in diabetes prevalence and inequalities in disease management and glycaemic control by immigrant status: a population-based study (Italy). *BMC Public Health*. 15:87, 2015.
115. Khazrai YM, Buzzetti R, Del Prato S, Cahn A, Raz I, Pozzilli P The addition of E (Empowerment and Economics) to the ABCD algorithm in diabetes care. *J Diabetes Complications*. 29(4):599-606, 2015.
116. Le Moli R, Muscia V, Tumminia A, Frittitta L, Buscema M, Palermo F, Sciacca L, Squatrito S, Vigneri R Type 2 diabetic patients with Graves' disease have more frequent and severe Graves' orbitopathy.. *Nutr Metab Cardiovasc Dis*. May;25(5):452-7, 2015.
117. Trento M, Charrier L, Salassa M, Merlo S, Passera P, Cavallo F, Porta M. Depression, anxiety and cognitive function in patients with type 2 diabetes: an 8-year prospective observational study. *Acta Diabetol*. 52(6):1157-66, 2015.
118. Privitera G, Spadaro L, Alagona C, Calanna S, Piro S, Rabuazzo AM, Purrello F. Hepatic insulin resistance in NAFLD: relationship with markers of atherosclerosis and metabolic syndrome components. *Acta Diabetol*. 53(3):449-59, 2016.
119. Bruno G, Pagano E, Rossi E, Cataudella S, De Rosa M, Marchesini G, Miccoli R, Vaccaro O, Bonora E Incidence, prevalence, costs and quality of care of type 1 diabetes in Italy, age 0-29 years: The population-based CINECA-SID ARNO Observatory, 2002-2012. *Nutr Metab Cardiovasc Dis*. 26(12):1104-1111, 2016.
120. Pagano E, De Rosa M, Rossi E, Cinconze E, Marchesini G, Miccoli R, Vaccaro O, Bonora E, Bruno G. The relative burden of diabetes complications on healthcare costs: The population-based CINECA-SID ARNO Diabetes Observatory. *Nutr Metab Cardiovasc Dis*. 26(10):944-50, 2016.
121. Vitale M, Masulli M, Cocozza S, Anichini R, Babini AC, Boemi M, Bonora E, Buzzetti R, Carpinteri R, Caselli C, Ceccarelli E, Cignarelli M, Citro G, Clemente G, Consoli A, Corsi L, De Gregorio A, Di Bartolo P, Di Cianni G, Fontana L, Garofolo M, Giorda CB, Giordano C, Grioni S, Iovine C, Longhitano S, Mancastroppa G, Mazzucchelli C, Montani V, Mori M, Perriello G, Rinaldi ME, Ruffo MC, Salvi L, Sartore G, Scaranna C, Tonutti L, Zamboni C, Zogheri A, Krogh V, Cappellini F, Signorini S, Riccardi G, Vaccaro O; TOSCA.IT Study Group. Sex differences in food choices, adherence to dietary recommendations and plasma lipid profile in type 2 diabetes - The TOSCA.IT study. *Nutr Metab Cardiovasc Dis*. 26(10):879-85, 2016.

- 122.** Vitale M, Masulli M, Rivellese AA, Babini AC, Boemi M, Bonora E, Buzzetti R, Ciano O, Cignarelli M, Cigolini M, Clemente G, Citro G, Corsi L, Dall'Aglio E, Del Prato S, Di Cianni G, Dolci MA, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Leotta S, Mazzucchelli C, Montani V, Perriello G, Romano G, Romeo F, Santarelli L, di Cola RS, Squatrito S, Tonutti L, Trevisan R, Turco AA, Zamboni C, Riccardi G, Vaccaro O. Influence of dietary fat and carbohydrates proportions on plasma lipids, glucose control and low-grade inflammation in patients with type 2 diabetes-The TOSCA.IT Study. *Eur J Nutr.* 55(4):1645-51, 2016.
- 123.** Bruno G, Gruden G, Songini M. Incidence of type 1 diabetes in age groups above 15 years: facts, hypothesis and prospects for future epidemiologic research. *Acta Diabetol.* 53(3):339-47, 2016.
- 124.** Trevisan R, Bonizzoni E, Bosi E, Ceriello A, Cucinotta D, Giorgino F, Tiengo A, Scavini M. Glycated haemoglobin does not accurately predict average capillary glucose in non insulin-treated type 2 diabetes: The PRISMA study experience. *Nutr Metab Cardiovasc Dis.* 26(2):169-70, 2016.
- 125.** Di Bonito P, Pacifico L, Chiesa C, Invitti C, Miraglia Del Giudice E, Baroni MG, Moio N, Pellegrin MC, Tomat M, Licenziati MR, Manco M, Maffei C, Valerio G; "CARdiometabolic risk factors in overweight and obese children in ITALY" (CARITALY) Study Group. White blood cell count may identify abnormal cardiometabolic phenotype and preclinical organ damage in overweight/obese children. *Nutr Metab Cardiovasc Dis.* 26(6):502-9, 2016.
- 126.** Notarnicola A, Maccagnano G, Tafuri S, Moretti L, Laviola L, Moretti B. Epidemiology of diabetes mellitus in the fragility fracture population of a region of Southern Italy. *J Biol Regul Homeost Agents.* 30(1):297-302, 2016.
- 127.** Ballotari P, Manicardi V, Giorgi Rossi P. Comment on "Incidence of Type 1 Diabetes among Children and Adolescents in Italy between 2009 and 2013: The Role of a Regional Childhood Diabetes Registry". *J Diabetes Res.* 2016:6302508, 2016.
- 128.** Amed S, Pozzilli P. Diagnosis of diabetes type in children and young people: challenges and recommendations. *Lancet Diabetes Endocrinol.* 4(5):385-6, 2016.
- 129.** Pozzilli P, Battelino T, Danne T, Hovorka R, Jarosz-Chobot P, Renard E. Continuous subcutaneous insulin infusion in diabetes: patient populations, safety, efficacy, and pharmacoeconomics. *Diabetes Metab Res Rev.* 32(1):21-39, 2016.

- 130.** Fiorentino TV, Sesti F, Andreozzi F, Pedace E, Succurro E, Sciacqua A, Perticone F, Sesti G. Frequency of 1-h post-load glucose ≥ 155 mg/dl among individuals with different glucose tolerance conditions. *Nutr Metab Cardiovasc Dis.* 26(5):439-41, 2016.
- 131.** Gallo F, Maggi D, Cordera R. The economic burden of severe hypoglycemia: Two sides of the same coin. Comment on G. Veronese and Coll. Costs associated with emergency care and hospitalization for severe hypoglycemia. *Nutr Metab Cardiovasc Dis.* 26(9):850-1, 2016.
- 132.** Di Bonito P, Pacifico L, Chiesa C, Valerio G, Miraglia Del Giudice E, Maffei C, Morandi A, Invitti C, Licenziati MR, Loche S, Tornese G, Franco F, Manco M, Baroni MG; “CARdiometabolic risk factors in overweight and obese children in ITALY” (CARITALY) Study Group. Impaired fasting glucose and impaired glucose tolerance in children and adolescents with overweight/obesity. *J Endocrinol Invest.* 40:409-16, 2017.
- 133.** Barutta F, Bruno G, Matullo G, Chaturvedi N, Grimaldi S, Schalkwijk C, Stehouwer CD, Fuller JH, Gruden G. MicroRNA-126 and micro-/macrovascular complications of type 1 diabetes in the EURODIAB Prospective Complications Study. *Acta Diabetol.* 54:133-139, 2017.
- 134.** Songini M, Mannu C, Targhetta C, Bruno G. Type 1 diabetes in Sardinia: facts and hypotheses in the context of worldwide epidemiological data. *Acta Diabetol.* 54:9-17, 2017.
- 135.** Orsi E, Grancini V, Menini S, Aghemo A, Pugliese G. Hepatogenous diabetes: Is it time to separate it from type 2 diabetes? *Liver Int.* 37:950-962, 2017.
- 136.** Iraci T, Di Carlo V, Magliozzo F, Galvano L. Use of Electronic Instruments for the Opportunistic Screening of Undiagnosed Diabetes and Other Disorders of Glucose Metabolism. The Diabetes Screening Palermo Study “D.S.P.S.” *International Journal of Diabetes Research* 6(1):1-6, 2017.
- 137.** Songini M, Mannu C, Targhetta C, Bruno G. Type 1 diabetes in Sardinia: facts and hypotheses in the context of worldwide epidemiological data. *Acta Diabetol.* 4(1):9-17, 2017.
- 138.** Dauriz M, Targher G, Laroche C, Temporelli PL, Ferrari R, Anker S, Coats A, Filippatos G, Crespo-Leiro M, Mebazaa A, Piepoli MF, Maggioni AP, Tavazzi L; ESC-HFA Heart Failure Long-Term Registry. Association Between Diabetes and 1-Year Adverse Clinical Outcomes in a Multinational Cohort of Ambulatory Patients With Chronic Heart Failure: Results From the ESC-HFA Heart Failure Long-Term Registry. *Diabetes Care.* 40(5):671-678, 2017.

139. Ponzo V, Rosato R, Tarsia E, Goitre I, De Michieli F, Fadda M, Monge T, Pezzana A, Broglio F, Bo S. Self-reported adherence to diet and preferences towards type of meal plan in patient with type 2 diabetes mellitus. A cross-sectional study. *Nutr Metab Cardiovasc Dis.* 27(7):642-650, 2017.
140. Maddaloni E, Pastore G, Del Buono MG, Porcari A, Fittipaldi M, Garilli F, Tiberti C, Angeletti S, Pozzilli P, Mottini G, Napoli N. High Prevalence of Autoimmune Diabetes and Poor Glycaemic Control among Adults in Madagascar: A Brief Report from a Humanitarian Health Campaign in Ambanja. *J Diabetes Res.* 2017:3860674, 2017.
141. Seghieri G, Policardo L, Anichini R, Franconi F, Campesi I, Cherchi S, Tonolo G. The Effect of Sex and Gender on Diabetic Complications. *Curr Diabetes Rev.* 13(2):148-160, 2017.
142. Vitale M, Masulli M, Rivellese AA, Bonora E, Cappellini F, Nicolucci A, Squatrito S, Antenucci D, Barrea A, Bianchi C, Bianchini F, Fontana L, Fornengo P, Giorgino F, Gnasso A, Mannucci E, Mazzotti A, Nappo R, Palena AP, Pata P, Perriello G, Potenziani S, Radin R, Ricci L, Romeo F, Santini C, Scarponi M, Serra R, Timi A, Turco AA, Vedovato M, Zavaroni D, Grioni S, Riccardi G, Vaccaro O; TOSCA.IT Study Group. Dietary intake and major food sources of polyphenols in people with type 2 diabetes: The TOSCA.IT Study. *Eur J Nutr.* 57(2):679-688, 2018.
143. Maddaloni E, Cavallari I, Napoli N, Conte C. Vitamin D and Diabetes Mellitus. *Front Horm Res.* 50:161-176, 2018.
144. Icardi G, Francia F, Di Bartolo P, Mannino D, Alti E, Purrello F, Sesti G, Sessa A. Multi-disciplinary Consensus Statement Document Vaccinal prevention in adult patients with diabetes mellitus. *J Prev Med Hyg.* 59(4):E249-E256, 2018.
145. Bergman M, Manco M, Sesti G, Dankner R, Pareek M, Jagannathan R, Chetrit A, Abdul-Ghani M, Buysschaert M, Olsen MH, Nilsson PM, Medina JL, Roth J, Groop L, Del Prato S, Raz I, Ceriello A. Petition to replace current OGTT criteria for diagnosing prediabetes with the 1-hour post-load plasma glucose ≥ 155 mg/dl (8.6 mmol/L). *Diabetes Res Clin Pract.* 146:18-33, 2018.
146. Ponzo V, Gentile L, Gambino R, Rosato R, Cioffi I, Pellegrini N, Benso A, Broglio F, Cassader M, Bo S. Incidence of diabetes mellitus, cardiovascular outcomes and mortality after a 12-month lifestyle intervention: A 9-year follow-up. *Diabetes Metab.* 44(5):449-451, 2018.
147. Fiorentino TV, Marini MA, Succurro E, Andreozzi F, Perticone M, Hribal ML, Sciacqua A, Perticone F, Sesti G. One-Hour Postload Hyperglycemia: Implications for

- Prediction and Prevention of Type 2 Diabetes. *J Clin Endocrinol Metab.* 1;103(9):3131-3143, 2018.
- 148.** Ibrahim M, Tuomilehto J, Aschner P, Beseler L, Cahn A, Eckel RH, Fischl AH, Guthrie G, Hill JO, Kumwenda M, Leslie RD, Olson DE, Pozzilli P, Weber SL, Umpierrez GE. Global status of diabetes prevention and prospects for action: A consensus statement. *Diabetes Metab Res Rev.* 34(6):e3021, 2018.
- 149.** Chilelli NC, Cosma C, Burlina S, Plebani M, Lapolla A. Antioxidant capacity in patients with type 2 diabetes: a preliminary investigation on gender-specific differences in an Italian population. *Clin Chem Lab Med.* 56(4):101-104, 2018.
- 150.** Tura A, Pacini G, Moro E, Vrbíková J, Bendlová B, Kautzky-Willer A. Sex- and age-related differences of metabolic parameters in impaired glucose metabolism and type 2 diabetes compared to normal glucose tolerance. *Diabetes Res Clin Pract.* 146:67-75, 2018.
- 151.** Morettini M, Di Nardo F, Burattini L, Fioretti S, Göbl C, Kautzky-Willer A, Pacini G, Tura A. Assessment of glucose effectiveness from short IVGTT in individuals with different degrees of glucose tolerance. *Acta Diabetol.* 55(10):1011-1018, 2018.
- 152.** Papatheodorou K, Banach M, Bekiari E, Rizzo M, Edmonds M. Complications of Diabetes 2017. *J Diabetes Res.* 2018:3086167, 2018.
- 153.** Di Camillo B, Hakaste L, Sambo F, Gabriel R, Kravic J, Isomaa B, Tuomilehto J, Alonso M, Longato E, Facchinetti A, Groop LC, Cobelli C, Tuomi T. HAPT2D: high accuracy of prediction of T2D with a model combining basic and advanced data depending on availability. *Eur J Endocrinol.* 178(4):331-341, 2018.
- 154.** Tura A, Chemello G, Szendroedi J, Göbl C, Færch K, Vrbíková J, Pacini G, Ferrannini E, Roden M. Prediction of clamp-derived insulin sensitivity from the oral glucose insulin sensitivity index. *Diabetologia.* 61(5):1135-1141, 2018.
- 155.** Acciaroli G, Sparacino G, Hakaste L, Facchinetti A, Di Nunzio GM, Palombit A, Tuomi T, Gabriel R, Aranda J, Vega S, Cobelli C. Diabetes and Prediabetes Classification Using Glycemic Variability Indices From Continuous Glucose Monitoring Data. *J Diabetes Sci Technol.* 12(1):105-113, 2018.
- 156.** Petroni ML, Barbanti FA, Bonadonna R, Bruno G, Caletti MT, Croci M, D'Eusebio C, Dei Cas A, Invitti C, Merlo F, Molteni A, Pontiroli A, Trento M, Veronelli A, Vigili de Kreutzenberg S, Marchesini G. Dysfunctional eating in type 2 diabetes mellitus: A multicenter Italian study of socio-demographic and clinical associations. *Nutr Metab Cardiovasc Dis.* 29(9):983-990, 2019.

157. Longato E, Camillo BD, Sparacino G, Saccavini C, Cocchiglia A, Tramontan L, Fadini GP. Detecting Undiagnosed Diabetes: Proof-of-Concept Based on the Health-Information Exchange System of the Veneto Region (North-East Italy). *Conf Proc IEEE Eng Med Biol Soc*, 4293-4296, 2019.
158. Nicolucci A, Rossi MC, Vaccaro K, Crialesi R, Rossetti S, Da Empoli S, Corsaro L, Morviducci L, Baroni MG, Frontoni S, Dotta F. Urban diabetes: the case of the metropolitan area of Rome. *Acta Biomed*, 90(2):209-214, 2019.
159. Ballotari P, Venturelli F, Manicardi V, Vicentini M, Ferrari F, Greci M, Maiorana M, Rossi PG. Determinants of inappropriate setting allocation in the care of patients with type 2 diabetes: A population-based study in Reggio Emilia province. *PLoS One*, 14:e0221443, 2019.
160. Manicardi V, Vicentini M, Ballotari P, Venturelli F, Giorgi Rossi P. Comment on Cheng et al. Trends and Disparities in Cardiovascular Mortality Among U.S. Adults With and Without Self-Reported Diabetes, 1988-2015. *Diabetes Care* 2018;41:2306-2315. *Diabetes Care*, 42:e62, 2019.
161. Koivula RW, Forgie IM, Kurbasic A, Viñuela A , Heggie A , Giordano GN , Hansen TH , Hudson M , Koopman ADM , Rutters F , Siloaho M , Allin KH , Brage S , Brorsson CA , Dawed AY , De Masi F, Groves CJ , Kokkola T , Mahajan A , Perry MH , Rauh SP , Ridderstråle M 1 , Teare HJA , Thomas EL , Tura A , Vestergaard H , White T, Adamski J , Bell JD , Beulens JW , Brunak S , Dermitzakis ET , Froguel P , Frost G , Gupta R , Hansen T , Hattersley A , Jablonka B , Kaye J , Laakso M , McDonald TJ , Pedersen O , Schwenk JM , Pavo I , Mari A , McCarthy MI , Ruetten H , Walker M , Pearson E , Franks PW ; Consorzio IMI DIRECT . Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: descriptive characteristics of the epidemiological studies within the IMI DIRECT Consortium. *Diabetologia*, 62:1601-1615, 2019.
162. Fiorentino TV, Pedace E, Succurro E, Andreozzi F, Perticone M, Sciacqua A, Perticone F, Sesti G. Individuals With Prediabetes Display Different Age-Related Pathophysiological Characteristics. *J Clin Endocrinol Metab*, 104:2911-2924, 2019.
163. Spiga R, Mannino GC, Mancuso E, Averta C, Paone C, Rubino M, Sciacqua A, Succurro E, Perticone F, Andreozzi F, Sesti G. Are Circulating Mg²⁺ Levels Associated with Glucose Tolerance Profiles and Incident Type 2 Diabetes? *Nutrients*, 11:pii: E2460, 2019.

- 164.** Uusitupa M, Khan TA, Viguiliouk E, Kahleova H, Rivelles AA, Hermansen K, Pfeiffer A, Thanopoulou A, Salas-Salvadó J, Schwab U, Sievenpiper JL. Prevention of Type 2 Diabetes by Lifestyle Changes: A Systematic Review and Meta-Analysis. *Nutrients*, 11:pii: E2611, 2019.
- 165.** Leanza G, Maddaloni E, Pitocco D, Conte C, Palermo A, Maurizi AR, Pantano AL, Suraci C, Altomare M, Strollo R, Manfrini S, Pozzilli P, Schwartz AV, Napoli N. Risk factors for fragility fractures in type 1 diabetes. *Bone*, 125:194-199, 2019.
- 166.** Fadini GP, Morieri ML, Longato E, Avogaro A. Prevalence and impact of diabetes among people infected with SARS-CoV-2. *J Endocrinol Invest*. 43(6):867-869, 2020.
- 167.** Longato E, Di Camillo B, Sparacino G, Saccavini C, Avogaro A, Fadini GP. Diabetes diagnosis from administrative claims and estimation of the true prevalence of diabetes among 4.2 million individuals of the Veneto region (North East Italy). *Nutr Metab Cardiovasc Dis*. 30(1):84-91, 2020.
- 168.** Bonora E, Trombetta M, Dauriz M, Travia D, Cacciatori V, Brangani C, Negri C, Perrone F, Pichiri I, Stoico V, Zoppini G, Rinaldi E, Da Prato G, Boselli ML, Santi L, Moschetta F, Zardini M, Bonadonna RC. Chronic complications in patients with newly diagnosed type 2 diabetes: prevalence and related metabolic and clinical features: the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 9. *BMJ Open Diabetes Res Care*. 8(1):e001549, 2020.
- 169.** Mantovani A, Turino T, Lando MG, Gjini K, Byrne CD, Zusi C, Ravaioli F, Colecchia A, Maffei C, Salvagno G, Lippi G, Bonora E, Targher G. Screening for non-alcoholic fatty liver disease using liver stiffness measurement and its association with chronic kidney disease and cardiovascular complications in patients with type 2 diabetes. *Diabetes Metab*. 46(4):296-303, 2020.
- 170.** Bonora E, Cataudella S, Marchesini G, Miccoli R, Vaccaro O, Fadini GP, Martini N, Rossi E; under the mandate of the Italian Diabetes Society. Clinical burden of diabetes in Italy in 2018: a look at a systemic disease from the ARNO Diabetes Observatory. *BMJ Open Diabetes Res Care*. 8(1):e001191, 2020.
- 171.** Bonora E, Cataudella S, Marchesini G, Miccoli R, Vaccaro O, Fadini GP, Martini N, Rossi E. A view on the quality of diabetes care in Italy and the role of Diabetes Clinics from the 2018 ARNO Diabetes Observatory. *Nutr Metab Cardiovasc Dis*. 30(11):1945-1953, 2020.

172. Cignarelli A, Sansone A, Caruso I, Perrini S, Natalicchio A, Laviola L, Jannini EA, Giorgino F. Diabetes in the Time of COVID-19: A Twitter-Based Sentiment Analysis. *J Diabetes Sci Technol*. 14(6):1131-1132, 2020.
173. Lisco G, De Tullio A, Giagulli VA, Guastamacchia E, De Pergola G, Triggiani V. Hypothesized mechanisms explaining poor prognosis in type 2 diabetes patients with COVID-19: a review. *Endocrine*. 70(3):441-453, 2020.
174. Maddaloni E, D'Onofrio L, Alessandri F, Mignogna C, Leto G, Coraggio L, Sterpetti S, Pascarella G, Mezzaroma I, Lichtner M, Pozzilli P, Agrò FE, Rocco M, Pugliese F, Mastroianni CM, Buzzetti R; CoViDiab Study group. Clinical features of patients with type 2 diabetes with and without Covid-19: A case control study (CoViDiab I). *Diabetes Res Clin Pract*. 169:108454, 2020.
175. Maddaloni E, Moretti C, Mignogna C, Buzzetti R. Adult-onset autoimmune diabetes in 2020: An update. *Maturitas*. 137:37-44, 2020.
176. Maddaloni E, Buzzetti R. Covid-19 and diabetes mellitus: unveiling the interaction of two pandemics. *Diabetes Metab Res Rev*. 31:e33213321, 2020.
177. Maddaloni E, Coleman RL, Agbaje O, Buzzetti R, Holman RR. Time-varying risk of microvascular complications in latent autoimmune diabetes of adulthood compared with type 2 diabetes in adults: a post-hoc analysis of the UK Prospective Diabetes Study 30-year follow-up data (UKPDS 86). *Lancet Diabetes Endocrinol*. 8(3):206-215, 2020.
178. Lampasona V, Secchi M, Scavini M, Bazzigaluppi E, Brigatti C, Marzinotto I, Davalli A, Caretto A, Laurenzi A, Martinenghi S, Molinari C, Vitali G, Di Filippo L, Mercalli A, Melzi R, Tresoldi C, Rovere-Querini P, Landoni G, Ciceri F, Bosi E, Piemonti L. Antibody response to multiple antigens of SARS-CoV-2 in patients with diabetes: an observational cohort study. *Diabetologia*. 63(12):2548-2558, 2020.
179. Pugliese G, Vitale M, Resi V, Orsi E. Is diabetes mellitus a risk factor for COroNaVirus Disease 19 (COVID-19)? *Acta Diabetol*. 57(11):1275-1285, 2020.
180. Bergman M, Jagannathan R, Sesti G. The contribution of unrecognized factors to the diabetes epidemic. *Diabetes Metab Res Rev*. 36(6):e3315, 2020.
181. Mantovani A, Byrne CD, Zheng MH, Targher G. Diabetes as a risk factor for greater COVID-19 severity and in-hospital death: A meta-analysis of observational studies. *Nutr Metab Cardiovasc Dis*. 30(8):1236-1248, 2020.
182. Targher G, Mantovani A, Wang XB, Yan HD, Sun QF, Pan KH, Byrne CD, Zheng KI, Chen YP, Eslam M, George J, Zheng MH. Patients with diabetes are at higher risk for severe illness from COVID-19. *Diabetes Metab*. 46(4):335-337, 2020.

- 183.** Mantovani A, Targher G, Zoppini G. Nonalcoholic Fatty Liver Disease and Implications for Older Adults with Diabetes. *Clin Geriatr Med.* 36(3):527-547, 2020.
- 184.** Targher G. Is it time for non-alcoholic fatty liver disease screening in patients with type 2 diabetes mellitus? *Hepatobiliary Surg Nutr.* 9(2):239-241, 2020.
- 185.** Lonardo A, Mantovani A, Lugari S, Targher G Epidemiology and pathophysiology of the association between NAFLD and metabolically healthy or metabolically unhealthy obesity. *Ann Hepatol.* 19(4):359-366, 2020..